

Vaccination Coverage Statistics for Children in Northern Ireland:
Completed Primary Immunisations by 12 months

Quarter*	Year	No. in cohort	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	MenC	PCV2	Rota2	MenB2
Jan-Mar	1996	5810	94.1%	94.1%	92.0%	94.0%	93.9%				
Apr-June	1996	6069	94.3%	94.3%	92.6%	94.2%	94.2%				
July-Sept	1996	6038	94.0%	94.0%	92.4%	93.8%	93.9%				
Oct-Dec	1996	5686	94.5%	94.5%	92.6%	94.4%	94.4%				
Jan-Mar	1997	5877	95.1%	95.1%	93.7%	95.1%	95.0%				
Apr-June	1997	5848	94.0%	94.0%	92.7%	93.9%	93.9%				
July-Sept	1997	6313	93.8%	93.8%	92.8%	93.7%	93.7%				
Oct-Dec	1997	6044	94.3%	94.3%	92.8%	94.2%	94.2%				
Jan-Mar	1998	5923	94.6%	94.6%	93.4%	94.5%	94.7%				
Apr-June	1998	6058	94.2%	94.2%	93.0%	94.0%	94.2%				
July-Sept	1998	6092	93.3%	93.3%	92.2%	93.2%	93.3%				
Oct-Dec	1998	5667	93.3%	93.3%	92.2%	93.2%	93.4%				
Jan-Mar	1999	5787	93.6%	93.6%	92.5%	93.5%	93.7%				
Apr-June	1999	6007	94.2%	94.2%	93.3%	94.1%	94.3%				
July-Sept	1999	6098	93.8%	93.8%	92.9%	93.7%	93.8%				
Oct-Dec	1999	5554	94.2%	94.2%	93.5%	94.0%	94.4%				
Jan-Mar	2000	5694	94.5%	94.5%	93.4%	94.5%	94.6%				
Apr-June	2000	5776	95.3%	95.3%	94.4%	95.0%	95.5%				
July-Sept	2000	5935	94.4%	94.4%	93.5%	94.2%	94.5%				
Oct-Dec	2000	5365	94.0%	94.0%	93.3%	93.9%	94.2%				
Jan-Mar	2001	5382	94.6%	94.7%	94.1%	94.6%	94.7%	92.5%			
Apr-June	2001	5349	93.8%	93.9%	93.3%	93.5%	93.8%	92.8%			
July-Sept	2001	5482	94.4%	94.4%	93.9%	93.8%	94.3%	93.9%			
Oct-Dec	2001	5293	94.7%	94.7%	94.2%	94.4%	94.8%	94.8%			
Jan-Mar	2002	5226	94.9%	94.9%	94.4%	94.7%	94.8%	94.8%			
Apr-June	2002	5332	95.4%	95.4%	94.7%	95.2%	95.3%	95.1%			
July-Sept	2002	5596	94.6%	94.6%	94.1%	94.4%	94.5%	94.5%			
Oct-Dec	2002	5366	94.4%	94.4%	94.0%	94.4%	94.3%	94.6%			
Jan-Mar	2003	5051	94.2%	94.2%	93.8%	94.0%	94.3%	94.3%			
Apr-June	2003	5266	95.1%	95.1%	94.7%	95.1%	94.9%	95.1%			
July-Sept	2003	5542	95.1%	95.1%	94.7%	95.1%	95.4%	95.6%			
Oct-Dec	2003	5394	95.4%	95.4%	95.0%	95.4%	95.5%	95.7%			
Jan-Mar	2004	4992	94.4%	94.4%	94.0%	94.2%	94.5%	94.7%			
Apr-June	2004	5344	94.6%	94.6%	94.1%	94.6%	94.9%	95.0%			
July-Sept	2004	5646	94.7%	94.7%	94.5%	94.5%	94.8%	95.0%			
Oct-Dec	2004	5516	94.6%	94.6%	94.3%	94.5%	94.8%	95.1%			
Jan-Mar	2005	5310	95.5%	95.5%	95.4%	95.3%	95.6%	95.8%			
Apr-June	2005	5385	95.1%	95.1%	95.0%	94.9%	95.5%	95.5%			
July-Sept	2005	5775	95.4%	95.4%	95.4%	95.3%	95.6%	95.8%			
Oct-Dec	2005	5685	95.3%	95.3%	95.3%	95.3%	95.3%	95.8%			
Jan-Mar	2006	5303	95.7%	95.7%	95.7%	95.7%	95.7%	96.0%			
Apr-June	2006	5573	95.7%	95.7%	95.7%	95.7%	95.7%	95.8%			
July-Sept	2006	5876	95.9%	95.9%	95.9%	95.9%	95.9%	96.0%			
Oct-Dec	2006	5497	96.3%	96.3%	96.3%	96.3%	96.3%	96.4%			
Jan-Mar	2007	5507	96.3%	96.3%	96.3%	96.3%	96.3%	95.8%			
Apr-June	2007	5789	95.0%	95.0%	95.0%	95.0%	95.0%	88.4%			
July-Sept	2007	6130	95.3%	95.3%	95.3%	95.3%	95.3%	~			
Oct-Dec	2007	5920	96.5%	96.5%	96.5%	96.5%	96.5%	97.1%	92.1%		
Jan-Mar	2008	5795	96.2%	96.2%	96.2%	96.2%	96.2%	96.0%	92.1%		
Apr-June	2008	5952	96.5%	96.5%	96.5%	96.5%	96.5%	96.4%	95.2%		
July-Sept	2008	6542	96.7%	96.7%	96.7%	96.7%	96.7%	96.6%	96.6%		
Oct-Dec	2008	6161	97.4%	97.4%	97.4%	97.4%	97.4%	97.3%	97.3%		
Jan-Mar	2009	6230	97.1%	97.1%	97.1%	97.1%	97.1%	97.0%	97.0%		
Apr-June	2009	6239	97.1%	97.1%	97.1%	97.1%	97.1%	96.9%	96.9%		
July-Sept	2009	6415	97.8%	97.8%	97.8%	97.8%	97.8%	97.7%	97.9%		
Oct-Dec	2009	6323	97.4%	97.4%	97.4%	97.4%	97.4%	97.3%	97.3%		
Jan-Mar	2010	6025	97.7%	97.7%	97.7%	97.7%	97.7%	97.6%	97.8%		
Apr-June	2010	6226	97.3%	97.3%	97.3%	97.3%	97.3%	97.3%	97.3%		
July-Sept	2010	6314	97.2%	97.2%	97.2%	97.2%	97.2%	97.1%	97.2%		
Oct-Dec	2010	6221	97.1%	97.1%	97.1%	97.1%	97.1%	97.0%	97.3%		
Jan-Mar	2011	6066	97.4%	97.4%	97.4%	97.4%	97.4%	97.3%	97.5%		
Apr-June	2011	6089	97.3%	97.3%	97.3%	97.3%	97.3%	97.2%	97.4%		
July-Sept	2011	6515	97.4%	97.4%	97.4%	97.4%	97.4%	97.4%	97.5%		
Oct-Dec	2011	6557	97.5%	97.5%	97.5%	97.5%	97.5%	97.3%	97.6%		
Jan-Mar	2012	6145	97.2%	97.2%	97.2%	97.2%	97.2%	97.0%	97.1%		
Apr-June	2012	6022	97.3%	97.3%	97.3%	97.3%	97.3%	97.3%	97.5%		
July-Sept	2012	6563	97.3%	97.3%	97.3%	97.3%	97.3%	97.3%	97.4%		
Oct-Dec	2012	6253	97.4%	97.4%	97.4%	97.4%	97.4%	97.3%	97.4%		
Jan-Mar	2013	6195	97.4%	97.4%	97.4%	97.4%	97.4%	97.4%	97.4%		
Apr-June	2013	6165	97.7%	97.7%	97.7%	97.7%	97.7%	97.7%	97.7%		
July-Sept	2013	6394	97.4%	97.4%	97.4%	97.4%	97.4%	96.8%	97.4%		
Oct-Dec	2013	6382	97.2%	97.2%	97.2%	97.2%	97.2%	94.1%	97.2%		
Jan-Mar	2014	5784	96.7%	96.7%	96.7%	96.7%	96.7%	**n/a	96.8%		
Apr-June	2014	5869	97.0%	97.0%	97.0%	97.0%	97.0%	**n/a	96.8%		
July-Sept	2014	6431	97.6%	97.6%	97.6%	97.6%	97.6%	98.6%	97.6%	94.3%	
Oct-Dec	2014	5923	97.9%	97.9%	97.9%	97.9%	97.9%	98.6%	97.8%	94.9%	
Jan-Mar	2015	5854	97.5%	97.5%	97.5%	97.5%	97.5%	98.5%	97.5%	94.8%	
Apr-June	2015	5920	97.4%	97.4%	97.4%	97.4%	97.4%	98.4%	97.3%	94.9%	
July-Sept	2015	6439	97.2%	97.2%	97.2%	97.2%	97.2%	98.2%	97.1%	94.1%	
Oct-Dec	2015	6104	97.3%	97.3%	97.3%	97.3%	97.3%	98.2%	97.4%	94.3%	
Jan-Mar	2016	5712	97.1%	97.1%	97.1%	97.1%	97.1%	98.4%	97.1%	94.8%	
Apr-June	2016	5891	96.7%	96.7%	96.7%	96.7%	96.7%	97.8%	96.7%	94.2%	
July-Sept	2016	6469	97.1%	97.1%	97.1%	97.1%	97.1%	97.8%	97.1%	94.5%	96.0%
Oct-Dec	2016	6206	96.6%	96.6%	96.6%	96.6%	96.6%	97.3%	96.7%	94.3%	95.7%
Jan-Mar	2017	5752	96.9%	96.9%	96.9%	96.9%	96.9%	90.4%	97.0%	95.1%	96.5%
Apr-June	2017	5981	96.7%	96.7%	96.7%	96.7%	96.7%	~	96.8%	94.8%	96.3%
July-Sept	2017	6312	96.6%	96.6%	96.6%	96.6%	96.6%	~	96.8%	94.5%	96.3%
Oct-Dec	2017	6057	96.3%	96.3%	96.3%	96.3%	96.3%	~	96.5%	93.9%	96.2%
Jan-Mar	2018	5649	95.5%	95.5%	95.5%	95.5%	95.5%	~	95.8%	93.7%	95.4%

* children were 12 months old during the quarter

** accurate Men C coverage at 12 months not available (n/a) due to a software change

Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses)

Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses)

Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses)

Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses)

Hib3 = *Haemophilus Influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses)

MenC = Meningococcal serogroup C conjugate vaccine was removed from the routine immunisation schedule from 1st July 2016 and children born Jan to Mar 2016 but presenting for their 12 week immunisation late (after 1 July) may not have been offered the vaccine, resulting in decrease in coverage in Mar 2017

~ Meningococcal serogroup C conjugate vaccine reporting ceased in April 2017

PCV2 = Pneumococcal conjugate vaccine (2 doses) (introduced Sept 2006)

Rota2 = Rotavirus vaccine (2 doses given before 24 weeks of age) (introduced July 2013)

MenB2 = Meningococcal serogroup B vaccine (2 doses) (introduced Sept 2015)

Vaccination Coverage Statistics for Children in BHSTC: Completed Primary Immunisations by 12 months

Quarter*	Year	No. in cohort	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	MenC	PCV2	Rota2	MenB2
Jan-Mar	2011	1076	95.6%	95.6%	95.6%	95.6%	95.6%	95.4%	95.5%		
Apr-June	2011	1149	95.3%	95.3%	95.3%	95.3%	95.3%	95.0%	95.4%		
July-Sept	2011	1223	95.0%	95.0%	95.0%	95.0%	95.0%	95.1%	95.3%		
Oct-Dec	2011	1317	94.8%	94.8%	94.8%	94.8%	94.8%	94.5%	95.3%		
Jan-Mar	2012	1157	95.1%	95.1%	95.1%	95.1%	95.1%	94.7%	95.3%		
Apr-June	2012	1099	95.5%	95.5%	95.5%	95.5%	95.5%	95.2%	95.4%		
July-Sept	2012	1270	96.0%	96.0%	96.0%	96.0%	96.0%	96.1%	96.1%		
Oct-Dec	2012	1216	95.2%	95.2%	95.2%	95.2%	95.2%	95.0%	95.2%		
Jan-Mar	2013	1231	95.0%	95.0%	95.0%	95.0%	95.0%	95.2%	95.2%		
Apr-June	2013	1169	95.2%	95.2%	95.2%	95.2%	95.2%	95.0%	95.5%		
July-Sept	2013	1213	93.7%	93.7%	93.7%	93.7%	93.7%	93.1%	94.1%		
Oct-Dec	2013	1234	94.7%	94.7%	94.7%	94.7%	94.7%	90.6%	94.7%		
Jan-Mar	2014	1117	93.4%	93.4%	93.4%	93.4%	93.4%	**n/a	93.6%		
Apr-June	2014	1120	94.1%	94.1%	94.1%	94.1%	94.1%	**n/a	93.6%		
July-Sept	2014	1263	95.9%	95.9%	95.9%	95.9%	95.9%	97.7%	96.0%	93.0%	
Oct-Dec	2014	1131	95.2%	95.2%	95.2%	95.2%	95.2%	97.1%	95.2%	92.0%	
Jan-Mar	2015	1101	95.8%	95.8%	95.8%	95.8%	95.8%	97.8%	95.8%	93.7%	
Apr-June	2015	1149	95.5%	95.5%	95.5%	95.5%	95.5%	97.6%	95.3%	93.3%	
July-Sept	2015	1198	94.4%	94.4%	94.4%	94.4%	94.4%	97.4%	94.2%	92.7%	
Oct-Dec	2015	1151	94.9%	94.9%	94.9%	94.9%	94.9%	96.5%	95.0%	93.0%	
Jan-Mar	2016	1113	94.6%	94.6%	94.6%	94.6%	94.6%	97.3%	95.1%	94.0%	
Apr-June	2016	1108	94.0%	94.0%	94.0%	94.0%	94.0%	95.4%	94.0%	92.0%	
July-Sept	2016	1157	93.9%	93.9%	93.9%	93.9%	93.9%	95.7%	94.0%	92.0%	92.6%
Oct-Dec	2016	1140	93.5%	93.5%	93.5%	93.5%	93.5%	95.5%	93.5%	92.5%	92.7%
Jan-Mar	2017	1062	94.3%	94.3%	94.3%	94.3%	94.3%	87.8%	94.5%	93.9%	94.3%
Apr-June	2017	1103	93.0%	93.0%	93.0%	93.0%	93.0%	~	93.3%	90.6%	92.7%
July-Sept	2017	1187	94.3%	94.3%	94.3%	94.3%	94.3%	~	94.3%	92.8%	93.9%
Oct-Dec	2017	1196	94.1%	94.1%	94.1%	94.1%	94.1%	~	94.1%	92.6%	93.8%
Jan-Mar	2018	1057	92.4%	92.4%	92.4%	92.4%	92.4%	~	92.7%	93.3%	92.2%

* children were 12 months old during the quarter

** accurate Men C coverage at 12 months not available (n/a) due to a software change

Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses)

Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses)

Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses)

Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses)

Hib3 = *Haemophilus Influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses)

MenC = Meningococcal serogroup C conjugate vaccine was removed from the routine immunisation schedule from 1st July 2016 and children born Jan to Mar 2016 but presenting for their 12 week immunisation late (after 1 July) may not have been offered the vaccine, resulting in decrease in coverage in Mar 2017
~ Meningococcal serogroup C conjugate vaccine reporting ceased in April 2017

PCV2 = Pneumococcal conjugate vaccine (2 doses) (introduced Sept 2006)

Rota2 = Rotavirus vaccine (2 doses given before 24 weeks of age) (introduced July 2013)

MenB2= Meningococcal serogroup B vaccine (2 doses) (introduced Sept 2015)

Vaccination Coverage Statistics for Children in SEHSCT: Completed Primary Immunisations by 12 months

Quarter*	Year	No. in cohort	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	MenC	PCV2	Rota2	MenB2
Jan-Mar	2011	1088	97.0%	97.0%	97.0%	97.0%	97.0%	97.0%	97.2%		
Apr-June	2011	1102	97.2%	97.2%	97.2%	97.2%	97.2%	96.9%	97.3%		
July-Sept	2011	1175	97.7%	97.7%	97.7%	97.7%	97.7%	97.7%	98.0%		
Oct-Dec	2011	1181	97.5%	97.5%	97.5%	97.5%	97.5%	97.3%	97.5%		
Jan-Mar	2012	1077	96.8%	96.8%	96.8%	96.8%	96.8%	96.8%	96.8%		
Apr-June	2012	1114	97.8%	97.8%	97.8%	97.8%	97.8%	97.8%	97.8%		
July-Sept	2012	1235	96.4%	96.4%	96.4%	96.4%	96.4%	96.3%	96.3%		
Oct-Dec	2012	1148	97.1%	97.1%	97.1%	97.1%	97.1%	97.1%	97.5%		
Jan-Mar	2013	1153	97.3%	97.3%	97.3%	97.3%	97.3%	97.4%	97.7%		
Apr-June	2013	1106	98.6%	98.6%	98.6%	98.6%	98.6%	98.6%	98.6%		
July-Sept	2013	1106	97.4%	97.4%	97.4%	97.4%	97.4%	97.0%	97.5%		
Oct-Dec	2013	1148	97.4%	97.4%	97.4%	97.4%	97.4%	95.0%	97.6%		
Jan-Mar	2014	1074	96.3%	96.3%	96.3%	96.3%	96.3%	**n/a	96.5%		
Apr-June	2014	1076	97.8%	97.8%	97.8%	97.8%	97.8%	**n/a	97.9%		
July-Sept	2014	1155	97.9%	97.9%	97.9%	97.9%	97.9%	99.0%	97.7%	93.1%	
Oct-Dec	2014	1020	97.6%	97.6%	97.6%	97.6%	97.6%	98.6%	97.7%	95.4%	
Jan-Mar	2015	1054	97.2%	97.2%	97.2%	97.2%	97.2%	98.3%	97.3%	94.2%	
Apr-June	2015	1050	97.6%	97.6%	97.6%	97.6%	97.6%	98.5%	97.5%	95.0%	
July-Sept	2015	1188	97.1%	97.1%	97.1%	97.1%	97.1%	97.9%	97.3%	94.5%	
Oct-Dec	2015	1054	97.2%	97.2%	97.2%	97.2%	97.2%	98.1%	97.2%	93.7%	
Jan-Mar	2016	1011	97.6%	97.6%	97.6%	97.6%	97.6%	98.2%	97.5%	94.9%	
Apr-June	2016	1073	96.1%	96.1%	96.1%	96.1%	96.1%	97.9%	96.3%	94.7%	
July-Sept	2016	1209	97.5%	97.5%	97.5%	97.5%	97.5%	97.9%	97.4%	95.1%	96.8%
Oct-Dec	2016	1093	97.3%	97.3%	97.3%	97.3%	97.3%	97.8%	97.3%	95.2%	96.3%
Jan-Mar	2017	1046	97.3%	97.3%	97.3%	97.3%	97.3%	90.1%	97.4%	94.0%	96.6%
Apr-June	2017	1094	96.3%	96.3%	96.3%	96.3%	96.3%	~	96.6%	94.4%	96.2%
July-Sept	2017	1127	96.6%	96.6%	96.6%	96.6%	96.6%	~	96.7%	94.9%	96.4%
Oct-Dec	2017	1043	96.4%	96.4%	96.4%	96.4%	96.4%	~	96.4%	94.7%	96.2%
Jan-Mar	2018	1022	95.7%	95.7%	95.7%	95.7%	95.7%	~	96.2%	93.9%	96.0%

* children were 12 months old during the quarter

** accurate Men C coverage at 12 months not available (n/a) due to a software change

Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses)

Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses)

Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses)

Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses)

Hib3 = *Haemophilus Influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses)

MenC = Meningococcal serogroup C conjugate vaccine was removed from the routine immunisation schedule from 1st July 2016 and children born before 1st July 2016 but presenting for their 12 week immunisation late (after 1 July) may not have been offered the vaccine, resulting in decrease in coverage. ~ Meningococcal serogroup C conjugate vaccine reporting ceased in April 2017

PCV2 = Pneumococcal conjugate vaccine (2 doses) (introduced Sept 2006)

Rota2 = Rotavirus vaccine (2 doses given before 24 weeks of age) (introduced July 2013)

MenB2= Meningococcal serogroup B vaccine (2 doses) (introduced Sept 2015)

**Vaccination Coverage Statistics for Children in NHSCT:
Completed Primary Immunisations by 12 months**

Quarter*	Year	No. in cohort	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	MenC	PCV2	Rota2	MenB2
Jan-Mar	2011	1442	97.9%	97.9%	97.9%	97.9%	97.9%	97.7%	97.9%		
Apr-June	2011	1466	97.9%	97.9%	97.9%	97.9%	97.9%	97.9%	98.0%		
July-Sept	2011	1562	97.3%	97.3%	97.3%	97.3%	97.3%	97.3%	97.2%		
Oct-Dec	2011	1554	98.1%	98.1%	98.1%	98.1%	98.1%	97.9%	98.3%		
Jan-Mar	2012	1483	97.6%	97.6%	97.6%	97.6%	97.6%	97.4%	97.4%		
Apr-June	2012	1476	96.8%	96.8%	96.8%	96.8%	96.8%	96.7%	97.0%		
July-Sept	2012	1535	97.5%	97.5%	97.5%	97.5%	97.5%	97.1%	97.5%		
Oct-Dec	2012	1458	97.9%	97.9%	97.9%	97.9%	97.9%	97.9%	98.0%		
Jan-Mar	2013	1446	97.6%	97.6%	97.6%	97.6%	97.6%	97.4%	97.5%		
Apr-June	2013	1448	97.3%	97.3%	97.3%	97.3%	97.3%	97.2%	97.2%		
July-Sept	2013	1536	98.1%	98.1%	98.1%	98.1%	98.1%	97.1%	97.9%		
Oct-Dec	2013	1521	97.6%	97.6%	97.6%	97.6%	97.6%	94.3%	97.6%		
Jan-Mar	2014	1395	97.6%	97.6%	97.6%	97.6%	97.6%	**n/a	97.6%		
Apr-June	2014	1432	96.2%	96.2%	96.2%	96.2%	96.2%	**n/a	96.2%		
July-Sept	2014	1538	97.7%	97.7%	97.7%	97.7%	97.7%	98.8%	97.6%	95.7%	
Oct-Dec	2014	1432	98.5%	98.5%	98.5%	98.5%	98.5%	98.8%	98.3%	94.8%	
Jan-Mar	2015	1416	97.7%	97.7%	97.7%	97.7%	97.7%	98.8%	97.7%	95.1%	
Apr-June	2015	1388	97.9%	97.9%	97.9%	97.9%	97.9%	98.8%	98.0%	95.9%	
July-Sept	2015	1547	97.6%	97.6%	97.6%	97.6%	97.6%	98.1%	97.4%	94.1%	
Oct-Dec	2015	1504	98.4%	98.4%	98.4%	98.4%	98.4%	98.9%	98.3%	94.9%	
Jan-Mar	2016	1374	97.5%	97.5%	97.5%	97.5%	97.5%	98.4%	97.5%	95.0%	
Apr-June	2016	1425	97.9%	97.9%	97.9%	97.9%	97.9%	98.9%	98.0%	95.1%	
July-Sept	2016	1523	98.2%	98.2%	98.2%	98.2%	98.2%	98.8%	98.2%	95.3%	97.2%
Oct-Dec	2016	1486	97.2%	97.2%	97.2%	97.2%	97.2%	97.7%	97.2%	94.7%	95.9%
Jan-Mar	2017	1323	97.6%	97.6%	97.6%	97.6%	97.6%	90.6%	97.5%	96.1%	97.0%
Apr-June	2017	1426	97.4%	97.4%	97.4%	97.4%	97.4%	~	97.4%	96.1%	97.0%
July-Sept	2017	1488	96.8%	96.8%	96.8%	96.8%	96.8%	~	97.1%	95.4%	96.6%
Oct-Dec	2017	1472	96.9%	96.9%	96.9%	96.9%	96.9%	~	97.1%	95.0%	96.7%
Jan-Mar	2018	1364	96.0%	96.0%	96.0%	96.0%	96.0%	~	96.2%	93.8%	95.8%

* children were 12 months old during the quarter

** accurate Men C coverage at 12 months not available (n/a) due to a software change

Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses)

Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses)

Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses)

Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses)

Hib3 = *Haemophilus Influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses)

MenC = Meningococcal serogroup C conjugate vaccine was removed from the routine immunisation schedule from 1st July 2016 and children born Jan to Mar 2016 but presenting for their 12 week immunisation late (after 1 July) may not have been offered the vaccine, resulting in decrease in coverage in Mar 2017
~ Meningococcal serogroup C conjugate vaccine reporting ceased in April 2017

PCV2 = Pneumococcal conjugate vaccine (2 doses) (introduced Sept 2006)

Rota2 = Rotavirus vaccine (2 doses given before 24 weeks of age) (introduced July 2013)

MenB2= Meningococcal serogroup B vaccine (2 doses) (introduced Sept 2015)

Vaccination Coverage Statistics for Children in SHSCT: Completed Primary Immunisations by 12 months

Quarter*	Year	No. in cohort	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	MenC	PCV2	Rota2	MenB2
Jan-Mar	2011	1404	98.0%	98.0%	98.0%	98.0%	98.0%	97.9%	98.1%		
Apr-June	2011	1345	97.8%	97.8%	97.8%	97.8%	97.8%	97.6%	97.7%		
July-Sept	2011	1479	98.0%	98.0%	98.0%	98.0%	98.0%	97.7%	97.8%		
Oct-Dec	2011	1440	98.5%	98.5%	98.5%	98.5%	98.5%	98.4%	98.3%		
Jan-Mar	2012	1373	97.9%	97.9%	97.9%	97.9%	97.9%	97.7%	97.7%		
Apr-June	2012	1282	98.1%	98.1%	98.1%	98.1%	98.1%	98.0%	98.4%		
July-Sept	2012	1440	98.1%	98.1%	98.1%	98.1%	98.1%	98.1%	98.2%		
Oct-Dec	2012	1371	98.0%	98.0%	98.0%	98.0%	98.0%	97.8%	97.8%		
Jan-Mar	2013	1344	98.6%	98.6%	98.6%	98.6%	98.6%	98.6%	98.6%		
Apr-June	2013	1412	98.5%	98.5%	98.5%	98.5%	98.5%	98.6%	98.5%		
July-Sept	2013	1520	98.6%	98.6%	98.6%	98.6%	98.6%	98.0%	98.4%		
Oct-Dec	2013	1411	98.2%	98.2%	98.2%	98.2%	98.2%	96.0%	98.0%		
Jan-Mar	2014	1297	98.5%	98.5%	98.5%	98.5%	98.5%	**n/a	98.2%		
Apr-June	2014	1322	98.4%	98.4%	98.4%	98.4%	98.4%	**n/a	98.3%		
July-Sept	2014	1411	98.4%	98.4%	98.4%	98.4%	98.4%	98.7%	98.4%	95.6%	
Oct-Dec	2014	1356	99.0%	99.0%	99.0%	99.0%	99.0%	99.4%	99.0%	96.3%	
Jan-Mar	2015	1341	98.4%	98.4%	98.4%	98.4%	98.4%	99.0%	98.2%	96.2%	
Apr-June	2015	1367	98.4%	98.4%	98.4%	98.4%	98.4%	98.5%	98.0%	95.2%	
July-Sept	2015	1407	98.5%	98.5%	98.5%	98.5%	98.5%	98.8%	98.4%	95.0%	
Oct-Dec	2015	1394	97.8%	97.8%	97.8%	97.8%	97.8%	98.5%	97.9%	95.1%	
Jan-Mar	2016	1306	97.8%	97.8%	97.8%	97.8%	97.8%	99.1%	97.7%	95.9%	
Apr-June	2016	1309	97.4%	97.4%	97.4%	97.4%	97.4%	98.2%	97.2%	95.3%	
July-Sept	2016	1482	97.6%	97.6%	97.6%	97.6%	97.6%	98.0%	97.4%	94.7%	96.3%
Oct-Dec	2016	1442	97.4%	97.4%	97.4%	97.4%	97.4%	97.4%	97.6%	94.9%	97.0%
Jan-Mar	2017	1357	97.7%	97.7%	97.7%	97.7%	97.7%	90.9%	97.6%	95.5%	97.1%
Apr-June	2017	1373	98.6%	98.6%	98.6%	98.6%	98.6%	~	98.6%	96.9%	98.3%
July-Sept	2017	1450	97.4%	97.4%	97.4%	97.4%	97.4%	~	97.4%	95.4%	96.8%
Oct-Dec	2017	1371	97.2%	97.2%	97.2%	97.2%	97.2%	~	97.5%	93.9%	97.0%
Jan-Mar	2018	1257	96.0%	96.0%	96.0%	96.0%	96.0%	~	96.4%	94.0%	95.9%

* children were 12 months old during the quarter

** accurate Men C coverage at 12 months not available (n/a) due to a software change

Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses)

Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses)

Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses)

Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses)

Hib3 = *Haemophilus Influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses)

MenC = Meningococcal serogroup C conjugate vaccine was removed from the routine immunisation schedule from 1st July 2016 and children born Jan to Mar 2016 but presenting for their 12 week immunisation late (after 1 July) may not have been offered the vaccine, resulting in decrease in coverage in Mar 2017
~ Meningococcal serogroup C conjugate vaccine reporting ceased in April 2017

PCV2 = Pneumococcal conjugate vaccine (2 doses) (introduced Sept 2006)

Rota2 = Rotavirus vaccine (2 doses given before 24 weeks of age) (introduced July 2013)

MenB2= Meningococcal serogroup B vaccine (2 doses) (introduced Sept 2015)

**Vaccination Coverage Statistics for Children in WHSCT:
Completed Primary Immunisations by 12 months**

Quarter*	Year	No. in cohort	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	MenC	PCV2	Rota2	MenB2
Jan-Mar	2011	1056	98.2%	98.2%	98.2%	98.2%	98.2%	98.1%	98.3%		
Apr-June	2011	1027	98.3%	98.3%	98.3%	98.3%	98.3%	98.2%	98.3%		
July-Sept	2011	1076	99.3%	99.3%	99.3%	99.3%	99.3%	99.3%	99.3%		
Oct-Dec	2011	1065	98.4%	98.4%	98.4%	98.4%	98.4%	98.4%	98.3%		
Jan-Mar	2012	1055	98.3%	98.3%	98.3%	98.3%	98.3%	98.3%	98.3%		
Apr-June	2012	1051	98.7%	98.7%	98.7%	98.7%	98.7%	98.7%	98.7%		
July-Sept	2012	1083	98.8%	98.8%	98.8%	98.8%	98.8%	99.0%	98.8%		
Oct-Dec	2012	1060	98.6%	98.6%	98.6%	98.6%	98.6%	98.6%	98.6%		
Jan-Mar	2013	1021	98.3%	98.3%	98.3%	98.3%	98.3%	98.1%	98.1%		
Apr-June	2013	1030	98.9%	98.9%	98.9%	98.9%	98.9%	99.0%	98.9%		
July-Sept	2013	1019	98.9%	98.9%	98.9%	98.9%	98.9%	98.7%	98.9%		
Oct-Dec	2013	1068	97.9%	97.9%	97.9%	97.9%	97.9%	94.5%	97.9%		
Jan-Mar	2014	901	97.8%	97.8%	97.8%	97.8%	97.8%	**n/a	97.8%		
Apr-June	2014	919	98.6%	98.6%	98.6%	98.6%	98.6%	**n/a	98.6%		
July-Sept	2014	1064	98.3%	98.3%	98.3%	98.3%	98.3%	98.7%	98.3%	93.6%	
Oct-Dec	2014	984	98.6%	98.6%	98.6%	98.6%	98.6%	99.2%	98.5%	96.1%	
Jan-Mar	2015	942	97.9%	97.9%	97.9%	97.9%	97.9%	98.7%	98.1%	94.6%	
Apr-June	2015	966	97.5%	97.5%	97.5%	97.5%	97.5%	98.9%	97.6%	94.5%	
July-Sept	2015	1099	97.9%	97.9%	97.9%	97.9%	97.9%	98.9%	97.9%	94.4%	
Oct-Dec	2015	1001	98.0%	98.0%	98.0%	98.0%	98.0%	98.8%	98.1%	94.3%	
Jan-Mar	2016	908	98.0%	98.0%	98.0%	98.0%	98.0%	99.1%	98.0%	94.1%	
Apr-June	2016	976	97.6%	97.6%	97.6%	97.6%	97.6%	98.0%	97.4%	93.1%	
July-Sept	2016	1098	98.2%	98.2%	98.2%	98.2%	98.2%	98.5%	98.0%	94.9%	96.4%
Oct-Dec	2016	1045	97.3%	97.3%	97.3%	97.3%	97.3%	97.9%	97.4%	93.8%	96.3%
Jan-Mar	2017	964	97.3%	97.3%	97.3%	97.3%	97.3%	92.6%	97.8%	95.4%	97.3%
Apr-June	2017	985	97.6%	97.6%	97.6%	97.6%	97.6%	~	97.4%	95.1%	96.5%
July-Sept	2017	1060	98.0%	98.0%	98.0%	98.0%	98.0%	~	98.3%	93.2%	97.7%
Oct-Dec	2017	975	96.7%	96.7%	96.7%	96.7%	96.7%	~	97.3%	93.2%	97.3%
Jan-Mar	2018	949	97.0%	97.0%	97.0%	97.0%	97.0%	~	97.2%	93.2%	96.9%

* children were 12 months old during the quarter

** accurate Men C coverage at 12 months not available (n/a) due to a software change

Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses)

Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses)

Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses)

Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses)

Hib3 = *Haemophilus Influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses)

MenC = Meningococcal serogroup C conjugate vaccine was removed from the routine immunisation schedule from 1st July 2016 and children born Jan to Mar 2016 but presenting for their 12 week immunisation late (after 1 July) may not have been offered the vaccine, resulting in decrease in coverage in Mar 2017
~ Meningococcal serogroup C conjugate vaccine reporting ceased in April 2017

PCV2 = Pneumococcal conjugate vaccine (2 doses) (introduced Sept 2006)

Rota2 = Rotavirus vaccine (2 doses given before 24 weeks of age) (introduced July 2013)

MenB2= Meningococcal serogroup B vaccine (2 doses) (introduced Sept 2015)