Your result shows a large abdominal aortic aneurysm (AAA) that may need surgery

> What happens now?





A quick, free scan for men aged 65

Your screening result

We found that a section of your aorta is a lot wider than normal. This means you have a large abdominal aortic aneurysm (AAA) that should be assessed for surgery.

Around 1 in 300 men who go for screening have a large AAA. This condition has almost certainly been present for some time, developing very slowly.


What is this leaflet about?

This leaflet tells you:

- what an AAA is
- what your AAA screening result means
- what other tests or treatment you may need.

What is an AAA?

The aorta is the main artery that supplies blood to your body. It runs from your heart down through your chest and abdomen (belly).



AAA Screening

As some people get older, the wall of the aorta in the abdomen can become weak and balloon out to form an aneurysm, rather like a bulge in a worn car tyre. This is called an abdominal aortic aneurysm.

An AAA is present if a section of the aorta within the abdomen is 30mm or more wide. Occasionally an AAA may grow to more than 55mm wide. This is a large AAA. At this point, there is a significant risk of the artery wall bursting and bleeding into the abdomen. This is a serious emergency known as a ruptured AAA.

Small AAA	30mm – 44mm		
Medium AAA	45mm – 54mm		
Large AAA	55mm or above		

առահակառահակառահակառահա							
10	20	3 <mark>0</mark>	40	50	60		
mms		11					
inches		1	. L	2			

Why do we get AAAs?

The risk of developing an AAA depends on your age and genes. Around 1 in 40 men aged 65 in Northern Ireland have an AAA, and if you are the close relative of an affected person, you are more likely to get one. However, most men are unaware of any family history of AAAs when theirs is detected.

Smoking, high cholesterol and high blood pressure are known to increase the size of AAAs and the risk associated with them.

Is a large AAA serious?

A large AAA is serious because the wall of the aorta can rupture (burst) as it stretches. A ruptured AAA leads to serious internal bleeding, which can be fatal.

What happens next?

You will be contacted by a specialist nurse within two working days of your diagnosis. The nurse will give you advice on your general health and how other conditions may affect your large AAA.

If you have any immediate concerns, you can contact the central screening office coordinator on 028 9063 1828. You can also contact your GP.

You will be sent a letter with an appointment to meet a team of specialists (a hospital vascular team) who will offer expert advice and assess you for surgery. This appointment will usually take place within two to three weeks of your scan. **Please ensure that you are available during this period** and change any travel plans you may have. If you change address in the meantime, please inform the central screening office as soon as possible.

We will also write to your GP with the result of your scan. They will be notified of your appointment with the team of specialists when it has been arranged.

What happens at the appointment with the team of specialists?

The specialists:

- will ask you about your medical history
- will carry out an examination of your abdomen
- may arrange further tests on your heart, lungs and kidneys to assess your general health
- will talk to you about the risks and benefits of surgery.

After being assessed by the specialists, you may be offered an operation to treat your large AAA. The few men who are not suitable for surgery will be given advice on a healthier lifestyle and will have the opportunity to ask the specialists any questions they may have.

AAA Screening



What happens in the operation?

An operation on a large AAA detected through screening may require major abdominal surgery or may sometimes mean inserting a stent through a small incision in the groin. The operation requires a stay in hospital and is usually very effective.

Do I need to have an operation?

For most men diagnosed with a large AAA, surgery is the most effective treatment, but having an operation is your choice. If you do not wish to have an operation, the specialists will discuss this with you.

Are there any risks in having an operation?

An operation on a large AAA has significant risks. Around 1 in 40 men who go for AAA surgery may not survive. However, early results for 65 year old men who had surgery through other AAA screening programmes have been better than this. The vascular specialists will discuss this with you.

The chances of recovery from AAA surgery are much better than if the issue is ignored and the AAA later ruptures (bursts). If this happens, it can be fatal.



What if I do not have an operation?

For a small number of men, an operation may have very high risks. This is usually when they have other serious medical conditions. In these situations, surgery for the AAA may not be appropriate and the best advice is to live a healthier lifestyle. If this is the case, the hospital vascular team will continue to monitor you to check the size of your AAA.

Can I do anything to stop the AAA getting bigger?

Living a healthier lifestyle may slow the growth of your AAA. The following general recommendations may be helpful, particularly if surgery is being considered:

- If you are a smoker, stop smoking. Find the support you need by calling the Smokers Helpline on 0808 812 8008 or visiting www.want2stop.info
- Make sure your blood pressure is normal. If you have not had it measured recently, get it checked by your GP.
- Have a healthy, balanced diet and reduce the amount of fatty food and cholesterol you eat.
- If you are overweight, try to lose weight.
- If you drink alcohol, reduce the amount you consume.

AAA Screening

It is important that you are aware of any symptoms of a ruptured AAA

If you have been diagnosed with a large AAA and have new symptoms of severe, persistent abdominal and/or lower back pain, you should seek immediate medical help through an accident and emergency department. Make sure you tell any medical staff that you have a large AAA detected through screening.

If you contact a health professional for any other reason, you should again let them know that you have a large AAA detected through screening.

How can I find out more?

For more information about anything in this leaflet:

- contact your GP
- visit www.publichealth.hscni.net
- call the AAA central screening office on 028 9063 1828.

You can also get information and support from the Circulation Foundation. This is a UK charity for people who have diseases of the veins and arteries, known as vascular diseases, including AAAs.

Circulation Foundation

Website: www.circulationfoundation.org.uk Telephone: 020 7304 4779





Public Health Agency, Ormeau Avenue Unit, 18 Ormeau Avenue, Belfast, BT2 8HS. Tel: 028 9031 1611. Textphone/Text Relay: 18001 028 9031 1611. www.publichealth.hscni.net