Circular HSC (SQSD) (NICE NG29) 24/17



Subject: NICE Clinical Guideline NG29 – Intravenous fluid therapy in children and young people in hospital

Circular Reference: HSC (SQSD) (NICE NG29) 24/17

For action by:

Chief Executive of HSC Board – for distribution to:

All HSC Board Directors – for cascade to relevant staff

Director of Integrated Care, HSC Board – for cascade to:

Head of Pharmacy and Medicines Management Family Practitioner Services Leads – for cascade to relevant Family Practitioner groups

Chief Executive of Public Health Agency – for distribution to:

Director of Public Health and Medical Director – for cascade to relevant staff

Director of Nursing and AHPs - for cascade to relevant staff

Chief Executives of HSC Trusts - for distribution to:

Medical Directors – for cascade to relevant staff
Directors of Nursing – for cascade to relevant staff
Heads of Pharmaceutical Services – for cascade to relevant

Directors of Acute Services – for cascade to relevant staff HSC Clinical and Social Governance Leads
Directors of Social Services – for cascade to relevant staff

Directors of Finance – for cascade to relevant staff AHP Leads – for cascade to relevant staff

Chief Executive, Regulation & Quality Improvement Authority – for cascade to: relevant independent healthcare establishments

Chief Executives of HSC Special Agencies and NDPBs

For Information to:

Chair of HSC Board Chair of Public Health Agency Chairs of HSC Trusts Chair of RQIA NICE Implementation Facilitator NI Members of NI NICE Managers' Forum

Summary of Contents: This guideline covers general principles for managing intravenous (IV) fluids for children and young people under 16 years, including assessing fluid and electrolyte status and prescribing IV fluid therapy. It applies to a range of conditions and different settings. It does not include recommendations relating to specific conditions. This guideline represents a major opportunity to improve patient safety for children and young people having IV fluid therapy in hospital.

Enquiries:

Any enquiries about the content of this Circular should be addressed to:

Quality Regulation and Improvement Unit Department of Health Room D1.4 Castle Buildings Stormont Estate Belfast BT4 3SQ

SGU-NICEGuidance@health-ni.gov.uk

Date of Issue: 20 June 2017

Related documents: HSC (SQSD) 3/13

HSC (SQSD) (NICE CG174) 17/14

Superseded documents

None

Status of Contents:

Action

Implementation:

As per circular. Generally, Clinical Guidelines should be implemented within 12 months of endorsement.

Additional copies:

Available to download from

https://www.health-ni.gov.uk/topics/safety-and-quality-standards/national-institute-health-and-care-excellence-nice



Dear Colleagues

NICE Clinical Guideline NG29 - Intravenous fluid therapy in children and young people in hospital https://www.nice.org.uk/guidance/ng29

The Department has reviewed the above NICE guidance and has formally endorsed it as applicable in Northern Ireland.

In accordance with the process outlined in circular HSC (SQSD) 3/13, the following actions should be taken (https://www.health-ni.gov.uk/sites/default/files/publications/dhssps/hsc-sqsd-3-13.pdf)

1. HSC Board / PHA

- a. Identify a Professional Lead who will consider the commissioning implications of the Clinical Guideline and co-ordinate with any other relevant commissioning teams. This Lead will identify any areas where regional planning / investment / commissioning are required, or where there is material risk to safety or quality. These will then be actioned immediately through normal commissioning arrangements or through bespoke arrangements reflecting the nature of the issue / risk.
- b. Ensure that relevant guidance is sent to the appropriate Family Practitioners.
- c. Seek positive assurance from the HSC Trusts that the required initial actions have been undertaken within a 3 month period, and that the Guideline has been implemented within a further 9 months (unless otherwise notified by the HSC Trusts).
- d. Where significant investment/ commissioning needs cannot be met within the usual timeframe, agree appropriate arrangements with HSC Trusts. Report to DoH as required at 6 monthly accountability meetings.

2. HSC Trusts

- a. Proceed with targeted dissemination, agree a clinical/management lead to coordinate implementation and consider what has to be done to achieve implementation using a risk based assessment and baseline review as appropriate to support planning. These initial actions should be undertaken within a three month period.
- b. Implement the Guideline within a further 9 months (apart from any elements where significant issues have been raised with the HSC Board/PHA).
- c. Provide positive assurances to the HSC Board that required initial actions have been taken within the 3 month planning period and that the Guideline has been implemented within a further 9 months, where appropriate.
- d. Where significant investment/ commissioning needs cannot be met within the usual timeframe, notify the HSC Board/PHA at the earliest opportunity through the bi-monthly director level meetings and agree appropriate arrangements with them to achieve implementation.

3. RQIA

a. Disseminate the Guideline to the independent sector as appropriate.

4. HSC Special Agencies and NDPBs

a. Take account of this Guideline in training and other developments as appropriate.

To inform the planning process, please find attached details from the Departmental review. You should consider and take account of other relevant Departmental policies and strategies in your planning, as well as any legislative / policy caveats identified in the course of the Departmental review.

A full current list of NICE guidance endorsed for application in Northern Ireland can be found on the Department's website at https://www.health-ni.gov.uk/topics/safety-and-quality-standards/national-institute-health-and-care-excellence-nice

Dr Michael McBride Chief Medical Officer

Mudrail My Great

Appendix 1

Endorsed NICE guidance - Details from Departmental review

Reference Number	NICE Clinical Guideline – NG29
	https://www.nice.org.uk/guidance/ng29
Title	Intravenous fluid therapy in children and young people in hospital
Summary of guidance	This guideline covers general principles for managing intravenous (IV) fluids for children and young people under 16 years, including assessing fluid and electrolyte status and prescribing IV fluid therapy. It applies to a range of conditions and different settings. It does not include recommendations relating to specific conditions. This guideline represents a major opportunity to improve patient safety for children and young people having IV fluid therapy in hospital. It includes recommendations on: • principles and protocols for intravenous fluid therapy • assessment and monitoring • fluid resuscitation • routine maintenance • replacement and redistribution • managing hypernatraemia and hyponatraemia that develops during intravenous fluid therapy • training and education This guideline should be read in conjunction with
	NICE Clinical Guideline CG174 on Intravenous fluid therapy in adults in hospital (endorsed by DoH in July 2014) https://www.health-ni.gov.uk/sites/default/files/publications/dhssps/hsc-sqsd-nice-cg174-17-14.pdf
Related strategically relevant DoH/ HSC policies	None
Inter-Departmental interest	None

Legislative / policy caveats

This advice does not override or replace the individual responsibility of health professionals to make appropriate decisions in the circumstances of their individual patients, in consultation with the patient and/or guardian or carer. This would, for example, include situations where individual patients have other conditions or complications that need to be taken into account in determining whether the NICE guidance is fully appropriate in their case.

Where this guidance indicates that informed consent should be obtained and documented, the DoH guidance Reference Guide to Consent for Examination, Treatment or Care (2003), gives advice on the law concerning consent to intervention. Available at:

https://www.health-ni.gov.uk/articles/consentexamination-treatment-or-care