

**Vaccination Coverage Statistics for Children in Northern Ireland:
Completed Primary Immunisations by 24 months**

Quarter*	Year	No. in cohort	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	MMR1	Infant MenC	PCV Booster	Hib/MenC	MenB3
Jan-Mar	2011	5983	98.9%	98.9%	98.9%	98.9%	98.9%	93.0%	97.7%	93.5%	95.9%	
Apr-June	2011	6145	98.4%	98.4%	98.4%	98.4%	98.4%	92.7%	96.9%	93.1%	95.3%	
July-Sept	2011	6403	98.5%	98.5%	98.5%	98.5%	98.5%	92.8%	96.8%	93.5%	95.4%	
Oct-Dec	2011	6240	98.3%	98.3%	98.3%	98.3%	98.3%	93.3%	96.9%	94.2%	95.7%	
Jan-Mar	2012	6182	98.5%	98.5%	98.5%	98.5%	98.5%	93.7%	97.1%	94.8%	95.9%	
Apr-June	2012	6148	98.6%	98.6%	98.6%	98.6%	98.6%	95.3%	97.1%	95.8%	95.7%	
July-Sept	2012	6505	98.6%	98.6%	98.6%	98.6%	98.6%	95.4%	97.2%	95.5%	95.7%	
Oct-Dec	2012	6562	98.7%	98.7%	98.7%	98.7%	98.7%	95.9%	97.2%	96.4%	96.5%	
Jan-Mar	2013	6159	98.4%	98.4%	98.4%	98.4%	98.4%	95.3%	97.1%	95.8%	95.9%	
Apr-June	2013	6027	98.7%	98.7%	98.7%	98.7%	98.7%	96.1%	~	96.2%	96.4%	
July-Sept	2013	6576	98.8%	98.8%	98.8%	98.8%	98.8%	96.0%	~	95.9%	96.0%	
Oct-Dec	2013	6260	98.6%	98.6%	98.6%	98.6%	98.6%	96.3%	~	96.3%	96.5%	
Jan-Mar	2014	6229	98.5%	98.5%	98.5%	98.5%	98.5%	96.1%	~	96.1%	96.3%	
Apr-June	2014	6185	98.9%	98.9%	98.9%	98.9%	98.9%	96.4%	~	96.2%	96.3%	
July-Sept	2014	6443	98.7%	98.7%	98.7%	98.7%	98.7%	96.4%	~	96.8%	96.5%	
Oct-Dec	2014	6421	98.4%	98.4%	98.4%	98.4%	98.4%	95.5%	~	95.9%	95.9%	
Jan-Mar	2015	5816	97.9%	97.9%	97.9%	97.9%	97.9%	94.5%	~	95.0%	94.7%	
Apr-June	2015	5914	98.2%	98.2%	98.2%	98.2%	98.2%	96.1%	~	95.9%	95.8%	
July-Sept	2015	6466	98.3%	98.3%	98.3%	98.3%	98.3%	95.8%	~	95.8%	95.8%	
Oct-Dec	2015	5959	98.3%	98.3%	98.3%	98.3%	98.3%	95.5%	~	96.0%	95.9%	
Jan-Mar	2016	5923	98.3%	98.3%	98.3%	98.3%	98.3%	95.9%	~	96.3%	95.9%	
Apr-June	2016	5978	97.9%	97.9%	97.9%	97.9%	97.9%	95.0%	~	95.5%	95.3%	
July-Sept	2016	6521	97.9%	97.9%	97.9%	97.9%	97.9%	94.5%	~	94.9%	95.0%	
Oct-Dec	2016	6162	97.9%	97.9%	97.9%	97.9%	97.9%	94.8%	~	95.2%	94.9%	
Jan-Mar	2017	5765	98.0%	98.0%	98.0%	98.0%	98.0%	94.7%	~	95.0%	94.8%	
Apr-June	2017	5937	97.9%	97.9%	97.9%	97.9%	97.9%	94.8%	~	95.1%	95.0%	
July-Sept	2017	6524	97.9%	97.9%	97.9%	97.9%	97.9%	94.6%	~	94.9%	94.8%	94.1%
Oct-Dec	2017	6238	97.7%	97.7%	97.7%	97.7%	97.7%	93.8%	~	94.6%	94.4%	94.1%
Jan-Mar	2018	5781	98.0%	98.0%	98.0%	98.0%	98.0%	94.6%	~	95.7%	95.0%	94.6%
Apr-June	2018	5995	97.5%	97.5%	97.5%	97.5%	97.5%	93.4%	~	93.8%	93.7%	93.4%
July-Sept	2018	6363	97.4%	97.4%	97.4%	97.4%	97.4%	93.6%	~	94.1%	93.9%	93.7%
Oct-Dec	2018	6133	96.9%	96.9%	96.9%	96.9%	96.9%	92.3%	~	92.5%	92.5%	92.2%

* children were 24 months old during this quarter

- Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses)
- Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses)
- Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses)
- Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses)
- Hib3 = *Haemophilus Influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses)
- Infant MenC = ~ Meningococcal serogroup C conjugate vaccine (2 doses under 12 months) reporting ceased in April 2013
- PCV Booster : Pneumococcal conjugate booster vaccine (1 dose over 12 months) (introduced Sept 2006)
- MMR1 = Measles, mumps, and rubella vaccine (1 dose)
- Hib/MenC = Hib/MenC booster vaccine (1 dose) (introduced September 2006)
- MenB3 = Meningococcal serogroup B vaccine (3 doses) (introduced Sept 2015)

**Vaccination Coverage Statistics for Children in BHSCT:
Completed Primary Immunisations by 24 months**

Quarter*	Year	No. in cohort	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	MMR1	Infant MenC	PCV Booster	Hib/MenC	MenB3
Jan-Mar	2011	1086	98.2%	98.2%	98.2%	98.2%	98.2%	88.8%	96.1%	88.6%	92.6%	
Apr-June	2011	1141	97.1%	97.1%	97.1%	97.1%	97.1%	88.9%	94.7%	89.8%	92.4%	
July-Sept	2011	1185	96.6%	96.6%	96.6%	96.6%	96.6%	88.5%	94.3%	89.5%	91.9%	
Oct-Dec	2011	1153	96.4%	96.4%	96.4%	96.4%	96.4%	89.4%	95.1%	89.9%	92.5%	
Jan-Mar	2012	1066	97.4%	97.4%	97.4%	97.4%	97.4%	89.7%	94.6%	90.4%	92.5%	
Apr-June	2012	1141	98.1%	98.1%	98.1%	98.1%	98.1%	92.8%	95.7%	92.7%	93.1%	
July-Sept	2012	1218	96.9%	96.9%	96.9%	96.9%	96.9%	92.5%	94.6%	92.2%	92.5%	
Oct-Dec	2012	1313	97.3%	97.3%	97.3%	97.3%	97.3%	93.6%	94.5%	94.0%	94.1%	
Jan-Mar	2013	1158	97.4%	97.4%	97.4%	97.4%	97.4%	93.1%	94.8%	93.3%	93.8%	
Apr-June	2013	1092	97.8%	97.8%	97.8%	97.8%	97.8%	93.7%	~	93.5%	93.4%	
July-Sept	2013	1264	97.9%	97.9%	97.9%	97.9%	97.9%	94.9%	~	94.2%	94.0%	
Oct-Dec	2013	1214	97.2%	97.2%	97.2%	97.2%	97.2%	93.7%	~	92.6%	93.3%	
Jan-Mar	2014	1228	97.0%	97.0%	97.0%	97.0%	97.0%	93.7%	~	93.2%	93.5%	
Apr-June	2014	1163	98.1%	98.1%	98.1%	98.1%	98.1%	94.5%	~	93.4%	94.0%	
July-Sept	2014	1211	97.2%	97.2%	97.2%	97.2%	97.2%	94.0%	~	95.2%	93.9%	
Oct-Dec	2014	1218	97.0%	97.0%	97.0%	97.0%	97.0%	93.5%	~	93.4%	93.1%	
Jan-Mar	2015	1111	96.0%	96.0%	96.0%	96.0%	96.0%	90.9%	~	91.9%	91.0%	
Apr-June	2015	1115	96.3%	96.3%	96.3%	96.3%	96.3%	93.1%	~	92.6%	92.3%	
July-Sept	2015	1258	97.0%	97.0%	97.0%	97.0%	97.0%	93.7%	~	93.2%	93.3%	
Oct-Dec	2015	1118	96.1%	96.1%	96.1%	96.1%	96.1%	91.8%	~	91.8%	91.6%	
Jan-Mar	2016	1097	97.1%	97.1%	97.1%	97.1%	97.1%	93.6%	~	93.7%	93.5%	
Apr-June	2016	1155	96.6%	96.6%	96.6%	96.6%	96.6%	91.6%	~	91.8%	91.6%	
July-Sept	2016	1190	96.5%	96.5%	96.5%	96.5%	96.5%	90.0%	~	90.4%	90.0%	
Oct-Dec	2016	1145	95.3%	95.3%	95.3%	95.3%	95.3%	89.8%	~	90.1%	89.8%	
Jan-Mar	2017	1105	96.5%	96.5%	96.5%	96.5%	96.5%	90.6%	~	90.5%	90.0%	
Apr-June	2017	1121	95.9%	95.9%	95.9%	95.9%	95.9%	92.3%	~	92.1%	91.9%	
July-Sept	2017	1151	96.4%	96.4%	96.4%	96.4%	96.4%	91.3%	~	91.1%	90.4%	90.0%
Oct-Dec	2017	1127	95.0%	95.0%	95.0%	95.0%	95.0%	88.7%	~	89.1%	89.0%	88.3%
Jan-Mar	2018	1058	95.8%	95.8%	95.8%	95.8%	95.8%	91.4%	~	91.6%	91.2%	91.1%
Apr-June	2018	1091	95.1%	95.1%	95.1%	95.1%	95.1%	89.2%	~	89.5%	88.9%	88.9%
July-Sept	2018	1161	95.1%	95.1%	95.1%	95.1%	95.1%	89.0%	~	88.8%	88.5%	88.2%
Oct-Dec	2018	1194	94.9%	94.9%	94.9%	94.9%	94.9%	86.8%	~	86.9%	86.9%	86.3%

* children were 24 months old during this quarter

- Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses)
- Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses)
- Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses)
- Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses)
- Hib3 = *Haemophilus Influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses)
- Infant MenC = ~ Meningococcal serogroup C conjugate vaccine (2 doses under 12 months) reporting ceased in April 2013
- PCV Booster = Pneumococcal conjugate booster vaccine (1 dose over 12 months) (introduced Sept 2006)
- MMR1 = Measles, mumps, and rubella vaccine (1 dose)
- Hib/MenC = Hib/MenC booster vaccine (1 dose) (introduced September 2006)
- MenB3 = Meningococcal serogroup B vaccine (3 doses) (introduced Sept 2015)

**Vaccination Coverage Statistics for Children in SEHSCT:
Completed Primary Immunisations by 24 months**

Quarter*	Year	No. in cohort	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	MMR1	Infant MenC	PCV Booster	Hib/MenC	MenB3
Jan-Mar	2011	1066	98.4%	98.4%	98.4%	98.4%	98.4%	91.3%	97.3%	92.4%	94.7%	
Apr-June	2011	1157	98.1%	98.1%	98.1%	98.1%	98.1%	91.4%	96.9%	91.8%	94.4%	
July-Sept	2011	1226	98.5%	98.5%	98.5%	98.5%	98.5%	92.4%	97.0%	93.6%	95.6%	
Oct-Dec	2011	1132	97.7%	97.7%	97.7%	97.7%	97.7%	92.8%	96.5%	94.2%	95.1%	
Jan-Mar	2012	1096	98.6%	98.6%	98.6%	98.6%	98.6%	93.8%	97.7%	94.3%	95.3%	
Apr-June	2012	1113	98.4%	98.4%	98.4%	98.4%	98.4%	95.0%	97.2%	95.6%	95.5%	
July-Sept	2012	1190	98.7%	98.7%	98.7%	98.7%	98.7%	95.1%	97.6%	95.5%	95.9%	
Oct-Dec	2012	1183	98.7%	98.7%	98.7%	98.7%	98.7%	95.9%	97.6%	96.3%	96.1%	
Jan-Mar	2013	1077	98.1%	98.1%	98.1%	98.1%	98.1%	95.7%	97.0%	96.4%	96.4%	
Apr-June	2013	1120	99.0%	99.0%	99.0%	99.0%	99.0%	96.3%	~	96.3%	96.9%	
July-Sept	2013	1231	98.4%	98.4%	98.4%	98.4%	98.4%	95.7%	~	95.9%	96.3%	
Oct-Dec	2013	1147	98.8%	98.8%	98.8%	98.8%	98.8%	96.7%	~	97.6%	97.7%	
Jan-Mar	2014	1154	99.0%	99.0%	99.0%	99.0%	99.0%	97.2%	~	97.9%	98.2%	
Apr-June	2014	1106	99.2%	99.2%	99.2%	99.2%	99.2%	96.0%	~	96.1%	96.1%	
July-Sept	2014	1110	98.6%	98.6%	98.6%	98.6%	98.6%	96.2%	~	96.3%	96.4%	
Oct-Dec	2014	1158	99.2%	99.2%	99.2%	99.2%	99.2%	96.7%	~	97.8%	97.2%	
Jan-Mar	2015	1082	97.0%	97.0%	97.0%	97.0%	97.0%	94.5%	~	94.8%	94.7%	
Apr-June	2015	1092	98.5%	98.5%	98.5%	98.5%	98.5%	96.6%	~	96.4%	96.2%	
July-Sept	2015	1157	98.9%	98.9%	98.9%	98.9%	98.9%	96.1%	~	95.9%	95.9%	
Oct-Dec	2015	1028	98.2%	98.2%	98.2%	98.2%	98.2%	95.6%	~	96.3%	96.1%	
Jan-Mar	2016	1082	98.4%	98.4%	98.4%	98.4%	98.4%	95.6%	~	95.7%	95.6%	
Apr-June	2016	1070	97.9%	97.9%	97.9%	97.9%	97.9%	95.5%	~	96.3%	96.3%	
July-Sept	2016	1201	97.9%	97.9%	97.9%	97.9%	97.9%	94.6%	~	95.3%	95.6%	
Oct-Dec	2016	1085	98.0%	98.0%	98.0%	98.0%	98.0%	95.4%	~	96.2%	96.2%	
Jan-Mar	2017	1028	98.0%	98.0%	98.0%	98.0%	98.0%	94.9%	~	94.7%	94.4%	
Apr-June	2017	1078	97.2%	97.2%	97.2%	97.2%	97.2%	94.0%	~	95.1%	94.2%	
July-Sept	2017	1217	97.9%	97.9%	97.9%	97.9%	97.9%	95.5%	~	95.9%	95.4%	95.5%
Oct-Dec	2017	1115	98.4%	98.4%	98.4%	98.4%	98.4%	95.2%	~	96.1%	95.6%	95.5%
Jan-Mar	2018	1049	98.3%	98.3%	98.3%	98.3%	98.3%	95.2%	~	95.3%	95.0%	94.9%
Apr-June	2018	1097	97.4%	97.4%	97.4%	97.4%	97.4%	92.9%	~	93.5%	93.7%	93.6%
July-Sept	2018	1166	97.7%	97.7%	97.7%	97.7%	97.7%	93.7%	~	94.1%	93.7%	93.8%
Oct-Dec	2018	1063	97.1%	97.1%	97.1%	97.1%	97.1%	93.7%	~	93.9%	93.7%	93.5%

* children were 24 months old during this quarter

- Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses)
- Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses)
- Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses)
- Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses)
- Hib3 = *Haemophilus Influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses)
- Infant MenC = ~ Meningococcal serogroup C conjugate vaccine (2 doses under 12 months) reporting ceased in April 2013
- PCV Booster = Pneumococcal conjugate booster vaccine (1 dose over 12 months) (introduced Sept 2006)
- MMR1 = Measles, mumps, and rubella vaccine (1 dose)
- Hib/MenC = Hib/MenC booster vaccine (1 dose) (introduced September 2006)
- MenB3 = Meningococcal serogroup B vaccine (3 doses) (introduced Sept 2015)

**Vaccination Coverage Statistics for Children in NHSCT:
Completed Primary Immunisations by 24 months**

Quarter*	Year	No. in cohort	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	MMR1	Infant MenC	PCV Booster	Hib/MenC	MenB3
Jan-Mar	2011	1377	99.5%	99.5%	99.5%	99.5%	99.5%	94.9%	98.3%	95.4%	97.4%	
Apr-June	2011	1438	98.4%	98.4%	98.4%	98.4%	98.4%	93.7%	97.0%	94.1%	96.6%	
July-Sept	2011	1498	99.2%	99.2%	99.2%	99.2%	99.2%	93.7%	98.0%	94.6%	96.1%	
Oct-Dec	2011	1487	98.9%	98.9%	98.9%	98.9%	98.9%	93.4%	97.6%	94.8%	96.4%	
Jan-Mar	2012	1550	98.5%	98.5%	98.5%	98.5%	98.5%	94.5%	97.1%	95.9%	96.8%	
Apr-June	2012	1510	99.1%	99.1%	99.1%	99.1%	99.1%	96.3%	97.5%	97.0%	96.9%	
July-Sept	2012	1544	98.8%	98.8%	98.8%	98.8%	98.8%	95.1%	97.6%	95.3%	95.5%	
Oct-Dec	2012	1565	99.2%	99.2%	99.2%	99.2%	99.2%	96.6%	98.0%	97.1%	97.1%	
Jan-Mar	2013	1490	98.8%	98.8%	98.8%	98.8%	98.8%	95.1%	97.7%	95.8%	96.2%	
Apr-June	2013	1477	98.8%	98.8%	98.8%	98.8%	98.8%	96.4%	~	96.6%	96.5%	
July-Sept	2013	1550	99.0%	99.0%	99.0%	99.0%	99.0%	96.2%	~	96.1%	96.3%	
Oct-Dec	2013	1455	99.0%	99.0%	99.0%	99.0%	99.0%	97.0%	~	97.3%	97.5%	
Jan-Mar	2014	1466	98.6%	98.6%	98.6%	98.6%	98.6%	95.6%	~	96.2%	96.3%	
Apr-June	2014	1456	98.6%	98.6%	98.6%	98.6%	98.6%	95.5%	~	96.1%	95.9%	
July-Sept	2014	1553	99.0%	99.0%	99.0%	99.0%	99.0%	97.1%	~	97.4%	97.1%	
Oct-Dec	2014	1536	98.6%	98.6%	98.6%	98.6%	98.6%	95.0%	~	96.2%	96.4%	
Jan-Mar	2015	1408	99.1%	99.1%	99.1%	99.1%	99.1%	93.6%	~	94.9%	94.7%	
Apr-June	2015	1442	98.2%	98.2%	98.2%	98.2%	98.2%	96.0%	~	96.0%	96.1%	
July-Sept	2015	1558	98.3%	98.3%	98.3%	98.3%	98.3%	96.7%	~	96.5%	96.7%	
Oct-Dec	2015	1448	98.8%	98.8%	98.8%	98.8%	98.8%	96.5%	~	97.3%	97.2%	
Jan-Mar	2016	1429	98.5%	98.5%	98.5%	98.5%	98.5%	96.4%	~	97.5%	96.7%	
Apr-June	2016	1393	98.3%	98.3%	98.3%	98.3%	98.3%	96.6%	~	96.8%	96.7%	
July-Sept	2016	1571	98.2%	98.2%	98.2%	98.2%	98.2%	95.4%	~	96.1%	96.2%	
Oct-Dec	2016	1515	98.7%	98.7%	98.7%	98.7%	98.7%	95.6%	~	95.9%	95.8%	
Jan-Mar	2017	1391	98.3%	98.3%	98.3%	98.3%	98.3%	95.3%	~	95.9%	95.8%	
Apr-June	2017	1443	99.2%	99.2%	99.2%	99.2%	99.2%	95.4%	~	96.1%	96.0%	
July-Sept	2017	1541	98.4%	98.4%	98.4%	98.4%	98.4%	94.4%	~	94.9%	95.2%	94.2%
Oct-Dec	2017	1490	98.5%	98.5%	98.5%	98.5%	98.5%	95.2%	~	96.0%	96.0%	95.3%
Jan-Mar	2018	1328	98.9%	98.9%	98.9%	98.9%	98.9%	95.7%	~	96.8%	96.7%	96.2%
Apr-June	2018	1430	98.0%	98.0%	98.0%	98.0%	98.0%	94.4%	~	95.4%	95.0%	94.9%
July-Sept	2018	1506	97.9%	97.9%	97.9%	97.9%	97.9%	95.8%	~	96.5%	96.3%	96.1%
Oct-Dec	2018	1487	97.6%	97.6%	97.6%	97.6%	97.6%	93.5%	~	93.7%	93.8%	93.5%

* children were 24 months old during this quarter

- Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses)
- Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses)
- Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses)
- Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses)
- Hib3 = *Haemophilus Influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses)
- Infant MenC = ~ Meningococcal serogroup C conjugate vaccine (2 doses under 12 months) reporting ceased in April 2013
- PCV Booster = Pneumococcal conjugate booster vaccine (1 dose over 12 months) (introduced Sept 2006)
- MMR1 = Measles, mumps, and rubella vaccine (1 dose)
- Hib/MenC = Hib/MenC booster vaccine (1 dose) (introduced September 2006)
- MenB3 = Meningococcal serogroup B vaccine (3 doses) (introduced Sept 2015)

**Vaccination Coverage Statistics for Children in SHSCT:
Completed Primary Immunisations by 24 months**

Quarter*	Year	No. in cohort	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	MMR1	Infant MenC	PCV Booster	Hib/MenC	MenB3
Jan-Mar	2011	1367	99.4%	99.4%	99.4%	99.4%	99.4%	94.1%	98.7%	94.4%	97.0%	
Apr-June	2011	1391	99.5%	99.5%	99.5%	99.5%	99.5%	94.5%	98.0%	94.8%	96.6%	
July-Sept	2011	1415	98.7%	98.7%	98.7%	98.7%	98.7%	94.3%	96.9%	94.3%	96.8%	
Oct-Dec	2011	1417	98.9%	98.9%	98.9%	98.9%	98.9%	95.1%	97.2%	95.3%	96.6%	
Jan-Mar	2012	1410	99.1%	99.1%	99.1%	99.1%	99.1%	94.8%	97.7%	95.7%	96.5%	
Apr-June	2012	1356	98.8%	98.8%	98.8%	98.8%	98.8%	96.5%	96.8%	96.8%	96.8%	
July-Sept	2012	1474	99.1%	99.1%	99.1%	99.1%	99.1%	97.1%	97.4%	97.0%	97.0%	
Oct-Dec	2012	1440	99.2%	99.2%	99.2%	99.2%	99.2%	96.7%	98.1%	96.9%	97.4%	
Jan-Mar	2013	1369	98.8%	98.8%	98.8%	98.8%	98.8%	96.2%	97.7%	96.4%	96.1%	
Apr-June	2013	1291	98.8%	98.8%	98.8%	98.8%	98.8%	96.6%	~	96.7%	97.1%	
July-Sept	2013	1447	99.0%	99.0%	99.0%	99.0%	99.0%	96.2%	~	96.0%	96.3%	
Oct-Dec	2013	1389	99.1%	99.1%	99.1%	99.1%	99.1%	96.7%	~	96.5%	96.5%	
Jan-Mar	2014	1357	99.1%	99.1%	99.1%	99.1%	99.1%	96.8%	~	96.6%	96.6%	
Apr-June	2014	1424	98.9%	98.9%	98.9%	98.9%	98.9%	97.4%	~	97.1%	97.3%	
July-Sept	2014	1542	99.0%	99.0%	99.0%	99.0%	99.0%	97.5%	~	97.3%	97.4%	
Oct-Dec	2014	1430	98.6%	98.6%	98.6%	98.6%	98.6%	95.9%	~	95.5%	95.9%	
Jan-Mar	2015	1314	98.6%	98.6%	98.6%	98.6%	98.6%	96.7%	~	96.2%	96.3%	
Apr-June	2015	1329	98.9%	98.9%	98.9%	98.9%	98.9%	97.5%	~	96.8%	97.0%	
July-Sept	2015	1420	98.7%	98.7%	98.7%	98.7%	98.7%	96.3%	~	96.4%	96.3%	
Oct-Dec	2015	1377	99.1%	99.1%	99.1%	99.1%	99.1%	96.4%	~	96.8%	96.7%	
Jan-Mar	2016	1360	99.0%	99.0%	99.0%	99.0%	99.0%	97.7%	~	97.0%	97.2%	
Apr-June	2016	1389	98.1%	98.1%	98.1%	98.1%	98.1%	95.6%	~	95.7%	96.0%	
July-Sept	2016	1437	98.2%	98.2%	98.2%	98.2%	98.2%	95.8%	~	95.2%	95.5%	
Oct-Dec	2016	1403	98.4%	98.4%	98.4%	98.4%	98.4%	96.5%	~	95.6%	95.7%	
Jan-Mar	2017	1319	98.4%	98.4%	98.4%	98.4%	98.4%	96.7%	~	96.9%	96.8%	
Apr-June	2017	1322	98.4%	98.4%	98.4%	98.4%	98.4%	96.3%	~	95.8%	96.1%	
July-Sept	2017	1501	97.9%	97.9%	97.9%	97.9%	97.9%	95.1%	~	95.1%	95.4%	94.2%
Oct-Dec	2017	1458	98.1%	98.1%	98.1%	98.1%	98.1%	94.9%	~	95.3%	95.2%	95.1%
Jan-Mar	2018	1369	98.2%	98.2%	98.2%	98.2%	98.2%	94.7%	~	94.8%	95.3%	94.5%
Apr-June	2018	1381	98.7%	98.7%	98.7%	98.7%	98.7%	95.6%	~	94.6%	94.9%	94.1%
July-Sept	2018	1466	97.5%	97.5%	97.5%	97.5%	97.5%	94.1%	~	94.3%	94.3%	93.9%
Oct-Dec	2018	1398	97.3%	97.3%	97.3%	97.3%	97.3%	93.9%	~	94.1%	94.3%	93.6%

* children were 24 months old during this quarter

- Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses)
- Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses)
- Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses)
- Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses)
- Hib3 = *Haemophilus influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses)
- Infant MenC = ~ Meningococcal serogroup C conjugate vaccine (2 doses under 12 months) reporting ceased in April 2013
- PCV Booster = Pneumococcal conjugate booster vaccine (1 dose over 12 months) (introduced Sept 2006)
- MMR1 = Measles, mumps, and rubella vaccine (1 dose)
- Hib/MenC = Hib/MenC booster vaccine (1 dose) (introduced September 2006)
- MenB3 = Meningococcal serogroup B vaccine (3 doses) (introduced Sept 2015)

**Vaccination Coverage Statistics for Children in WHSCT:
Completed Primary Immunisations by 24 months**

Quarter*	Year	No. in cohort	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	MMR1	Infant MenC	PCV Booster	Hib/MenC	MenB3
Jan-Mar	2011	1087	98.7%	98.7%	98.7%	98.7%	98.7%	95.3%	97.5%	96.0%	96.9%	
Apr-June	2011	1018	98.9%	98.9%	98.9%	98.9%	98.9%	94.4%	97.5%	94.8%	95.8%	
July-Sept	2011	1079	99.1%	99.1%	99.1%	99.1%	99.1%	94.9%	97.8%	95.5%	96.5%	
Oct-Dec	2011	1051	99.1%	99.1%	99.1%	99.1%	99.1%	95.8%	97.8%	96.6%	97.5%	
Jan-Mar	2012	1060	99.0%	99.0%	99.0%	99.0%	99.0%	95.3%	98.2%	97.0%	97.9%	
Apr-June	2012	1028	98.7%	98.7%	98.7%	98.7%	98.7%	95.7%	98.1%	96.0%	95.7%	
July-Sept	2012	1079	99.4%	99.4%	99.4%	99.4%	99.4%	97.1%	99.0%	97.5%	97.6%	
Oct-Dec	2012	1061	99.1%	99.1%	99.1%	99.1%	99.1%	96.8%	97.9%	98.0%	97.9%	
Jan-Mar	2013	1065	99.0%	99.0%	99.0%	99.0%	99.0%	96.6%	98.1%	97.0%	97.0%	
Apr-June	2013	1047	98.9%	98.9%	98.9%	98.9%	98.9%	97.2%	~	97.8%	97.9%	
July-Sept	2013	1084	99.4%	99.4%	99.4%	99.4%	99.4%	97.4%	~	97.3%	97.0%	
Oct-Dec	2013	1055	98.8%	98.8%	98.8%	98.8%	98.8%	97.3%	~	97.4%	97.6%	
Jan-Mar	2014	1024	98.8%	98.8%	98.8%	98.8%	98.8%	97.3%	~	97.0%	96.9%	
Apr-June	2014	1036	99.8%	99.8%	99.8%	99.8%	99.8%	98.8%	~	98.6%	98.6%	
July-Sept	2014	1027	99.6%	99.6%	99.6%	99.6%	99.6%	97.0%	~	97.5%	97.3%	
Oct-Dec	2014	1079	98.5%	98.5%	98.5%	98.5%	98.5%	96.7%	~	96.8%	97.1%	
Jan-Mar	2015	901	98.6%	98.6%	98.6%	98.6%	98.6%	97.1%	~	97.3%	97.1%	
Apr-June	2015	936	98.8%	98.8%	98.8%	98.8%	98.8%	97.2%	~	97.6%	97.4%	
July-Sept	2015	1073	99.1%	99.1%	99.1%	99.1%	99.1%	96.2%	~	96.8%	96.8%	
Oct-Dec	2015	988	99.1%	99.1%	99.1%	99.1%	99.1%	96.8%	~	97.5%	97.4%	
Jan-Mar	2016	955	98.3%	98.3%	98.3%	98.3%	98.3%	95.8%	~	98.1%	96.5%	
Apr-June	2016	971	98.2%	98.2%	98.2%	98.2%	98.2%	95.6%	~	97.0%	95.9%	
July-Sept	2016	1122	98.7%	98.7%	98.7%	98.7%	98.7%	96.4%	~	97.1%	97.1%	
Oct-Dec	2016	1014	98.8%	98.8%	98.8%	98.8%	98.8%	96.1%	~	98.2%	96.8%	
Jan-Mar	2017	922	98.6%	98.6%	98.6%	98.6%	98.6%	95.9%	~	96.5%	96.4%	
Apr-June	2017	973	98.4%	98.4%	98.4%	98.4%	98.4%	95.7%	~	96.3%	96.3%	
July-Sept	2017	1114	98.7%	98.7%	98.7%	98.7%	98.7%	96.8%	~	97.4%	97.5%	96.8%
Oct-Dec	2017	1048	98.1%	98.1%	98.1%	98.1%	98.1%	94.5%	~	96.0%	95.5%	95.9%
Jan-Mar	2018	977	98.6%	98.6%	98.6%	98.6%	98.6%	95.5%	~	96.6%	96.5%	96.0%
Apr-June	2018	996	97.9%	97.9%	97.9%	97.9%	97.9%	94.3%	~	95.6%	95.3%	94.8%
July-Sept	2018	1064	98.6%	98.6%	98.6%	98.6%	98.6%	94.8%	~	96.1%	96.3%	95.9%
Oct-Dec	2018	991	97.4%	97.4%	97.4%	97.4%	97.4%	93.3%	~	93.8%	93.5%	93.8%

* children were 24 months old during this quarter

- Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses)
- Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses)
- Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses)
- Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses)
- Hib3 = *Haemophilus Influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses)
- Infant MenC = ~ Meningococcal serogroup C conjugate vaccine (2 doses under 12 months) reporting ceased in April 2013
- PCV Booster = Pneumococcal conjugate booster vaccine (1 dose over 12 months) (introduced Sept 2006)
- MMR1 = Measles, mumps, and rubella vaccine (1 dose)
- Hib/MenC = Hib/MenC booster vaccine (1 dose) (introduced September 2006)
- MenB3 = Meningococcal serogroup B vaccine (3 doses) (introduced Sept 2015)