

## Vaccination Coverage Statistics for Children in Northern Ireland: Completed Primary Immunisations by 12 months

Quarter*	Year	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	HepB3	MenC	PCV2	Rota2	MenB2
Jan-Mar	2011	97.4%	97.4%	97.4%	97.4%	97.4%		97.3%	97.5%		
Apr-June	2011	97.3%	97.3%	97.3%	97.3%	97.3%		97.2%	97.4%		
July-Sept	2011	97.4%	97.4%	97.4%	97.4%	97.4%		97.4%	97.5%		
Oct-Dec	2011	97.5%	97.5%	97.5%	97.5%	97.5%		97.3%	97.6%		
Jan-Mar	2012	97.2%	97.2%	97.2%	97.2%	97.2%		97.0%	97.1%		
Apr-June	2012	97.3%	97.3%	97.3%	97.3%	97.3%		97.3%	97.5%		
July-Sept	2012	97.3%	97.3%	97.3%	97.3%	97.3%		97.3%	97.4%		
Oct-Dec	2012	97.4%	97.4%	97.4%	97.4%	97.4%		97.3%	97.4%		
Jan-Mar	2013	97.4%	97.4%	97.4%	97.4%	97.4%		97.4%	97.4%		
Apr-June	2013	97.7%	97.7%	97.7%	97.7%	97.7%		97.7%	97.7%		
July-Sept	2013	97.4%	97.4%	97.4%	97.4%	97.4%		96.8%	97.4%		
Oct-Dec	2013	97.2%	97.2%	97.2%	97.2%	97.2%		94.1%	97.2%		
Jan-Mar	2014	96.7%	96.7%	96.7%	96.7%	96.7%		**n/a	96.8%		
Apr-June	2014	97.0%	97.0%	97.0%	97.0%	97.0%		**n/a	96.8%		
July-Sept	2014	97.6%	97.6%	97.6%	97.6%	97.6%		98.6%	97.6%	94.3%	
Oct-Dec	2014	97.9%	97.9%	97.9%	97.9%	97.9%		98.6%	97.8%	94.9%	
Jan-Mar	2015	97.5%	97.5%	97.5%	97.5%	97.5%		98.5%	97.5%	94.8%	
Apr-June	2015	97.4%	97.4%	97.4%	97.4%	97.4%		98.4%	97.3%	94.9%	
July-Sept	2015	97.2%	97.2%	97.2%	97.2%	97.2%		98.2%	97.1%	94.1%	
Oct-Dec	2015	97.3%	97.3%	97.3%	97.3%	97.3%		98.2%	97.4%	94.3%	
Jan-Mar	2016	97.1%	97.1%	97.1%	97.1%	97.1%		98.4%	97.1%	94.8%	
Apr-June	2016	96.7%	96.7%	96.7%	96.7%	96.7%		97.8%	96.7%	94.2%	
July-Sept	2016	97.1%	97.1%	97.1%	97.1%	97.1%		97.8%	97.1%	94.5%	96.0%
Oct-Dec	2016	96.6%	96.6%	96.6%	96.6%	96.6%		97.3%	96.7%	94.3%	95.7%
Jan-Mar	2017	96.9%	96.9%	96.9%	96.9%	96.9%		90.4%	97.0%	95.1%	96.5%
Apr-June	2017	96.7%	96.7%	96.7%	96.7%	96.7%		~	96.8%	94.8%	96.3%
July-Sept	2017	96.6%	96.6%	96.6%	96.6%	96.6%		~	96.8%	94.5%	96.3%
Oct-Dec	2017	96.3%	96.3%	96.3%	96.3%	96.3%		~	96.5%	93.9%	96.2%
Jan-Mar	2018	95.5%	95.5%	95.5%	95.5%	95.5%		~	95.8%	93.7%	95.4%
Apr-June	2018	95.1%	95.1%	95.1%	95.1%	95.1%		~	95.4%	93.6%	95.2%
July-Sept	2018	94.5%	94.5%	94.5%	94.5%	94.5%	94.5%	~	94.9%	92.3%	94.7%
Oct-Dec	2018	94.0%	94.0%	94.0%	94.0%	94.0%	94.0%	~	94.4%	92.2%	94.1%
Jan-Mar	2019	94.2%	94.2%	94.2%	94.2%	94.2%	94.2%	~	94.5%	91.9%	94.1%
Apr-June	2019	93.8%	93.8%	93.8%	93.8%	93.8%	93.8%	~	94.1%	91.6%	93.9%

\* children were 12 months old during the quarter

\*\* accurate Men C coverage at 12 months not available (n/a) due to a software change

Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017

Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017

Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017

Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017

Hib3 = *Haemophilus Influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017

HepB3 = Hepatitis B (DTaP/IPV/Hib/HepB3 vaccine) (3 doses) (introduced in August 2017)

MenC = Meningococcal serogroup C conjugate vaccine was removed from the routine immunisation schedule from 1st July 2016 and children born but presenting for their 12 week immunisation late (after 1 July) may not have been offered the vaccine, resulting in decrease in coverage  
~ Meningococcal serogroup C conjugate vaccine reporting ceased in April 2017

PCV2 = Pneumococcal conjugate vaccine (2 doses) (introduced Sept 2006)

Rota2 = Rotavirus vaccine (2 doses given before 24 weeks of age) (introduced July 2013)

MenB2 = Meningococcal serogroup B vaccine (2 doses) (introduced Sept 2015)

## Vaccination Coverage Statistics for Children in BHSC:

### Completed Primary Immunisations by 12 months

Quarter*	Year	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	HepB3	MenC	PCV2	Rota2	MenB2
Jan-Mar	2011	95.6%	95.6%	95.6%	95.6%	95.6%		95.4%	95.5%		
Apr-June	2011	95.3%	95.3%	95.3%	95.3%	95.3%		95.0%	95.4%		
July-Sept	2011	95.0%	95.0%	95.0%	95.0%	95.0%		95.1%	95.3%		
Oct-Dec	2011	94.8%	94.8%	94.8%	94.8%	94.8%		94.5%	95.3%		
Jan-Mar	2012	95.1%	95.1%	95.1%	95.1%	95.1%		94.7%	95.3%		
Apr-June	2012	95.5%	95.5%	95.5%	95.5%	95.5%		95.2%	95.4%		
July-Sept	2012	96.0%	96.0%	96.0%	96.0%	96.0%		96.1%	96.1%		
Oct-Dec	2012	95.2%	95.2%	95.2%	95.2%	95.2%		95.0%	95.2%		
Jan-Mar	2013	95.0%	95.0%	95.0%	95.0%	95.0%		95.2%	95.2%		
Apr-June	2013	95.2%	95.2%	95.2%	95.2%	95.2%		95.0%	95.5%		
July-Sept	2013	93.7%	93.7%	93.7%	93.7%	93.7%		93.1%	94.1%		
Oct-Dec	2013	94.7%	94.7%	94.7%	94.7%	94.7%		90.6%	94.7%		
Jan-Mar	2014	93.4%	93.4%	93.4%	93.4%	93.4%		**n/a	93.6%		
Apr-June	2014	94.1%	94.1%	94.1%	94.1%	94.1%		**n/a	93.6%		
July-Sept	2014	95.9%	95.9%	95.9%	95.9%	95.9%		97.7%	96.0%	93.0%	
Oct-Dec	2014	95.2%	95.2%	95.2%	95.2%	95.2%		97.1%	95.2%	92.0%	
Jan-Mar	2015	95.8%	95.8%	95.8%	95.8%	95.8%		97.8%	95.8%	93.7%	
Apr-June	2015	95.5%	95.5%	95.5%	95.5%	95.5%		97.6%	95.3%	93.3%	
July-Sept	2015	94.4%	94.4%	94.4%	94.4%	94.4%		97.4%	94.2%	92.7%	
Oct-Dec	2015	94.9%	94.9%	94.9%	94.9%	94.9%		96.5%	95.0%	93.0%	
Jan-Mar	2016	94.6%	94.6%	94.6%	94.6%	94.6%		97.3%	95.1%	94.0%	
Apr-June	2016	94.0%	94.0%	94.0%	94.0%	94.0%		95.4%	94.0%	92.0%	
July-Sept	2016	93.9%	93.9%	93.9%	93.9%	93.9%		95.7%	94.0%	92.0%	92.6%
Oct-Dec	2016	93.5%	93.5%	93.5%	93.5%	93.5%		95.5%	93.5%	92.5%	92.7%
Jan-Mar	2017	94.3%	94.3%	94.3%	94.3%	94.3%		87.8%	94.5%	93.9%	94.3%
Apr-June	2017	93.0%	93.0%	93.0%	93.0%	93.0%		~	93.3%	90.6%	92.7%
July-Sept	2017	94.3%	94.3%	94.3%	94.3%	94.3%		~	94.3%	92.8%	93.9%
Oct-Dec	2017	94.1%	94.1%	94.1%	94.1%	94.1%		~	94.1%	92.6%	93.8%
Jan-Mar	2018	92.4%	92.4%	92.4%	92.4%	92.4%		~	92.7%	93.3%	92.2%
Apr-June	2018	89.4%	89.4%	89.4%	89.4%	89.4%		~	89.8%	91.0%	89.6%
July-Sept	2018	89.4%	89.4%	89.4%	89.4%	89.4%	89.4%	~	90.1%	89.3%	89.6%
Oct-Dec	2018	86.6%	86.6%	86.6%	86.6%	86.6%	86.6%	~	87.3%	86.3%	86.7%
Jan-Mar	2019	88.7%	88.7%	88.7%	88.7%	88.7%	88.7%	~	89.3%	88.4%	88.6%
Apr-June	2019	86.5%	86.5%	86.5%	86.5%	86.5%	86.5%	~	87.2%	85.7%	86.9%

\* children were 12 months old during the quarter

\*\* accurate Men C coverage at 12 months not available (n/a) due to a software change

Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017

Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017

Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017

Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017

Hib3 = *Haemophilus Influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017

HepB3 = Hepatitis B (DTaP/IPV/Hib/HepB3 vaccine) (3 doses) (introduced in August 2017)

MenC = Meningococcal serogroup C conjugate vaccine was removed from the routine immunisation schedule from 1st July 2016 and children born Jan to Mar 2016 but presenting for their 12 week immunisation late (after 1 July) may not have been offered the vaccine, resulting in decrease in coverage in Mar 2017  
~ Meningococcal serogroup C conjugate vaccine reporting ceased in April 2017

PCV2 = Pneumococcal conjugate vaccine (2 doses) (introduced Sept 2006)

Rota2 = Rotavirus vaccine (2 doses given before 24 weeks of age) (introduced July 2013)

MenB2 = Meningococcal serogroup B vaccine (2 doses) (introduced Sept 2015)

## Vaccination Coverage Statistics for Children in SEHSCT: Completed Primary Immunisations by 12 months

Quarter*	Year	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	HepB3	MenC	PCV2	Rota2	MenB2
Jan-Mar	2011	97.0%	97.0%	97.0%	97.0%	97.0%		97.0%	97.2%		
Apr-June	2011	97.2%	97.2%	97.2%	97.2%	97.2%		96.9%	97.3%		
July-Sept	2011	97.7%	97.7%	97.7%	97.7%	97.7%		97.7%	98.0%		
Oct-Dec	2011	97.5%	97.5%	97.5%	97.5%	97.5%		97.3%	97.5%		
Jan-Mar	2012	96.8%	96.8%	96.8%	96.8%	96.8%		96.8%	96.8%		
Apr-June	2012	97.8%	97.8%	97.8%	97.8%	97.8%		97.8%	97.8%		
July-Sept	2012	96.4%	96.4%	96.4%	96.4%	96.4%		96.3%	96.3%		
Oct-Dec	2012	97.1%	97.1%	97.1%	97.1%	97.1%		97.1%	97.5%		
Jan-Mar	2013	97.3%	97.3%	97.3%	97.3%	97.3%		97.4%	97.7%		
Apr-June	2013	98.6%	98.6%	98.6%	98.6%	98.6%		98.6%	98.6%		
July-Sept	2013	97.4%	97.4%	97.4%	97.4%	97.4%		97.0%	97.5%		
Oct-Dec	2013	97.4%	97.4%	97.4%	97.4%	97.4%		95.0%	97.6%		
Jan-Mar	2014	96.3%	96.3%	96.3%	96.3%	96.3%		**n/a	96.5%		
Apr-June	2014	97.8%	97.8%	97.8%	97.8%	97.8%		**n/a	97.9%		
July-Sept	2014	97.9%	97.9%	97.9%	97.9%	97.9%		99.0%	97.7%	93.1%	
Oct-Dec	2014	97.6%	97.6%	97.6%	97.6%	97.6%		98.6%	97.7%	95.4%	
Jan-Mar	2015	97.2%	97.2%	97.2%	97.2%	97.2%		98.3%	97.3%	94.2%	
Apr-June	2015	97.6%	97.6%	97.6%	97.6%	97.6%		98.5%	97.5%	95.0%	
July-Sept	2015	97.1%	97.1%	97.1%	97.1%	97.1%		97.9%	97.3%	94.5%	
Oct-Dec	2015	97.2%	97.2%	97.2%	97.2%	97.2%		98.1%	97.2%	93.7%	
Jan-Mar	2016	97.6%	97.6%	97.6%	97.6%	97.6%		98.2%	97.5%	94.9%	
Apr-June	2016	96.1%	96.1%	96.1%	96.1%	96.1%		97.9%	96.3%	94.7%	
July-Sept	2016	97.5%	97.5%	97.5%	97.5%	97.5%		97.9%	97.4%	95.1%	96.8%
Oct-Dec	2016	97.3%	97.3%	97.3%	97.3%	97.3%		97.8%	97.3%	95.2%	96.3%
Jan-Mar	2017	97.3%	97.3%	97.3%	97.3%	97.3%		90.1%	97.4%	94.0%	96.6%
Apr-June	2017	96.3%	96.3%	96.3%	96.3%	96.3%		~	96.6%	94.4%	96.2%
July-Sept	2017	96.6%	96.6%	96.6%	96.6%	96.6%		~	96.7%	94.9%	96.4%
Oct-Dec	2017	96.4%	96.4%	96.4%	96.4%	96.4%		~	96.4%	94.7%	96.2%
Jan-Mar	2018	95.7%	95.7%	95.7%	95.7%	95.7%		~	96.2%	93.9%	96.0%
Apr-June	2018	95.5%	95.5%	95.5%	95.5%	95.5%		~	95.8%	93.1%	95.5%
July-Sept	2018	95.1%	95.1%	95.1%	95.1%	95.1%	95.1%	~	95.5%	91.9%	95.3%
Oct-Dec	2018	95.0%	95.0%	95.0%	95.0%	95.0%	95.0%	~	95.1%	92.0%	95.0%
Jan-Mar	2019	95.1%	95.1%	95.1%	95.1%	95.1%	95.1%	~	95.5%	91.3%	95.0%
Apr-June	2019	95.6%	95.6%	95.6%	95.6%	95.6%	95.6%	~	95.8%	92.7%	95.5%

\* children were 12 months old during the quarter

\*\* accurate Men C coverage at 12 months not available (n/a) due to a software change

Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017

Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017

Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017

Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017

Hib3 = *Haemophilus Influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017

HepB3 = Hepatitis B (DTaP/IPV/Hib/HepB3 vaccine) (3 doses) (introduced in August 2017)

MenC = Meningococcal serogroup C conjugate vaccine was removed from the routine immunisation schedule from 1st July 2016 and children presenting for their 12 week immunisation late (after 1 July) may not have been offered the vaccine, resulting in decrease in coverage  
~ Meningococcal serogroup C conjugate vaccine reporting ceased in April 2017

PCV2 = Pneumococcal conjugate vaccine (2 doses) (introduced Sept 2006)

Rota2 = Rotavirus vaccine (2 doses given before 24 weeks of age) (introduced July 2013)

MenB2 = Meningococcal serogroup B vaccine (2 doses) (introduced Sept 2015)

# Vaccination Coverage Statistics for Children in NHSCT: Completed Primary Immunisations by 12 months

Quarter*	Year	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	HepB3	MenC	PCV2	Rota2	MenB2
Jan-Mar	2011	97.9%	97.9%	97.9%	97.9%	97.9%		97.7%	97.9%		
Apr-June	2011	97.9%	97.9%	97.9%	97.9%	97.9%		97.9%	98.0%		
July-Sept	2011	97.3%	97.3%	97.3%	97.3%	97.3%		97.3%	97.2%		
Oct-Dec	2011	98.1%	98.1%	98.1%	98.1%	98.1%		97.9%	98.3%		
Jan-Mar	2012	97.6%	97.6%	97.6%	97.6%	97.6%		97.4%	97.4%		
Apr-June	2012	96.8%	96.8%	96.8%	96.8%	96.8%		96.7%	97.0%		
July-Sept	2012	97.5%	97.5%	97.5%	97.5%	97.5%		97.1%	97.5%		
Oct-Dec	2012	97.9%	97.9%	97.9%	97.9%	97.9%		97.9%	98.0%		
Jan-Mar	2013	97.6%	97.6%	97.6%	97.6%	97.6%		97.4%	97.5%		
Apr-June	2013	97.3%	97.3%	97.3%	97.3%	97.3%		97.2%	97.2%		
July-Sept	2013	98.1%	98.1%	98.1%	98.1%	98.1%		97.1%	97.9%		
Oct-Dec	2013	97.6%	97.6%	97.6%	97.6%	97.6%		94.3%	97.6%		
Jan-Mar	2014	97.6%	97.6%	97.6%	97.6%	97.6%		**n/a	97.6%		
Apr-June	2014	96.2%	96.2%	96.2%	96.2%	96.2%		**n/a	96.2%		
July-Sept	2014	97.7%	97.7%	97.7%	97.7%	97.7%		98.8%	97.6%	95.7%	
Oct-Dec	2014	98.5%	98.5%	98.5%	98.5%	98.5%		98.8%	98.3%	94.8%	
Jan-Mar	2015	97.7%	97.7%	97.7%	97.7%	97.7%		98.8%	97.7%	95.1%	
Apr-June	2015	97.9%	97.9%	97.9%	97.9%	97.9%		98.8%	98.0%	95.9%	
July-Sept	2015	97.6%	97.6%	97.6%	97.6%	97.6%		98.1%	97.4%	94.1%	
Oct-Dec	2015	98.4%	98.4%	98.4%	98.4%	98.4%		98.9%	98.3%	94.9%	
Jan-Mar	2016	97.5%	97.5%	97.5%	97.5%	97.5%		98.4%	97.5%	95.0%	
Apr-June	2016	97.9%	97.9%	97.9%	97.9%	97.9%		98.9%	98.0%	95.1%	
July-Sept	2016	98.2%	98.2%	98.2%	98.2%	98.2%		98.8%	98.2%	95.3%	97.2%
Oct-Dec	2016	97.2%	97.2%	97.2%	97.2%	97.2%		97.7%	97.2%	94.7%	95.9%
Jan-Mar	2017	97.6%	97.6%	97.6%	97.6%	97.6%		90.6%	97.5%	96.1%	97.0%
Apr-June	2017	97.4%	97.4%	97.4%	97.4%	97.4%		~	97.4%	96.1%	97.0%
July-Sept	2017	96.8%	96.8%	96.8%	96.8%	96.8%		~	97.1%	95.4%	96.6%
Oct-Dec	2017	96.9%	96.9%	96.9%	96.9%	96.9%		~	97.1%	95.0%	96.7%
Jan-Mar	2018	96.0%	96.0%	96.0%	96.0%	96.0%		~	96.2%	93.8%	95.8%
Apr-June	2018	95.6%	95.6%	95.6%	95.6%	95.6%		~	96.3%	93.7%	96.2%
July-Sept	2018	95.3%	95.3%	95.3%	95.3%	95.3%	95.3%	~	95.7%	92.6%	95.5%
Oct-Dec	2018	96.3%	96.3%	96.3%	96.3%	96.3%	96.3%	~	96.6%	94.4%	96.4%
Jan-Mar	2019	95.4%	95.4%	95.4%	95.4%	95.4%	95.4%	~	95.4%	92.8%	95.2%
Apr-June	2019	95.3%	95.3%	95.3%	95.3%	95.3%	95.3%	~	95.5%	94.1%	95.3%

\* children were 12 months old during the quarter

\*\* accurate Men C coverage at 12 months not available (n/a) due to a software change

Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017  
Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017  
Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017  
Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017  
Hib3 = *Haemophilus Influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017  
HepB3 = Hepatitis B (DTaP/IPV/Hib/HepB3 vaccine) (3 doses) (introduced in August 2017)  
MenC = Meningococcal serogroup C conjugate vaccine was removed from the routine immunisation schedule from 1st July 2016 and children but presenting for their 12 week immunisation late (after 1 July) may not have been offered the vaccine, resulting in decrease in coverage  
~ Meningococcal serogroup C conjugate vaccine reporting ceased in April 2017  
PCV2 = Pneumococcal conjugate vaccine (2 doses) (introduced Sept 2006)  
Rota2 = Rotavirus vaccine (2 doses given before 24 weeks of age) (introduced July 2013)  
MenB2 = Meningococcal serogroup B vaccine (2 doses) (introduced Sept 2015)

## Vaccination Coverage Statistics for Children in SHSCT: Completed Primary Immunisations by 12 months

Quarter*	Year	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	HepB3	MenC	PCV2	Rota2	MenB2
Jan-Mar	2011	98.0%	98.0%	98.0%	98.0%	98.0%		97.9%	98.1%		
Apr-June	2011	97.8%	97.8%	97.8%	97.8%	97.8%		97.6%	97.7%		
July-Sept	2011	98.0%	98.0%	98.0%	98.0%	98.0%		97.7%	97.8%		
Oct-Dec	2011	98.5%	98.5%	98.5%	98.5%	98.5%		98.4%	98.3%		
Jan-Mar	2012	97.9%	97.9%	97.9%	97.9%	97.9%		97.7%	97.7%		
Apr-June	2012	98.1%	98.1%	98.1%	98.1%	98.1%		98.0%	98.4%		
July-Sept	2012	98.1%	98.1%	98.1%	98.1%	98.1%		98.1%	98.2%		
Oct-Dec	2012	98.0%	98.0%	98.0%	98.0%	98.0%		97.8%	97.8%		
Jan-Mar	2013	98.6%	98.6%	98.6%	98.6%	98.6%		98.6%	98.6%		
Apr-June	2013	98.5%	98.5%	98.5%	98.5%	98.5%		98.6%	98.5%		
July-Sept	2013	98.6%	98.6%	98.6%	98.6%	98.6%		98.0%	98.4%		
Oct-Dec	2013	98.2%	98.2%	98.2%	98.2%	98.2%		96.0%	98.0%		
Jan-Mar	2014	98.5%	98.5%	98.5%	98.5%	98.5%		**n/a	98.2%		
Apr-June	2014	98.4%	98.4%	98.4%	98.4%	98.4%		**n/a	98.3%		
July-Sept	2014	98.4%	98.4%	98.4%	98.4%	98.4%		98.7%	98.4%	95.6%	
Oct-Dec	2014	99.0%	99.0%	99.0%	99.0%	99.0%		99.4%	99.0%	96.3%	
Jan-Mar	2015	98.4%	98.4%	98.4%	98.4%	98.4%		99.0%	98.2%	96.2%	
Apr-June	2015	98.4%	98.4%	98.4%	98.4%	98.4%		98.5%	98.0%	95.2%	
July-Sept	2015	98.5%	98.5%	98.5%	98.5%	98.5%		98.8%	98.4%	95.0%	
Oct-Dec	2015	97.8%	97.8%	97.8%	97.8%	97.8%		98.5%	97.9%	95.1%	
Jan-Mar	2016	97.8%	97.8%	97.8%	97.8%	97.8%		99.1%	97.7%	95.9%	
Apr-June	2016	97.4%	97.4%	97.4%	97.4%	97.4%		98.2%	97.2%	95.3%	
July-Sept	2016	97.6%	97.6%	97.6%	97.6%	97.6%		98.0%	97.4%	94.7%	96.3%
Oct-Dec	2016	97.4%	97.4%	97.4%	97.4%	97.4%		97.4%	97.6%	94.9%	97.0%
Jan-Mar	2017	97.7%	97.7%	97.7%	97.7%	97.7%		90.9%	97.6%	95.5%	97.1%
Apr-June	2017	98.6%	98.6%	98.6%	98.6%	98.6%		~	98.6%	96.9%	98.3%
July-Sept	2017	97.4%	97.4%	97.4%	97.4%	97.4%		~	97.4%	95.4%	96.8%
Oct-Dec	2017	97.2%	97.2%	97.2%	97.2%	97.2%		~	97.5%	93.9%	97.0%
Jan-Mar	2018	96.0%	96.0%	96.0%	96.0%	96.0%		~	96.4%	94.0%	95.9%
Apr-June	2018	97.4%	97.4%	97.4%	97.4%	97.4%		~	97.4%	95.1%	97.0%
July-Sept	2018	96.9%	96.9%	96.9%	96.9%	96.9%	96.9%	~	97.0%	94.8%	96.9%
Oct-Dec	2018	96.0%	96.0%	96.0%	96.0%	96.0%	96.0%	~	96.2%	94.0%	96.0%
Jan-Mar	2019	96.4%	96.4%	96.4%	96.4%	96.4%	96.4%	~	96.6%	93.9%	96.4%
Apr-June	2019	95.4%	95.4%	95.4%	95.4%	95.4%	95.4%	~	95.5%	93.6%	95.4%

\* children were 12 months old during the quarter

\*\* accurate Men C coverage at 12 months not available (n/a) due to a software change

Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017  
Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017  
Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017  
Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017  
Hib3 = *Haemophilus Influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017  
HepB3 = Hepatitis B (DTaP/IPV/Hib/HepB3 vaccine) (3 doses) (introduced in August 2017)  
MenC = Meningococcal serogroup C conjugate vaccine was removed from the routine immunisation schedule from 1st July 2016 and children presenting for their 12 week immunisation late (after 1 July) may not have been offered the vaccine, resulting in decrease in coverage  
~ Meningococcal serogroup C conjugate vaccine reporting ceased in April 2017  
PCV2 = Pneumococcal conjugate vaccine (2 doses) (introduced Sept 2006)  
Rota2 = Rotavirus vaccine (2 doses given before 24 weeks of age) (introduced July 2013)  
MenB2 = Meningococcal serogroup B vaccine (2 doses) (introduced Sept 2015)

## Vaccination Coverage Statistics for Children in WHSCT: Completed Primary Immunisations by 12 months

Quarter*	Year	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	HepB3	MenC	PCV2	Rota2	MenB2
Jan-Mar	2011	98.2%	98.2%	98.2%	98.2%	98.2%		98.1%	98.3%		
Apr-June	2011	98.3%	98.3%	98.3%	98.3%	98.3%		98.2%	98.3%		
July-Sept	2011	99.3%	99.3%	99.3%	99.3%	99.3%		99.3%	99.3%		
Oct-Dec	2011	98.4%	98.4%	98.4%	98.4%	98.4%		98.4%	98.3%		
Jan-Mar	2012	98.3%	98.3%	98.3%	98.3%	98.3%		98.3%	98.3%		
Apr-June	2012	98.7%	98.7%	98.7%	98.7%	98.7%		98.7%	98.7%		
July-Sept	2012	98.8%	98.8%	98.8%	98.8%	98.8%		99.0%	98.8%		
Oct-Dec	2012	98.6%	98.6%	98.6%	98.6%	98.6%		98.6%	98.6%		
Jan-Mar	2013	98.3%	98.3%	98.3%	98.3%	98.3%		98.1%	98.1%		
Apr-June	2013	98.9%	98.9%	98.9%	98.9%	98.9%		99.0%	98.9%		
July-Sept	2013	98.9%	98.9%	98.9%	98.9%	98.9%		98.7%	98.9%		
Oct-Dec	2013	97.9%	97.9%	97.9%	97.9%	97.9%		94.5%	97.9%		
Jan-Mar	2014	97.8%	97.8%	97.8%	97.8%	97.8%		**n/a	97.8%		
Apr-June	2014	98.6%	98.6%	98.6%	98.6%	98.6%		**n/a	98.6%		
July-Sept	2014	98.3%	98.3%	98.3%	98.3%	98.3%		98.7%	98.3%	93.6%	
Oct-Dec	2014	98.6%	98.6%	98.6%	98.6%	98.6%		99.2%	98.5%	96.1%	
Jan-Mar	2015	97.9%	97.9%	97.9%	97.9%	97.9%		98.7%	98.1%	94.6%	
Apr-June	2015	97.5%	97.5%	97.5%	97.5%	97.5%		98.9%	97.6%	94.5%	
July-Sept	2015	97.9%	97.9%	97.9%	97.9%	97.9%		98.9%	97.9%	94.4%	
Oct-Dec	2015	98.0%	98.0%	98.0%	98.0%	98.0%		98.8%	98.1%	94.3%	
Jan-Mar	2016	98.0%	98.0%	98.0%	98.0%	98.0%		99.1%	98.0%	94.1%	
Apr-June	2016	97.6%	97.6%	97.6%	97.6%	97.6%		98.0%	97.4%	93.1%	
July-Sept	2016	98.2%	98.2%	98.2%	98.2%	98.2%		98.5%	98.0%	94.9%	96.4%
Oct-Dec	2016	97.3%	97.3%	97.3%	97.3%	97.3%		97.9%	97.4%	93.8%	96.3%
Jan-Mar	2017	97.3%	97.3%	97.3%	97.3%	97.3%		92.6%	97.8%	95.4%	97.3%
Apr-June	2017	97.6%	97.6%	97.6%	97.6%	97.6%		~	97.4%	95.1%	96.5%
July-Sept	2017	98.0%	98.0%	98.0%	98.0%	98.0%		~	98.3%	93.2%	97.7%
Oct-Dec	2017	96.7%	96.7%	96.7%	96.7%	96.7%		~	97.3%	93.2%	97.3%
Jan-Mar	2018	97.0%	97.0%	97.0%	97.0%	97.0%		~	97.2%	93.2%	96.9%
Apr-June	2018	96.6%	96.6%	96.6%	96.6%	96.6%		~	96.6%	94.1%	96.6%
July-Sept	2018	94.9%	94.9%	94.9%	94.9%	94.9%	94.9%	~	95.3%	91.6%	95.2%
Oct-Dec	2018	95.4%	95.4%	95.4%	95.4%	95.4%	95.4%	~	95.9%	93.0%	95.9%
Jan-Mar	2019	94.8%	94.8%	94.8%	94.8%	94.8%	94.8%	~	95.2%	92.2%	94.5%
Apr-June	2019	95.9%	95.9%	95.9%	95.9%	95.9%	95.9%	~	96.1%	90.3%	95.7%

\* children were 12 months old during the quarter

\*\* accurate Men C coverage at 12 months not available (n/a) due to a software change

Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017  
Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017  
Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017  
Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017  
Hib3 = *Haemophilus Influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses) replaced with (DTaP/IPV/Hib/HepB3 vaccine) from August 2017  
HepB3 = Hepatitis B (DTaP/IPV/Hib/HepB3 vaccine) (3 doses) (introduced in August 2017)  
MenC = Meningococcal serogroup C conjugate vaccine was removed from the routine immunisation schedule from 1st July 2016 and children born Jan to Mar 2016 but presenting for their 12 week immunisation late (after 1 July) may not have been offered the vaccine, resulting in decrease in coverage in Mar 2017  
~ Meningococcal serogroup C conjugate vaccine reporting ceased in April 2017  
PCV2 = Pneumococcal conjugate vaccine (2 doses) (introduced Sept 2006)  
Rota2 = Rotavirus vaccine (2 doses given before 24 weeks of age) (introduced July 2013)  
MenB2 = Meningococcal serogroup B vaccine (2 doses) (introduced Sept 2015)