

**Vaccination Coverage Statistics for Children in Northern Ireland:  
Completed Primary Immunisations by 24 months**

Quarter*	Year	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	MMR1	Infant MenC	PCV Booster	Hib/MenC	MenB3
Jan-Mar	2011	98.9%	98.9%	98.9%	98.9%	98.9%	93.0%	97.7%	93.5%	95.9%	
Apr-June	2011	98.4%	98.4%	98.4%	98.4%	98.4%	92.7%	96.9%	93.1%	95.3%	
July-Sept	2011	98.5%	98.5%	98.5%	98.5%	98.5%	92.8%	96.8%	93.5%	95.4%	
Oct-Dec	2011	98.3%	98.3%	98.3%	98.3%	98.3%	93.3%	96.9%	94.2%	95.7%	
Jan-Mar	2012	98.5%	98.5%	98.5%	98.5%	98.5%	93.7%	97.1%	94.8%	95.9%	
Apr-June	2012	98.6%	98.6%	98.6%	98.6%	98.6%	95.3%	97.1%	95.8%	95.7%	
July-Sept	2012	98.6%	98.6%	98.6%	98.6%	98.6%	95.4%	97.2%	95.5%	95.7%	
Oct-Dec	2012	98.7%	98.7%	98.7%	98.7%	98.7%	95.9%	97.2%	96.4%	96.5%	
Jan-Mar	2013	98.4%	98.4%	98.4%	98.4%	98.4%	95.3%	97.1%	95.8%	95.9%	
Apr-June	2013	98.7%	98.7%	98.7%	98.7%	98.7%	96.1%	~	96.2%	96.4%	
July-Sept	2013	98.8%	98.8%	98.8%	98.8%	98.8%	96.0%	~	95.9%	96.0%	
Oct-Dec	2013	98.6%	98.6%	98.6%	98.6%	98.6%	96.3%	~	96.3%	96.5%	
Jan-Mar	2014	98.5%	98.5%	98.5%	98.5%	98.5%	96.1%	~	96.1%	96.3%	
Apr-June	2014	98.9%	98.9%	98.9%	98.9%	98.9%	96.4%	~	96.2%	96.3%	
July-Sept	2014	98.7%	98.7%	98.7%	98.7%	98.7%	96.4%	~	96.8%	96.5%	
Oct-Dec	2014	98.4%	98.4%	98.4%	98.4%	98.4%	95.5%	~	95.9%	95.9%	
Jan-Mar	2015	97.9%	97.9%	97.9%	97.9%	97.9%	94.5%	~	95.0%	94.7%	
Apr-June	2015	98.2%	98.2%	98.2%	98.2%	98.2%	96.1%	~	95.9%	95.8%	
July-Sept	2015	98.3%	98.3%	98.3%	98.3%	98.3%	95.8%	~	95.8%	95.8%	
Oct-Dec	2015	98.3%	98.3%	98.3%	98.3%	98.3%	95.5%	~	96.0%	95.9%	
Jan-Mar	2016	98.3%	98.3%	98.3%	98.3%	98.3%	95.9%	~	96.3%	95.9%	
Apr-June	2016	97.9%	97.9%	97.9%	97.9%	97.9%	95.0%	~	95.5%	95.3%	
July-Sept	2016	97.9%	97.9%	97.9%	97.9%	97.9%	94.5%	~	94.9%	95.0%	
Oct-Dec	2016	97.9%	97.9%	97.9%	97.9%	97.9%	94.8%	~	95.2%	94.9%	
Jan-Mar	2017	98.0%	98.0%	98.0%	98.0%	98.0%	94.7%	~	95.0%	94.8%	
Apr-June	2017	97.9%	97.9%	97.9%	97.9%	97.9%	94.8%	~	95.1%	95.0%	
July-Sept	2017	97.9%	97.9%	97.9%	97.9%	97.9%	94.6%	~	94.9%	94.8%	94.1%
Oct-Dec	2017	97.7%	97.7%	97.7%	97.7%	97.7%	93.8%	~	94.6%	94.4%	94.1%
Jan-Mar	2018	98.0%	98.0%	98.0%	98.0%	98.0%	94.6%	~	95.7%	95.0%	94.6%
Apr-June	2018	97.5%	97.5%	97.5%	97.5%	97.5%	93.4%	~	93.8%	93.7%	93.4%
July-Sept	2018	97.4%	97.4%	97.4%	97.4%	97.4%	93.6%	~	94.1%	93.9%	93.7%
Oct-Dec	2018	96.9%	96.9%	96.9%	96.9%	96.9%	92.3%	~	92.5%	92.5%	92.2%
Jan-Mar	2019	96.5%	96.5%	96.5%	96.5%	96.5%	91.2%	~	92.5%	91.7%	91.4%
Apr-June	2019	95.8%	95.8%	95.8%	95.8%	95.8%	91.4%	~	91.8%	91.6%	91.6%

\* children were 24 months old during this quarter

Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses)

Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses)

Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses)

Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses)

Hib3 = *Haemophilus Influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses)

Infant MenC = ~ Meningococcal serogroup C conjugate vaccine (2 doses under 12 months) reporting ceased in April 2013

PCV Booster: Pneumococcal conjugate booster vaccine (1 dose over 12 months) (introduced Sept 2006)

MMR1 = Measles, mumps, and rubella vaccine (1 dose)

Hib/MenC = Hib/MenC booster vaccine (1 dose) (introduced September 2006)

MenB3 = Meningococcal serogroup B vaccine (3 doses) (introduced Sept 2015)

**Vaccination Coverage Statistics for Children in BHSTC:  
Completed Primary Immunisations by 24 months**

Quarter*	Year	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	MMR1	Infant MenC	PCV Booster	Hib/MenC	MenB3
Jan-Mar	2011	98.2%	98.2%	98.2%	98.2%	98.2%	88.8%	96.1%	88.6%	92.6%	
Apr-June	2011	97.1%	97.1%	97.1%	97.1%	97.1%	88.9%	94.7%	89.8%	92.4%	
July-Sept	2011	96.6%	96.6%	96.6%	96.6%	96.6%	88.5%	94.3%	89.5%	91.9%	
Oct-Dec	2011	96.4%	96.4%	96.4%	96.4%	96.4%	89.4%	95.1%	89.9%	92.5%	
Jan-Mar	2012	97.4%	97.4%	97.4%	97.4%	97.4%	89.7%	94.6%	90.4%	92.5%	
Apr-June	2012	98.1%	98.1%	98.1%	98.1%	98.1%	92.8%	95.7%	92.7%	93.1%	
July-Sept	2012	96.9%	96.9%	96.9%	96.9%	96.9%	92.5%	94.6%	92.2%	92.5%	
Oct-Dec	2012	97.3%	97.3%	97.3%	97.3%	97.3%	93.6%	94.5%	94.0%	94.1%	
Jan-Mar	2013	97.4%	97.4%	97.4%	97.4%	97.4%	93.1%	94.8%	93.3%	93.8%	
Apr-June	2013	97.8%	97.8%	97.8%	97.8%	97.8%	93.7%	~	93.5%	93.4%	
July-Sept	2013	97.9%	97.9%	97.9%	97.9%	97.9%	94.9%	~	94.2%	94.0%	
Oct-Dec	2013	97.2%	97.2%	97.2%	97.2%	97.2%	93.7%	~	92.6%	93.3%	
Jan-Mar	2014	97.0%	97.0%	97.0%	97.0%	97.0%	93.7%	~	93.2%	93.5%	
Apr-June	2014	98.1%	98.1%	98.1%	98.1%	98.1%	94.5%	~	93.4%	94.0%	
July-Sept	2014	97.2%	97.2%	97.2%	97.2%	97.2%	94.0%	~	95.2%	93.9%	
Oct-Dec	2014	97.0%	97.0%	97.0%	97.0%	97.0%	93.5%	~	93.4%	93.1%	
Jan-Mar	2015	96.0%	96.0%	96.0%	96.0%	96.0%	90.9%	~	91.9%	91.0%	
Apr-June	2015	96.3%	96.3%	96.3%	96.3%	96.3%	93.1%	~	92.6%	92.3%	
July-Sept	2015	97.0%	97.0%	97.0%	97.0%	97.0%	93.7%	~	93.2%	93.3%	
Oct-Dec	2015	96.1%	96.1%	96.1%	96.1%	96.1%	91.8%	~	91.8%	91.6%	
Jan-Mar	2016	97.1%	97.1%	97.1%	97.1%	97.1%	93.6%	~	93.7%	93.5%	
Apr-June	2016	96.6%	96.6%	96.6%	96.6%	96.6%	91.6%	~	91.8%	91.6%	
July-Sept	2016	96.5%	96.5%	96.5%	96.5%	96.5%	90.0%	~	90.4%	90.0%	
Oct-Dec	2016	95.3%	95.3%	95.3%	95.3%	95.3%	89.8%	~	90.1%	89.8%	
Jan-Mar	2017	96.5%	96.5%	96.5%	96.5%	96.5%	90.6%	~	90.5%	90.0%	
Apr-June	2017	95.9%	95.9%	95.9%	95.9%	95.9%	92.3%	~	92.1%	91.9%	
July-Sept	2017	96.4%	96.4%	96.4%	96.4%	96.4%	91.3%	~	91.1%	90.4%	90.0%
Oct-Dec	2017	95.0%	95.0%	95.0%	95.0%	95.0%	88.7%	~	89.1%	89.0%	88.3%
Jan-Mar	2018	95.8%	95.8%	95.8%	95.8%	95.8%	91.4%	~	91.6%	91.2%	91.1%
Apr-June	2018	95.1%	95.1%	95.1%	95.1%	95.1%	89.2%	~	89.5%	88.9%	88.9%
July-Sept	2018	95.1%	95.1%	95.1%	95.1%	95.1%	89.0%	~	88.8%	88.5%	88.2%
Oct-Dec	2018	94.9%	94.9%	94.9%	94.9%	94.9%	86.8%	~	86.9%	86.9%	86.3%
Jan-Mar	2019	93.9%	93.9%	93.9%	93.9%	93.9%	85.3%	~	86.3%	85.5%	85.4%
Apr-June	2019	90.3%	90.3%	90.3%	90.3%	90.3%	82.8%	~	83.7%	83.0%	83.0%

\* children were 24 months old during this quarter

- Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses)
- Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses)
- Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses)
- Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses)
- Hib3 = *Haemophilus Influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses)
- Infant MenC = ~ Meningococcal serogroup C conjugate vaccine (2 doses under 12 months) reporting ceased in April 2013
- PCV Booster = Pneumococcal conjugate booster vaccine (1 dose over 12 months) (introduced Sept 2006)
- MMR1 = Measles, mumps, and rubella vaccine (1 dose)
- Hib/MenC = Hib/MenC booster vaccine (1 dose) (introduced September 2006)
- MenB3 = Meningococcal serogroup B vaccine (3 doses) (introduced Sept 2015)

**Vaccination Coverage Statistics for Children in SEHSCT:  
Completed Primary Immunisations by 24 months**

Quarter*	Year	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	MMR1	Infant MenC	PCV Booster	Hib/MenC	MenB3
Jan-Mar	2011	98.4%	98.4%	98.4%	98.4%	98.4%	91.3%	97.3%	92.4%	94.7%	
Apr-June	2011	98.1%	98.1%	98.1%	98.1%	98.1%	91.4%	96.9%	91.8%	94.4%	
July-Sept	2011	98.5%	98.5%	98.5%	98.5%	98.5%	92.4%	97.0%	93.6%	95.6%	
Oct-Dec	2011	97.7%	97.7%	97.7%	97.7%	97.7%	92.8%	96.5%	94.2%	95.1%	
Jan-Mar	2012	98.6%	98.6%	98.6%	98.6%	98.6%	93.8%	97.7%	94.3%	95.3%	
Apr-June	2012	98.4%	98.4%	98.4%	98.4%	98.4%	95.0%	97.2%	95.6%	95.5%	
July-Sept	2012	98.7%	98.7%	98.7%	98.7%	98.7%	95.1%	97.6%	95.5%	95.9%	
Oct-Dec	2012	98.7%	98.7%	98.7%	98.7%	98.7%	95.9%	97.6%	96.3%	96.1%	
Jan-Mar	2013	98.1%	98.1%	98.1%	98.1%	98.1%	95.7%	97.0%	96.4%	96.4%	
Apr-June	2013	99.0%	99.0%	99.0%	99.0%	99.0%	96.3%	~	96.3%	96.9%	
July-Sept	2013	98.4%	98.4%	98.4%	98.4%	98.4%	95.7%	~	95.9%	96.3%	
Oct-Dec	2013	98.8%	98.8%	98.8%	98.8%	98.8%	96.7%	~	97.6%	97.7%	
Jan-Mar	2014	99.0%	99.0%	99.0%	99.0%	99.0%	97.2%	~	97.9%	98.2%	
Apr-June	2014	99.2%	99.2%	99.2%	99.2%	99.2%	96.0%	~	96.1%	96.1%	
July-Sept	2014	98.6%	98.6%	98.6%	98.6%	98.6%	96.2%	~	96.3%	96.4%	
Oct-Dec	2014	99.2%	99.2%	99.2%	99.2%	99.2%	96.7%	~	97.8%	97.2%	
Jan-Mar	2015	97.0%	97.0%	97.0%	97.0%	97.0%	94.5%	~	94.8%	94.7%	
Apr-June	2015	98.5%	98.5%	98.5%	98.5%	98.5%	96.6%	~	96.4%	96.2%	
July-Sept	2015	98.9%	98.9%	98.9%	98.9%	98.9%	96.1%	~	95.9%	95.9%	
Oct-Dec	2015	98.2%	98.2%	98.2%	98.2%	98.2%	95.6%	~	96.3%	96.1%	
Jan-Mar	2016	98.4%	98.4%	98.4%	98.4%	98.4%	95.6%	~	95.7%	95.6%	
Apr-June	2016	97.9%	97.9%	97.9%	97.9%	97.9%	95.5%	~	96.3%	96.3%	
July-Sept	2016	97.9%	97.9%	97.9%	97.9%	97.9%	94.6%	~	95.3%	95.6%	
Oct-Dec	2016	98.0%	98.0%	98.0%	98.0%	98.0%	95.4%	~	96.2%	96.2%	
Jan-Mar	2017	98.0%	98.0%	98.0%	98.0%	98.0%	94.9%	~	94.7%	94.4%	
Apr-June	2017	97.2%	97.2%	97.2%	97.2%	97.2%	94.0%	~	95.1%	94.2%	
July-Sept	2017	97.9%	97.9%	97.9%	97.9%	97.9%	95.5%	~	95.9%	95.4%	95.5%
Oct-Dec	2017	98.4%	98.4%	98.4%	98.4%	98.4%	95.2%	~	96.1%	95.6%	95.5%
Jan-Mar	2018	98.3%	98.3%	98.3%	98.3%	98.3%	95.2%	~	95.3%	95.0%	94.9%
Apr-June	2018	97.4%	97.4%	97.4%	97.4%	97.4%	92.9%	~	93.5%	93.7%	93.6%
July-Sept	2018	97.7%	97.7%	97.7%	97.7%	97.7%	93.7%	~	94.1%	93.7%	93.8%
Oct-Dec	2018	97.1%	97.1%	97.1%	97.1%	97.1%	93.7%	~	93.9%	93.7%	93.5%
Jan-Mar	2019	96.7%	96.7%	96.7%	96.7%	96.7%	92.2%	~	92.9%	92.9%	92.8%
Apr-June	2019	96.2%	96.2%	96.2%	96.2%	96.2%	93.9%	~	93.5%	93.3%	93.8%

\* children were 24 months old during this quarter

- Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses)
- Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses)
- Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses)
- Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses)
- Hib3 = *Haemophilus Influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses)
- Infant MenC = ~ Meningococcal serogroup C conjugate vaccine (2 doses under 12 months) reporting ceased in April 2013
- PCV Booster = Pneumococcal conjugate booster vaccine (1 dose over 12 months) (introduced Sept 2006)
- MMR1 = Measles, mumps, and rubella vaccine (1 dose)
- Hib/MenC = Hib/MenC booster vaccine (1 dose) (introduced September 2006)
- MenB3 = Meningococcal serogroup B vaccine (3 doses) (introduced Sept 2015)

**Vaccination Coverage Statistics for Children in NHSCT:  
Completed Primary Immunisations by 24 months**

Quarter*	Year	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	MMR1	Infant MenC	PCV Booster	Hib/MenC	MenB3
Jan-Mar	2011	99.5%	99.5%	99.5%	99.5%	99.5%	94.9%	98.3%	95.4%	97.4%	
Apr-June	2011	98.4%	98.4%	98.4%	98.4%	98.4%	93.7%	97.0%	94.1%	96.6%	
July-Sept	2011	99.2%	99.2%	99.2%	99.2%	99.2%	93.7%	98.0%	94.6%	96.1%	
Oct-Dec	2011	98.9%	98.9%	98.9%	98.9%	98.9%	93.4%	97.6%	94.8%	96.4%	
Jan-Mar	2012	98.5%	98.5%	98.5%	98.5%	98.5%	94.5%	97.1%	95.9%	96.8%	
Apr-June	2012	99.1%	99.1%	99.1%	99.1%	99.1%	96.3%	97.5%	97.0%	96.9%	
July-Sept	2012	98.8%	98.8%	98.8%	98.8%	98.8%	95.1%	97.6%	95.3%	95.5%	
Oct-Dec	2012	99.2%	99.2%	99.2%	99.2%	99.2%	96.6%	98.0%	97.1%	97.1%	
Jan-Mar	2013	98.8%	98.8%	98.8%	98.8%	98.8%	95.1%	97.7%	95.8%	96.2%	
Apr-June	2013	98.8%	98.8%	98.8%	98.8%	98.8%	96.4%	~	96.6%	96.5%	
July-Sept	2013	99.0%	99.0%	99.0%	99.0%	99.0%	96.2%	~	96.1%	96.3%	
Oct-Dec	2013	99.0%	99.0%	99.0%	99.0%	99.0%	97.0%	~	97.3%	97.5%	
Jan-Mar	2014	98.6%	98.6%	98.6%	98.6%	98.6%	95.6%	~	96.2%	96.3%	
Apr-June	2014	98.6%	98.6%	98.6%	98.6%	98.6%	95.5%	~	96.1%	95.9%	
July-Sept	2014	99.0%	99.0%	99.0%	99.0%	99.0%	97.1%	~	97.4%	97.1%	
Oct-Dec	2014	98.6%	98.6%	98.6%	98.6%	98.6%	95.0%	~	96.2%	96.4%	
Jan-Mar	2015	99.1%	99.1%	99.1%	99.1%	99.1%	93.6%	~	94.9%	94.7%	
Apr-June	2015	98.2%	98.2%	98.2%	98.2%	98.2%	96.0%	~	96.0%	96.1%	
July-Sept	2015	98.3%	98.3%	98.3%	98.3%	98.3%	96.7%	~	96.5%	96.7%	
Oct-Dec	2015	98.8%	98.8%	98.8%	98.8%	98.8%	96.5%	~	97.3%	97.2%	
Jan-Mar	2016	98.5%	98.5%	98.5%	98.5%	98.5%	96.4%	~	97.5%	96.7%	
Apr-June	2016	98.3%	98.3%	98.3%	98.3%	98.3%	96.6%	~	96.8%	96.7%	
July-Sept	2016	98.2%	98.2%	98.2%	98.2%	98.2%	95.4%	~	96.1%	96.2%	
Oct-Dec	2016	98.7%	98.7%	98.7%	98.7%	98.7%	95.6%	~	95.9%	95.8%	
Jan-Mar	2017	98.3%	98.3%	98.3%	98.3%	98.3%	95.3%	~	95.9%	95.8%	
Apr-June	2017	99.2%	99.2%	99.2%	99.2%	99.2%	95.4%	~	96.1%	96.0%	
July-Sept	2017	98.4%	98.4%	98.4%	98.4%	98.4%	94.4%	~	94.9%	95.2%	94.2%
Oct-Dec	2017	98.5%	98.5%	98.5%	98.5%	98.5%	95.2%	~	96.0%	96.0%	95.3%
Jan-Mar	2018	98.9%	98.9%	98.9%	98.9%	98.9%	95.7%	~	96.8%	96.7%	96.2%
Apr-June	2018	98.0%	98.0%	98.0%	98.0%	98.0%	94.4%	~	95.4%	95.0%	94.9%
July-Sept	2018	97.9%	97.9%	97.9%	97.9%	97.9%	95.8%	~	96.5%	96.3%	96.1%
Oct-Dec	2018	97.6%	97.6%	97.6%	97.6%	97.6%	93.5%	~	93.7%	93.8%	93.5%
Jan-Mar	2019	97.1%	97.1%	97.1%	97.1%	97.1%	92.6%	~	93.2%	93.1%	93.0%
Apr-June	2019	97.2%	97.2%	97.2%	97.2%	97.2%	93.0%	~	93.4%	93.4%	93.2%

\* children were 24 months old during this quarter

- Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses)
- Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses)
- Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses)
- Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses)
- Hib3 = *Haemophilus Influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses)
- Infant MenC = ~ Meningococcal serogroup C conjugate vaccine (2 doses under 12 months) reporting ceased in April 2013
- PCV Booster = Pneumococcal conjugate booster vaccine (1 dose over 12 months) (introduced Sept 2006)
- MMR1 = Measles, mumps, and rubella vaccine (1 dose)
- Hib/MenC = Hib/MenC booster vaccine (1 dose) (introduced September 2006)
- MenB3 = Meningococcal serogroup B vaccine (3 doses) (introduced Sept 2015)

**Vaccination Coverage Statistics for Children in SHSCT:  
Completed Primary Immunisations by 24 months**

Quarter*	Year	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	MMR1	Infant MenC	PCV Booster	Hib/MenC	MenB3
Jan-Mar	2011	99.4%	99.4%	99.4%	99.4%	99.4%	94.1%	98.7%	94.4%	97.0%	
Apr-June	2011	99.5%	99.5%	99.5%	99.5%	99.5%	94.5%	98.0%	94.8%	96.6%	
July-Sept	2011	98.7%	98.7%	98.7%	98.7%	98.7%	94.3%	96.9%	94.3%	96.8%	
Oct-Dec	2011	98.9%	98.9%	98.9%	98.9%	98.9%	95.1%	97.2%	95.3%	96.6%	
Jan-Mar	2012	99.1%	99.1%	99.1%	99.1%	99.1%	94.8%	97.7%	95.7%	96.5%	
Apr-June	2012	98.8%	98.8%	98.8%	98.8%	98.8%	96.5%	96.8%	96.8%	96.8%	
July-Sept	2012	99.1%	99.1%	99.1%	99.1%	99.1%	97.1%	97.4%	97.0%	97.0%	
Oct-Dec	2012	99.2%	99.2%	99.2%	99.2%	99.2%	96.7%	98.1%	96.9%	97.4%	
Jan-Mar	2013	98.8%	98.8%	98.8%	98.8%	98.8%	96.2%	97.7%	96.4%	96.1%	
Apr-June	2013	98.8%	98.8%	98.8%	98.8%	98.8%	96.6%	~	96.7%	97.1%	
July-Sept	2013	99.0%	99.0%	99.0%	99.0%	99.0%	96.2%	~	96.0%	96.3%	
Oct-Dec	2013	99.1%	99.1%	99.1%	99.1%	99.1%	96.7%	~	96.5%	96.5%	
Jan-Mar	2014	99.1%	99.1%	99.1%	99.1%	99.1%	96.8%	~	96.6%	96.6%	
Apr-June	2014	98.9%	98.9%	98.9%	98.9%	98.9%	97.4%	~	97.1%	97.3%	
July-Sept	2014	99.0%	99.0%	99.0%	99.0%	99.0%	97.5%	~	97.3%	97.4%	
Oct-Dec	2014	98.6%	98.6%	98.6%	98.6%	98.6%	95.9%	~	95.5%	95.9%	
Jan-Mar	2015	98.6%	98.6%	98.6%	98.6%	98.6%	96.7%	~	96.2%	96.3%	
Apr-June	2015	98.9%	98.9%	98.9%	98.9%	98.9%	97.5%	~	96.8%	97.0%	
July-Sept	2015	98.7%	98.7%	98.7%	98.7%	98.7%	96.3%	~	96.4%	96.3%	
Oct-Dec	2015	99.1%	99.1%	99.1%	99.1%	99.1%	96.4%	~	96.8%	96.7%	
Jan-Mar	2016	99.0%	99.0%	99.0%	99.0%	99.0%	97.7%	~	97.0%	97.2%	
Apr-June	2016	98.1%	98.1%	98.1%	98.1%	98.1%	95.6%	~	95.7%	96.0%	
July-Sept	2016	98.2%	98.2%	98.2%	98.2%	98.2%	95.8%	~	95.2%	95.5%	
Oct-Dec	2016	98.4%	98.4%	98.4%	98.4%	98.4%	96.5%	~	95.6%	95.7%	
Jan-Mar	2017	98.4%	98.4%	98.4%	98.4%	98.4%	96.7%	~	96.9%	96.8%	
Apr-June	2017	98.4%	98.4%	98.4%	98.4%	98.4%	96.3%	~	95.8%	96.1%	
July-Sept	2017	97.9%	97.9%	97.9%	97.9%	97.9%	95.1%	~	95.1%	95.4%	94.2%
Oct-Dec	2017	98.1%	98.1%	98.1%	98.1%	98.1%	94.9%	~	95.3%	95.2%	95.1%
Jan-Mar	2018	98.2%	98.2%	98.2%	98.2%	98.2%	94.7%	~	94.8%	95.3%	94.5%
Apr-June	2018	98.7%	98.7%	98.7%	98.7%	98.7%	95.6%	~	94.6%	94.9%	94.1%
July-Sept	2018	97.5%	97.5%	97.5%	97.5%	97.5%	94.1%	~	94.3%	94.3%	93.9%
Oct-Dec	2018	97.3%	97.3%	97.3%	97.3%	97.3%	93.9%	~	94.1%	94.3%	93.6%
Jan-Mar	2019	97.2%	97.2%	97.2%	97.2%	97.2%	92.8%	~	93.2%	93.1%	92.6%
Apr-June	2019	97.2%	97.2%	97.2%	97.2%	97.2%	94.2%	~	94.2%	94.1%	94.1%

\* children were 24 months old during this quarter

- Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses)
- Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses)
- Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses)
- Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses)
- Hib3 = *Haemophilus Influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses)
- Infant MenC = ~ Meningococcal serogroup C conjugate vaccine (2 doses under 12 months) reporting ceased in April 2013
- PCV Booster = Pneumococcal conjugate booster vaccine (1 dose over 12 months) (introduced Sept 2006)
- MMR1 = Measles, mumps, and rubella vaccine (1 dose)
- Hib/MenC = Hib/MenC booster vaccine (1 dose) (introduced September 2006)
- MenB3 = Meningococcal serogroup B vaccine (3 doses) (introduced Sept 2015)

**Vaccination Coverage Statistics for Children in WHSCT:  
Completed Primary Immunisations by 24 months**

Quarter*	Year	Dip3	Tet3	Pert3	Pol (IPV)3	Hib3	MMR1	Infant MenC	PCV Booster	Hib/MenC	MenB3
Jan-Mar	2011	98.7%	98.7%	98.7%	98.7%	98.7%	95.3%	97.5%	96.0%	96.9%	
Apr-June	2011	98.9%	98.9%	98.9%	98.9%	98.9%	94.4%	97.5%	94.8%	95.8%	
July-Sept	2011	99.1%	99.1%	99.1%	99.1%	99.1%	94.9%	97.8%	95.5%	96.5%	
Oct-Dec	2011	99.1%	99.1%	99.1%	99.1%	99.1%	95.8%	97.8%	96.6%	97.5%	
Jan-Mar	2012	99.0%	99.0%	99.0%	99.0%	99.0%	95.3%	98.2%	97.0%	97.9%	
Apr-June	2012	98.7%	98.7%	98.7%	98.7%	98.7%	95.7%	98.1%	96.0%	95.7%	
July-Sept	2012	99.4%	99.4%	99.4%	99.4%	99.4%	97.1%	99.0%	97.5%	97.6%	
Oct-Dec	2012	99.1%	99.1%	99.1%	99.1%	99.1%	96.8%	97.9%	98.0%	97.9%	
Jan-Mar	2013	99.0%	99.0%	99.0%	99.0%	99.0%	96.6%	98.1%	97.0%	97.0%	
Apr-June	2013	98.9%	98.9%	98.9%	98.9%	98.9%	97.2%	~	97.8%	97.9%	
July-Sept	2013	99.4%	99.4%	99.4%	99.4%	99.4%	97.4%	~	97.3%	97.0%	
Oct-Dec	2013	98.8%	98.8%	98.8%	98.8%	98.8%	97.3%	~	97.4%	97.6%	
Jan-Mar	2014	98.8%	98.8%	98.8%	98.8%	98.8%	97.3%	~	97.0%	96.9%	
Apr-June	2014	99.8%	99.8%	99.8%	99.8%	99.8%	98.8%	~	98.6%	98.6%	
July-Sept	2014	99.6%	99.6%	99.6%	99.6%	99.6%	97.0%	~	97.5%	97.3%	
Oct-Dec	2014	98.5%	98.5%	98.5%	98.5%	98.5%	96.7%	~	96.8%	97.1%	
Jan-Mar	2015	98.6%	98.6%	98.6%	98.6%	98.6%	97.1%	~	97.3%	97.1%	
Apr-June	2015	98.8%	98.8%	98.8%	98.8%	98.8%	97.2%	~	97.6%	97.4%	
July-Sept	2015	99.1%	99.1%	99.1%	99.1%	99.1%	96.2%	~	96.8%	96.8%	
Oct-Dec	2015	99.1%	99.1%	99.1%	99.1%	99.1%	96.8%	~	97.5%	97.4%	
Jan-Mar	2016	98.3%	98.3%	98.3%	98.3%	98.3%	95.8%	~	98.1%	96.5%	
Apr-June	2016	98.2%	98.2%	98.2%	98.2%	98.2%	95.6%	~	97.0%	95.9%	
July-Sept	2016	98.7%	98.7%	98.7%	98.7%	98.7%	96.4%	~	97.1%	97.1%	
Oct-Dec	2016	98.8%	98.8%	98.8%	98.8%	98.8%	96.1%	~	98.2%	96.8%	
Jan-Mar	2017	98.6%	98.6%	98.6%	98.6%	98.6%	95.9%	~	96.5%	96.4%	
Apr-June	2017	98.4%	98.4%	98.4%	98.4%	98.4%	95.7%	~	96.3%	96.3%	
July-Sept	2017	98.7%	98.7%	98.7%	98.7%	98.7%	96.8%	~	97.4%	97.5%	96.8%
Oct-Dec	2017	98.1%	98.1%	98.1%	98.1%	98.1%	94.5%	~	96.0%	95.5%	95.9%
Jan-Mar	2018	98.6%	98.6%	98.6%	98.6%	98.6%	95.5%	~	96.6%	96.5%	96.0%
Apr-June	2018	97.9%	97.9%	97.9%	97.9%	97.9%	94.3%	~	95.6%	95.3%	94.8%
July-Sept	2018	98.6%	98.6%	98.6%	98.6%	98.6%	94.8%	~	96.1%	96.3%	95.9%
Oct-Dec	2018	97.4%	97.4%	97.4%	97.4%	97.4%	93.3%	~	93.8%	93.5%	93.8%
Jan-Mar	2019	97.5%	97.5%	97.5%	97.5%	97.5%	92.3%	~	96.9%	93.0%	92.4%
Apr-June	2019	97.0%	97.0%	97.0%	97.0%	97.0%	91.4%	~	92.5%	92.3%	92.5%

\* children were 24 months old during this quarter

- Dip3 = Diphtheria (DTaP/IPV/Hib3 vaccine) (3 doses)
- Tet3 = Tetanus (DTaP/IPV/Hib3 vaccine) (3 doses)
- Pert3 = Pertussis (DTaP/IPV/Hib3 vaccine) (3 doses)
- Pol (IPV)3 = Polio (DTaP/IPV/Hib3 vaccine) (3 doses)
- Hib3 = *Haemophilus Influenzae* type b (DTaP/IPV/Hib3 vaccine) (3 doses)
- Infant MenC = ~ Meningococcal serogroup C conjugate vaccine (2 doses under 12 months) reporting ceased in April 2013
- PCV Booster = Pneumococcal conjugate booster vaccine (1 dose over 12 months) (introduced Sept 2006)
- MMR1 = Measles, mumps, and rubella vaccine (1 dose)
- Hib/MenC = Hib/MenC booster vaccine (1 dose) (introduced September 2006)
- MenB3 = Meningococcal serogroup B vaccine (3 doses) (introduced Sept 2015)