

	Tigrinya
I am in one of the listed groups above, why do I have to wait?	አነ ሓደ ካብዞም ኣብ ለዕሊ እተጠቕሱ ጉጅለታት እዩ፣ንምንታይ ኢዩ ክጽበ ዘለኒ?
The COVID-19 vaccines will become available as they are approved for use and as each batch is manufactured.	ናይ ኮቪድ-19 ክታበት ኣብ ጠቕሚ ንክውእል ኣብ ዝተፈቐደሉ እዋንን ነፍስወከፍ ጥምሮ ኣብ ዝተመረተሉ እዋን ድሉው ክኸውን ኢዩ።
So every dose is needed to protect those at highest risk. You will be called in as soon as there is enough vaccine available.	ስለዚ ኩሉ ኣቕን ነቶም ኣብ ዝለዓለ ሓደጋ ንዘለዉ ንምክልኻል ኣድላዪ ኢዩ። እኹል ዝኾነ ክታበት ድሉው ኣብ ዝኾነሉ እዋን ቀልጢፍና ክንጽውኡኩም ኢና።
Some people who are housebound or live in a care home and who can't get to a local vaccination centre may have to wait for supply of the right type of vaccine. This is because only some vaccines can be transported between people's homes.	ካብ ገዛ ክወጽኡ ዘይኽእሉ ሰባት ወይ ከኣ ኣብ መናበዪ ኣረጋውያን ዝነብሩን ናብ ክታበት ማዕከል ክኸዱ ዘይኽእሉ ሰባት፣ እቲ ትኽክለኛ ዓይነት ክታበት ድሉው ክሰብ ዝኸውን ምናልባሽ ክጽበዩ ኣድላዪ ክኸውን ይኽእል። እዚ ከኣ ናብ ገዛ ሰብ ክውሰድ ዝኽእል ክታበት ፍሉይ ዓይነት ጥራይ ስለ ዝኾነ ኢዩ።
Where can I get my COVID-19 vaccination?	ናይ ኮቪድ-19 ክታበት ኣበይ ክወሃበኒ ይኽእል?
Vaccines will be offered in a range of settings. Some vaccination teams will visit people to offer the vaccine, for example in care homes, other people may have to go to the nearest centre. Because some of the vaccine has to be stored in a very low temperature freezer, you may not be able to get the vaccine in your normal GP surgery.	ክታበት ኣብ ዝተፈለለዩ ቦታታት ክወሃብ ይኽእል። ሓደ ሓደ ጉጅለታት ናብ ዘለዉዎ ቦታ ከከይዶም ክህቡዎም ይኽእሉ ንኣብነት ኣብ መናበዪ ኣረጋውያን ዝነብሩ፣ ክልኡት ሰባት ኣብ ጥቅኡም ናብ ዝርከብ ማዕከል ክኸዱ ኣድላዪ ክኸውን ይኽእል። ሓደ ሓደ ዓይነት ክታበት ኣዚዩ ዝሓልፈ ኣብ ዝኾነ መኽዘን ክቕመጥ ስለዘለዎ፣ ክታበት ምናልባሽ ኣብ ጂፕሹም ኣይወሃቡኩምን ይኸውን።
What if the centre I am offered is not easy to get to?	ናብቲ ንክኸይድ ዝተነገረኒ ማዕከል ብቀሊል ክኸይድ እንተደኣ ዘይኽእል ኮይነኹኽ?
Please try to attend the vaccination centre you are offered. If you cannot attend that centre you may have to wait to get the vaccine in a more convenient location.	ብኸብረትኩም ናብቲ ክታበት ንክትወስዱ ዝተጸዋእኹምሉ ቦታ ንክትከዱ ፈትኑ። ንክትከዱ እንተደኣ ዘይትኽእሉ ኹይንኩም ኣብ ዝጥእመኩም ቦታ ክታበት ዝወሃቡሉ እድል ክሰብ ዝመጽእ ክትጽበዩ ኣድላዪ ክኸውን ይኽእል።
Can I pay for a COVID-19 vaccine	ናይ ኮቪድ-19 ክታበት ብውልቀይ ወይ ኣብ

privately or at a pharmacy?	ፋርማሲ ክኸፍል ይኸእል' ዶ?
No, the COVID-19 vaccination is only available through the health service to eligible groups and it is a free vaccination.	አይፋል፣ ናይ ኮቪድ-19 ክታበት ብናጻ ዝዋሃብን ብናይ ጥእና አገልግሎት ፈቓድ ዘለዎም ጉጅለታት ጥራይ ዝዋሃብ ኢዩ።
Please read the product information leaflet for more details on your vaccine, including possible side effects, by searching Coronavirus Yellow Card. You can also report suspected side effects on the same website or by downloading the Yellow Card app. coronavirus-yellowcard.mhra.gov.uk	ብዛዕባ እቲ ክታበት ተወሳኺ ሓበሬታ፣ ብዛዕባ ዘይድለ ሳዕቤን' ውን ዘጠቓልል ንክትረኽቡ፣ ብኸብረትኩም ናብቲ ናይ ፍርያት ወረቐት ሓበሬታ፣ ኮሮናቫይረስ የሎ ካርድ ኢልኩም ብምድላይ ተወከሱ። ከምኡውን ከኣ ዘይድለ ሳዕቤን ርዲዮ ኢልኩም እንተደኣ ጠርጢርኩም፣ ናብቲ መርበብ ሓበሬታ ብምኻይ ወይ ከኣ ነቲ የሎ ካርድ ኣፕ ብምውራድ ክተፍልጡና ትኸእሉ። coronavirus-yellowcard.mhra.gov.uk
Vaccination, helping to protect those most vulnerable.	ክታበት፣ ነቶም ኣብ ዝለዓለ ሓደጋ ንዘለዉ ምክልኻል።
If you need more information on the COVID-19 vaccination please visit: www.nidirect.gov.uk/covid-vaccine	ብዛዕባ ኮቪድ-19 ክታበት ተወሳኺ ሓበሬታ እንተደኣ ደሊኹም ናብዚ ዝስዕብ መርበብ ሃበሬታ ተወከሱ። www.nidirect.gov.uk/covid-vaccine
COVID-19 vaccination	ናይ ኮቪድ-19 ክታበት
Why do I have to wait?	ንምንታይ ኢዩ ክጽበ ዘለኒ?
Information about COVID-19 vaccination supplies	ሓበሬታ ብዛዕባ ናይ ኮቪድ-19 ክታበት ፍርያት
COVID-19 immunisation Protect yourself	ናይ ኮቪድ-19 ክታበት ገዛእ ርእስኻ ተከላኸል
People most at risk from the complications of COVID-19 are being offered the vaccine first.	ኮቪድ-19 ብከቢድ ከጥቅኣም ነቶም ዝኸእል ኣብ ዝለዓለ ሓደጋ ንዘለዉ ክታበት መጀመርታ ክዋሃቦም ኢዩ።
In Northern Ireland, the COVID-19 vaccines in use require two doses to provide longer lasting protection. They have been shown to be effective in clinical trials and have a good safety record.	ኣብ ኖርዘርን ኣየርላንድ፣ ናይ ኮቪድ-19 ክታበት ንነዊህ ግዜ ምክልኻል ከም ዘለዎ ንምርግጽ ክልተ ኣቕን ኢዩ ዘድሊ። እዚ ከኣ ብክሊኒካዊ ፈተነ ክግበር ኮሎ ውሕስነት ከም ዘለዎ ስለ ዝተረጋገጸ ኢዩ።
An independent group of experts has recommended that these vaccines are	ብርእሶም ዝማሓደሩ ጉጅለ ክኢላታት፣ እዚ ክታበት ኮቪድ-19 ብከቢድ ከጥቅኣም ነቶም

offered first to those at highest risk of catching the disease and of suffering serious complications or dying from COVID-19. This includes older adults in care homes and frontline health and social care workers.	ዝቕደል ኣብ ዝለዓለ ሓደጋ ንዘለዉ፣ ብሰንኪ እቲ ሕጻናት ከቢድ ህልቕላቕ ወይውን ሞት ከስእቦሎም ንዝቕደሉ ክታቦት መጀመርታ ክዋሃቦም ከምዘለዎም ምዕዶ ሂቦም። እዚ ዘጠቓልል ኣብ መኖቦይ ኣረጋውያን ዝነብሩ ኣረግቶትን ናይ ሕክምና ክኢላታትን ሶሻል ወርከራት ኢዩ።
When more vaccine becomes available, the vaccines will be offered to other people at risk as soon as possible.	ዚያ ክታቦት ኣብ ዝህልዉሉ ግዜ ነቶም ካልኣት ኣብ ዝለዓለ ሓደጋ ንዘለዉ ኣብ ዝቀልጠፈ እዋን ክታቦት ክዋሃቦም ኢዩ።
You should have the vaccine when it is offered if you are:	ካብ እዚ እን ዝስዕቡ ሓደ እንተደኣ ኾይንኩም፣ እቲ ክታቦት ክወሃብኩም ኮሎ ክትወስዱ ይግባእ፡
living in a care home for older adults	ኣብ መኖቦይ ኣረጋውያን ትነብሩ እንተኾንኩም
working in a care home for older adults	ኣብ መኖቦይ ኣረጋውያን ትሰርሑ እንተኾንኩም
a frontline health and social care worker	ሕክምና ክኢላን ሶሻል ወርከር እንተኾንኩም
Then the vaccine will also be offered in age order to:	ከምኡውን ከኣ እቲ ክታቦት ብዕድመ ቅድመተከተል ነዚኣም ዝስዕቡ ክዋሃብ ኢዩ፡
• those aged 80 years and over	• ዕድሜኡም 80 ን ልዕሊኡ ንዝኾኑ
• those aged 75 years and over	• ዕድሜኡም 75 ን ልዕሊኡ ንዝኾኑ
• those aged 70 years and over	• ዕድሜኡም 70 ን ልዕሊኡ ንዝኾኑ
• adults who are clinically extremely vulnerable (shielding)	• ከቢድ ናይ ጥዕና ጸገም ንዘለዎም ኣብ ዝለዓለ ሓደጋ ዘለዉ (ተዓቂቦም ዘለዉ) ዓበይቲ ሰባት
• those aged 65 years and over	• ዕድሜኡም 65 ን ልዕሊኡ ንዝኾኑ
• adults aged under 65 years with long-term clinical conditions (see list).	• ዕድሜኡም ትሕቲ 65 ንዝኾኑን ናይ ነዊሕ ግዜ ጥዕና ጸገም ንዘለዎም (ነቲ ዝርዝር ተወከሱ)
Those aged 50-64 will be offered it later.	ዕድሜኡም 50-64 ንዝኾኑ ክታቦት ድህረኡ ኢዮም ዝዋሃቡ
Please wait your turn. If you are not in the groups above, you will have to wait for a COVID-19 vaccination until more supplies are available.	ብኸብረትኩም ታራኹም ተጸብዩ። ኣብ ላዕሊ ካብቶም ዝተጠቐሱ ጉጅለ እንተደኣ ዘይኾንኩም፣ ናይ ኮቪድ-19 ክታቦት ክሰብ ዝዳለው ክትጽበዩ ኣለኩም።
When more vaccine becomes available we will be offering it to more groups of the population.	ዚያ ክታቦት ድሉው ኣብ ዝኾነሉ እዋን ነቶም ካልኣት ማሕበረሰብ ክንህብ ኢና።
Long-term clinical conditions list:	ናይ ነዊሕ ከቢድ ናይ ጥዕና ጸገም ዝርዝር፡

<ul style="list-style-type: none"> • a blood cancer (such as leukaemia, lymphoma or myeloma) 	<ul style="list-style-type: none"> • መንሸሮ ናይ ደም (ከም ልኩሚያ፣ ሊምፎማ ወይ ሚይሎሞማ)
<ul style="list-style-type: none"> • diabetes 	<ul style="list-style-type: none"> • ሽከሪያ
<ul style="list-style-type: none"> • dementia 	<ul style="list-style-type: none"> • ዲሙንሻ (ሕማም ናይ ምርሳኦ)
<ul style="list-style-type: none"> • a heart problem 	<ul style="list-style-type: none"> • ጸገም ናይ ልቢ
<ul style="list-style-type: none"> • a chest complaint or breathing difficulties, including bronchitis, emphysema or severe asthma 	<ul style="list-style-type: none"> • ጸገም ናይ ኣፍ ልቢ ወይ ምስትንፋስ፣ ብሮንካይቲስን ኤምፊሴማ ወይ ከቢድ ኣስማ ዘጠቓልል
<ul style="list-style-type: none"> • a kidney disease 	<ul style="list-style-type: none"> • ሕማም ኩሊት
<ul style="list-style-type: none"> • a liver disease 	<ul style="list-style-type: none"> • ሕማም ጸላም ከብዲ
<ul style="list-style-type: none"> • lowered immunity due to disease or treatment (such as HIV infection, steroid medication, chemotherapy or radiotherapy) 	<ul style="list-style-type: none"> • ብሰንኪ ሕማም ወይ ሕክምና፣ ሕማም ናይ ምክልኻል ተሽኢዎ ዝተሓተ ምስ ዝኸውን (ከም HIV፣ ስተሮይድ መድሃኒት፣ ኪሞቴራፒ ወይ ፊድዮቴራፒ)
<ul style="list-style-type: none"> • rheumatoid arthritis, lupus or psoriasis 	<ul style="list-style-type: none"> • ሩማቶይድ ኣርቲራይቲስ፣ ሉፕስ ወይ ሶሪያሲስ
<ul style="list-style-type: none"> • have had an organ transplant 	<ul style="list-style-type: none"> • ናይ ብልዕቲ ምዝውዋር እንተደኣ ተገይሩልኩም
<ul style="list-style-type: none"> • had a stroke or a transient ischaemic attack (TIA) 	<ul style="list-style-type: none"> • መውቃዕቲ ወይ ናይ ግዚያዊ መውቃዕቲ (TIA)
<ul style="list-style-type: none"> • a neurological or muscle wasting condition 	<ul style="list-style-type: none"> • ስነ መትኖኣዊ ወይ ናይ ጭዋዳታት ምድካም ሕማም
<ul style="list-style-type: none"> • a severe or profound learning disability 	<ul style="list-style-type: none"> • ከቢድ ዝኾነ ትምሕርቲ ናይ ምምሓር ስንክልና
<ul style="list-style-type: none"> • a problem with your spleen, eg sickle cell disease, or you have had your spleen removed 	<ul style="list-style-type: none"> • ጸገም ናይ ሽንፍላ፣ ንዓብነት ማዕዲዳይ ዋህዮ ዝበሃል ሕማም ናይ ቀይሕ ናይ ደም ዋህዮ ወይ ከኣ ሽንፍላ ወዲኡልኩም እንተ ኾይኑ
<ul style="list-style-type: none"> • being seriously overweight (BMI of 40 and above) 	<ul style="list-style-type: none"> • ከቢድ ርጉዲ (BMI – ክብደት ሰብ ምስ ቁመት ክነጻጸር ኮሎ፣ 40 ወይ ልዕሊኡ)
<ul style="list-style-type: none"> • severe mental illness. 	<ul style="list-style-type: none"> • ከቢድ ስነ ኣዕምሮኣዊ ሕማም
At the same time the vaccine will also be offered to:	ከምኡውን ከኣ እቲ ክታበት ነዚኣም ዝስዕቡ ክዋሃብ ኢዩ፡
<ul style="list-style-type: none"> • adults who provide regular care for an elderly or disabled person 	<ul style="list-style-type: none"> • ንኣረጋውያን ወይ ስንኩላን ወትሮኣዊ ሓገዝ ንዝህቡ ዕድሚኣም እኹል ዝኾኑ ሰባት
<ul style="list-style-type: none"> • younger adults in long-stay nursing and residential settings 	<ul style="list-style-type: none"> • ኣብ ናይ ሕክምና ክንክን ዝዋሃቡ መንበሪ ዝሰርሑ መንእሰያትን ልዕሊኡ ዝኾኑ