

Rates of new episodes of selected diagnoses by gender and age group, Northern Ireland, 2010-2020

Table with 19 columns (diagnosis, age group, gender) and 27 rows (years 2010-2020). It details rates for Chlamydia, Gonorrhoea, Syphilis, Herpes, and Warts, broken down by gender (M/F) and total for each year.

Notes on using these tables:

Diagnoses are calculated on GUM clinics in the region, rates are calculated for the region's resident population

Diagnostic rates for specific age groups were estimated by dividing the annual number of diagnoses in each age bracket by the estimated mid-year resident population of Northern Ireland for each age group.

2001-2011 rates have been revised using revised mid year estimates to take into account the 2011 Census

* Data is confidential
Following recent ONS guidance on data disclosure, the rules on publication of STI data with small cell sizes have changed.

Definitions of selected conditions:
Chlamydia: Chlamydial infection, ICD10 code C4a, C4c, C4b & SHHAPT code C4
Gonorrhoea: gonorrhoea, ICD10 code B1, B2, B5 & SHHAPT B
Syphilis: primary and secondary infectious syphilis, SHHAPT code A1, A2
Herpes: anogenital herpes simplex (first episode), SHHAPT code C10a
Warts: anogenital warts (first episode), SHHAPT code C11a
Total diagnoses: all diagnoses made, includes all A, B, C and E SHHAPT codes
Total workload: all workload not requiring a diagnosis, includes all D, P and T SHHAPT codes