

COVID-19 vaccine



Waiting after your COVID-19 vaccination

What is changing?

Until now, people receiving the Moderna or Pfizer vaccines have been asked to wait for 15 minutes before leaving the vaccine centre in case of serious allergic reaction. This 15 minute wait has now been suspended for adults after 1st doses, 2nd doses and boosters.

Why is this changing?

- Because of the Omicron variant, the booster programme for adults is being speeded up.
- We now have much more experience with giving these vaccines to millions of people and the rate of serious allergic reactions is very low (around 5-10 per million doses). People are not normally observed for 15 minutes after other vaccinations.

Who is advising this change?

The change has been advised by the four UK Chief Medical Officers, and has the support of the Medicines Healthcare products Regulatory Agency (MHRA) and the Joint Committee on Vaccination and Immunisation (JCVI).

What should I do when I attend for vaccination?

Please make sure you tell the vaccine centre if:

- you have a history of allergic reactions, particularly to other vaccines, or if you had an immediate reaction after a previous dose. (A family history of allergies is **not** a risk factor.) If so, you may be advised to stay for the 15 minutes;
- you have previously fainted following vaccination.

As with any vaccine, **you must not drive for 15 minutes** after the vaccine – this is because of the risk of fainting. If you do faint, stay flat on your back with your legs raised. If this doesn't make you feel better, then call for help.

Otherwise, you will be able to leave the centre straight after your vaccine as long as you feel OK.

What happens if I do get symptoms of an allergic reaction?

Keep this flyer handy. You should look out for the following 'ABC' symptoms:

Airway



- persistent cough
- vocal change (hoarse voice)
- swollen tongue causing difficulty swallowing

Breathing • difficult or noisy breathing



- wheezing
- (like an asthma attack)

Consciousness



- feeling lightheaded or prolonged faint
- clammy skin
- confusion
- unresponsive/unconscious

These symptoms typically happen within 15 minutes of vaccination. If you experience any of these, call out for help and **ring 999 immediately** (or ask someone to do this for you).

The following symptoms are **NOT** a serious allergic reaction, but imply a more mild reaction:

- Swollen lips, face or eyes
- Itchy skin rash eg hives

If you have any side effects after vaccination, please report to the Yellow Card Scheme



coronavirus-yellowcard.mhra.gov.uk



Public Health Agency 12-22 Linenhall Street, Belfast BT2 8BS. Tel: 0300 555 0114 (local rate). www.publichealth.hscni.net







