

English	Tigrinya
<p><b>COVID-19 vaccine</b></p>	<p><b>ክታቦት ኮቪድ-19</b></p>
<p><b>A guide to the spring booster for those aged 75 years and older residents in care homes</b></p>	<p><b>ነቶም 75 ዓመትን ልዕሊኡን ዝዕድሚኦም ኣብ ናይ ክንክን መንበሪ ኣባይቲ ዝነብሩ ሰባት ብዛዕባ ስፕሪንግ መበራትዒ ክታቦት ዝምልከት መምርሒ</b></p>
<p>People aged 75 years and over, residents in care homes for older people, and those aged 12 years and over with weakened immune systems will be offered a spring booster dose of coronavirus (COVID-19) vaccine. Find out how to get your booster vaccination at <a href="http://www.nidirect.gov.uk/covid-vaccine">www.nidirect.gov.uk/covid-vaccine</a></p>	<p>ነቶም 75 ዓመትን ልዕሊኡን ዝዕድሚኦም ኣብ ናይ ክንክን መንበሪ ኣባይቲ ዝነብሩ ዓበይቲ ሰባትን፡ ከምኡውን ዕድሚኦም 12 ዓመትን ልዕሊኡን ዝኾኑ ዝደኸመ ስርዓተ ምክልኻል ሕመም ዘለዎም፡ መበራትዒ ክታቦት ስፕሪንግ ናይ ኮሮና ቫይረስ (ኮቪድ -19) ክወሃቦም እዩ። ብዛዕባ መበራትዒ ክታቦት ከመይ ክትረኽቡ ከምትኽእሉ ዝምልከት ኣብዚ ዝስዕብ ነቕጡ መርበብ ሓበሬታ ተወከሱ፡- <a href="http://www.nidirect.gov.uk/covid-vaccine">www.nidirect.gov.uk/covid-vaccine</a></p>
<p><b>Who is being offered a spring booster?</b></p>	<p><b>እዚ ስፕሪንግ መበራትዒ ክታቦት ንመን'ዩ ዝወሃብ።</b></p>
<p>COVID-19 is more serious in older people and those with a weakened immune system. Protection from the vaccine may be lower and may decline more quickly in these people. For this reason, people aged 75 years and over, those in care homes and those 12 years and over with a weakened immune system are being offered the spring booster.</p>	<p>ኮቪድ-19 ኣብ ዓበይቲ ሰባትን ዝደኸመ ስርዓተ ምክልኻል ሕመምን ዘለዎም ሰባት ኣዘዩ ከቢድ ይኸውን። እዚ ክታቦት ነዞም ከምዚኦም ዝኣመሰሉ ሰባት ዝህቦም ናይ ምክልኻል ብቕዓት ዝተሓተ ክኸውን ይኽእል ከምኡውን እቲ ዘለዎ ናይ ምክልኻል ብቕዓት ቀልጢፏ ክውዳእ ይኽእል። በዚ ምክንያት እዚ ድማ፡ እቶም 75 ዓመትን ልዕሊኡን ዝዕድሚኦም ኣብ ናይ ክንክን መንበሪ ኣባይቲ ዝነብሩ ዓበይቲ ሰባት፡ ከምኡውን 12 ዓመትን ልዕሊኡን ዝኾኑ ዝደኸመ ስርዓተ ምክልኻል ሕመም ዘለዎም፡ ስፕሪንግ መበራትዒ ክታቦት ክወሃቦም እዩ።</p>

Tigrinya translation of COVID-19 vaccination – a guide to the spring booster

<p>Although vaccines are expected to provide good protection against severe COVID-19 disease, protection against mild infection with the Omicron variant seems to decline quickly, even after the booster dose.</p> <p>This spring booster is being offered as a precaution to those at extremely high risk, most of whom received their first booster around 6 months ago. If the number of infections increases over the summer, this booster should help to reduce your risk of being admitted to hospital with COVID-19.</p>	<p>ዋላእኪ ክታበታት ካብ ከቢድ ዝኾነ ናይ ኮቪድ-19 ሕጻናዎ ብቑዕ ምክልኻል ዝህቡ እንተኾኑ፡ ካብ ከም ኣሚክሮን ብዝኣመሰሉ ታህዋስያን ዝስዕቡ ቀለልቲ መልክፍትታት ዝህብዎ ናይ ምክልኻል ብቕዓት ግን፡ ዋላውን ድሕሪ መበራትዒ ክታበት ምኽታብ ቀልጢፉ ዘቋርጽ ይመስል።</p> <p>እዚ ስፕሪንግ ዝተባህለ መበራትዒ ክታበት ነቶም ኣብ ኣዝዩ ኣሰካፊ ኩነታት ጥዕና ዝርከቡ ከም ቅድመ ጥንቃቄ ዝወሃብ ኮይኑ፡ ዝበዝሑ ካብኣቶም ድማ ነቲ ቀዳማይ መጠን መበራትዒ ክታበት ቅድሚ 6 ወርሒ ዝተዋህቡ እዮም። ቁጽሪ መልክፍት ኣብ ግዜ ክረምቲ እናወሰኸ ምስ ዝኸይድ፡ እዚ መበራትዒ ክታበት እዚ ሕጻናዎ ኮቪድ-19 ሓሚምኩም ሆስፒታል ናይ ምእታው ተኸእሎኹም ዝተሓተ ንኸኸውን ይሕግዝ።</p>
<p><b>Timing of the spring booster</b> You should have the spring booster around 6 months (and not before 3 months) since your last dose of vaccine.</p>	<p><b>ስፕሪንግ መበራትዒ ክታበት ዝዋሃበሉ ግዜ</b> ስፕሪንግ መበራትዒ ክታበት ካብቲ ናይ መወዳእታ መጠን ክታበት ዝወሰድኩሙሉ ግዜ ኣብ ከባቢ 6 ወርሒ ክኸውን ኣለዎ (ቅድሚ 3 ወርሒ ውን ክኸውን የብሉን)።</p>
<p><b>Which vaccine will you be offered?</b></p>	<p><b>ኣየናይ ዓይነት ክታበት ክትወሃቡ ኢኹም፡</b></p>
<p>You will be given a booster dose of either Pfizer or Moderna vaccine. (You may be offered the AstraZeneca vaccine if this is what you had for your first doses and you cannot receive either of the other vaccines.) Both vaccines boost well and have already been given to millions of people in the UK.</p>	<p>Pfizer ወይድማ Moderna ዝተባህሉ ዓይነት መበራትዒ ክታበት ክወሃበኩም እዩ። እቲ ቀዳማይ ዝወሰድኩም ዓይነት ክታበት AstraZeneca ምስ ዝኸውን ወይ እቶም ካልኦት ክታበታት ክትወስድዎም ዘይትኸእሉ ምስ እትኾኑ፡ እንደገና ነዚ ዓይነት ክታበት ክትወስዱ ኢኹም። ክልቲኦም እዞም ክታበታት እዚኦም ብቑዕ ናይ ምብርታዕ ብቕዓት</p>

Tigrinya translation of COVID-19 vaccination – a guide to the spring booster

	<p>ይህቡን ንሚሊዮናት ሰባት ኣብ ዓዲ እንግሊዝ ኣቐዲሞም ተውዋሂቦምን እዮም።</p>
<p>Studies have shown those aged 18 and over who can get the Moderna vaccine only need a half dose to boost the immune system well. This half dose of Moderna is expected to have low rate of side effects including myocarditis.</p>	<p>ዝተገብሩ መጽናዕትታት ከምዝሕብርዎ ኣብቶም 18 ዓመትን ልዕሊኡን ዝዕድሚኦም ሰባት ናይ Moderna ክታበት ክወስዱ ዝኸእሉ፡ ናይ ሕማም ስርዓተ ምክልኻሎም ዝበርቶ ንኸኸውን ፍርቂ መጠን ክታበት ጥራይ ክወስዱ ይደልዮም። እዚ ፍርቂ መጠን ክታበት ናይ Moderna፡ ዝተሓተ መጠን ጎድናዊ ሳዕቤን ከም ነድሪ ጭዋዳ ልቢ ዘጠቓልል ክህልዎ ትጽቢት ይግበረሉ።</p>
<p>You will be offered the right vaccine for you which may be the same or different from the vaccines that you had before.</p>	<p>ንስኹም እቲ ንዓኹም ብቐዕ ዝኸነ ዝሰማምዓኩም ዓይነት ክታበት፡ ከምቲ ኣቐዲምኩም ዝወሰድኩም ዓይነት ክታበት ወይ ካልእ ዓይነት ክታበት ኸወሃበኩም እዩ።</p>
<p><b>Who cannot take up the offer of a spring booster</b></p>	<p><b>ነዚ ስፕሪንግ መበራትዒ ክታበት ክወስድ ዘይኸእል መን' ዩ</b></p>
<p>There are very few people who should not have this booster.</p> <p>If you have had a severe reaction to a previous dose of the vaccine you should discuss this with your doctor.</p>	<p>ነዚ መበራትዒ ክታበት ክወስዱዎ ዘይግብኦም ኣዝዮም ዉሑዳት ሰባት ኣለዉ።</p> <p>እቲ ኣቐዲምኩም ዝወሰድኩም መጠን ክታበት ኣብ ኣካላትኩም ብርቱዕ ነድሪ ቁጥጦ ኣካላት ኣስዒቡልኩም እንተነይሩ፡ ነዚ ብዝምልከት ምስ ሓኪምኩም ተዘራረቡ።</p>
<p><b>Common side effects</b></p>	<p><b>ልሙዳት ዝኸኑ ጎድናዊ ሳዕቤናት</b></p>
<p>As with your previous dose the common side effects are the same for all COVID-19 vaccines used in the UK, and include:</p>	<p>ከምቲ ናይ ቅድሚ ሕጂ ዝወሰድኩም መጠን ክታበት እቶም ዝረኣዩ ልሙዳት ጎድናዊ ሳዕቤናት ኣብ ኩሎም ናይ ኮቪድ-19 ክታበታት ዝረኣዩ ኣብ ዓዲ እንግሊዝ ሓደ ዓይነት ኮይኖም፡ ነዞም ዝስዕቡ ድማ ይጠቓልሉ፡-</p>
<ul style="list-style-type: none"> <li>having a painful, heavy feeling and tenderness in the arm where you had your injection. This tends to be worst around 1 to 2 days after the vaccine</li> </ul>	<ul style="list-style-type: none"> <li>ኣብታ ክታበት ዝወሰድኩም ኣካላትኩም ኣቐንዘውን ከቢድን ስምዒት፡ ከምኡ'ውን ናይ ምንቅስቓስ ጸገምን ይህልወኩም። እዚ ድሕሪ ክታበት ካብ 1 ክሳብ 2 መዓልቲ ዝበርቶ ኮይኑ ክጸንሕ ይኸእል።</li> </ul>

Tigrinya translation of COVID-19 vaccination – a guide to the spring booster

<ul style="list-style-type: none"> <li>• feeling tired</li> </ul>	<ul style="list-style-type: none"> <li>• ስምዒት ድኻም</li> </ul>
<ul style="list-style-type: none"> <li>• headache</li> </ul>	<ul style="list-style-type: none"> <li>• ቃንዛ ርእሲ</li> </ul>
<ul style="list-style-type: none"> <li>• general aches, or mild flu like symptoms</li> </ul>	<ul style="list-style-type: none"> <li>• ሓፈሻዊ ቃንዛታት፡ ወይ ፈኩስ ናይ ጉንፋዕ ዝመስሉ ምልክታት</li> </ul>
<p>You can rest and take paracetamol (follow the dose advice in the packaging) to help make you feel better.</p>	<p>ዕረፍቲ ምውሳድን ግቡእ ዝኾነ ዓቕን መጠን ፈውሲ ቃንዛ ፓራሲታሞል ምውሳድ (ነቲ ኣብ ናይ ሓበሬታ ወረቐት ተጠቒሱ ዘሎ መምርሒ ብምኽታል) ጽቡቕ ንኽስምዓኩም ወይ ኩነታትኩም ንኽመሓየሽ ይሕግዝ።</p>
<p>Although a fever can occur within a day or two of vaccination, if you have any other COVID-19 symptoms or your fever lasts longer, stay at home and arrange to have a test.</p> <p>Symptoms following vaccination normally last less than a week. If your symptoms seem to get worse or if you are concerned, contact your GP.</p>	<p>ዋላእኪ ኣብ ውሽጢ ሓደ መዓልቲ ወይ ክልተ መዓልታት ኣብ ግዜ ክታበት ረስኒ ናይ ኣካላት ዝርእ እንተኾነ፡ ዝኾነ ካልእ ምልክታት ሕጻም ኮቪድ-19 ምስ ዝህልወኩም ወይ ረስኒ ኣካላትኩም ንዝነውሐ ግዜ ምስ ዝጸንሕ፡ ኣብ ገዛኹም ጽንሑ ከምኡውን መርመራ ክግበረልኩም ቆጸራ ሓተ።</p> <p>ምልክታት ሕጻም ድሕሪ ክታበት፡ መብዛሕቲኡ ግዜ ንትሕቲ ሓደ ሰሙን ጥራይ ይጸንሑ። እቶም ዘለዉኹም ምልክታት ሕጻም እናበርትዑ ምስ ዝኾዱ ወይ ዘጨንቑኹም ምስ ዝኾኑ፡ ምስ ሓፈሻዊ ሓኪምኩም ተራኹ።</p>
<p>You can also report suspected side effects of vaccines and medicines through the Yellow Card scheme. You can do this online by searching Coronavirus Yellow Card or by downloading the Yellow Card app.</p>	<p>ብተወሳኺ ብዛዕባ ልሙዳት ጎድናዊ ሳዕቤናት ናይ ክታበት ከምኡውን ብዛዕባ መድሃኒታት በቲ ብጫ መሐበሪ ካርድ ኣቢልኩም ጸብጸብ ከተቕርቡ ትኽእሉ ኢኹም። ነዚ ንምግባር፡ ነቲ ናይ ኮሮናቫይረስ ብጫ ካርድ ኣብ ኢንተርነት ብምድላይ ወይ ነታ ናይ ኮሮናቫይረስ ብጫ ካርድ ብምጽዓን ክትገብርዎ ትኽእሉ።</p>
<p>Please see the end of this document for more details.</p>	<p>ነዚ ብዝምልከት ብኸብረትኩም ኣብ መወዳእታ ገጽ ናይዚ ሰነድ እዚ ንተወሳኺ ዝርዝራዊ ሓበሬታ ተመልከቱ።</p>
<p><b>Serious side effects</b></p>	<p><b>ከበድቲ ጎድናዊ ሳዕቤናት</b></p>
<p>Worldwide, there have also been very rare cases of inflammation of the heart called</p>	<p>ብደረጃ ዓለም፡ ኣብ ኣዝዮም ውሑዳት ኣጋጣሚታት ምስ ልቢ ዝተሓሓተ ነድርታት ከም ነድሪ ጫዋዳታት ልቢ (myocarditis) ወይ ነድሪ ሽፋን ልቢ</p>

Tigrinya translation of COVID-19 vaccination – a guide to the spring booster

<p>myocarditis or pericarditis reported after Pfizer and Moderna COVID-19 vaccines.</p>	<p>(pericarditis) ድሕሪ Pfizer ከምኡውን Moderna ዝተባህሉ ክታቦታት ናይ ኮቪድ-19 ምኽታብ ኣጋጢሞም።</p>
<p>These cases have been seen mostly in younger men within several days after vaccination. Most of these people recovered and felt better following rest and simple treatments.</p>	<p>እዚ ተርእዮ እዚ ኣውራ ኣብቶም ንኣሸቱ መንእሰያት ደቂ ተባዕትዮ ድሕሪ ሓይሎ መዓልታት ክታቦት ዘጋጠመ ጉዳይ እዩ። ዝበዝሑ ካብዞም ሰባት እዚኦም ምስ ኣዕረፉን ቀሊል ሕክምናዊ ክንክን ምስተገብረሎምን ጥዕናዊ ምምሕያሽ ኣርእዮምን ሓውዮምን።</p>
<p>You should seek medical advice urgently from your GP or Emergency Department if, after vaccination, you experience:</p>	<p>ድሕሪ ምኽታብኩም፡ ካብዞም ዝስዕቡ ምልክታት ምስ ዝረኣዩኩም ብህጹጽ ካብ ሓፈሻዊ ሓኪምኩም ወይድማ ክፍሊ ህጹጹ ረድኤት ምኽሪ ክትሓቱ ይግባእ፡-</p>
<ul style="list-style-type: none"> <li>• chest pain</li> </ul>	<ul style="list-style-type: none"> <li>• ቃንዛ ኣፍልቢ፡</li> </ul>
<ul style="list-style-type: none"> <li>• shortness of breath</li> </ul>	<ul style="list-style-type: none"> <li>• ሕጽረት ምስትንፋስ፡</li> </ul>
<ul style="list-style-type: none"> <li>• feelings of having a fast-beating, fluttering, or pounding heart</li> </ul>	<ul style="list-style-type: none"> <li>• ስምዒት ቅልጡፍ ህርመት ልቢ፡ ድግድግታ ህርመት ልቢ፡ ወይ ዝስማዕ ድምጺ ህርመት ልቢ</li> </ul>
<p>If you have had serious side effects after a previous dose of the vaccine you should discuss this with your doctor.</p>	<p>እቲ ኣቐዲምኩም ዝወሰድኩም መጠን ክታቦት ኣብ ኣካላትኩም ብርቱዕ ጎድናዊ ሳዕቤን ኣስዒቡልኩም እንተነይሩ፡ ነዚ ብዝምልከት ምስ ሓኪምኩም ተዘራረቡ።</p>
<p><b>Can you still catch COVID-19 after having the vaccine?</b></p>	<p><b>ድሕሪ ምኽታብኩም፡ ኮቪድ-19 ክሕዘኩም ይኸእል'ዩ፡</b></p>
<p>The COVID-19 vaccination will reduce the chance of you suffering from COVID-19 disease. It may take a few days for your body to build up some protection from the booster.</p>	<p>ክታቦት ኮቪድ-19፡ ነቲ ብሕማም ኮቪድ-19 ንኸትሳቐዩ ዘለኩም ዕድላት ይንክዮ እዩ። ኣካላትኩም ካብዚ መበራትዒ ክታቦት ናይ ምክልኻል ብቐዓት ከጥሪ ገለ ቁሩብ መዓልታት ክወስደሉ ይኸእል።</p>
<p>Like all medicines, no vaccine is completely effective – some people may still get COVID-19 despite having a vaccination, but this should be less severe.</p>	<p>ከም ኩሎም መድሃኒታት፡ ዝኾነ ክታቦት ምሉእ ብምሉእ ውጽኢታዊ ኣይኮነን - ገለ ሰባት ክታቦት ወሲዶም ከለዉ ኮቪድ-19 ክሓሙ ይኸእሉ እዮም፡ እዚ ግን ብርቱዕ ዘይኮነ ይኸውን።</p>

<p><b>If you have not had all your vaccinations</b></p>	<p><b>ንኹሎም ክትወስድዎም ዝግበኣኩም ክታበታት ዘይወስድኩምዎም ምስ እትኾኑ</b></p>
<p>If you have not yet had either of your first two doses of the vaccine you should have them as soon as possible.</p> <p>If you missed your first booster or third dose (for those with weakened immune system), you should have this spring booster as soon as possible.</p> <p>You may need another booster as well as your usual flu injection in the autumn.</p> <p><b>If you have a COVID-19 positive result, when can you have a spring booster?</b></p> <p>If you are unwell, wait until you have recovered to have your vaccine. If you have had confirmed COVID-19 you should ideally wait 4 weeks before having your spring booster. You should not attend a vaccine appointment if you are self-isolating or waiting for a COVID-19 test.</p>	<p>ክሳብ ሕጂ ሓዲኤን ካብተን ክትወስድዎን ዝግበኣኩም ቀዳሞት 2 ተኻታተልቲ መጠን ክታበታት ዘይወሰድኩም ምስ እትኾኑ: ብዝተኻእለ መጠን ኣብ ዝቐልጠፈ ግዜ ክትወስድዎ ኣለኩም።</p> <p>ነቲ ቀዳማይ መበራትዒ ክታበት ወይ መበል ሳልሳይ መጠን ክታበት ዘይወሰድኩም ምስ እትኾኑ ( እቶም ዝደኸመ ስርዓተ ምክልኻል ሕጻናዎ ዘለኩም): ኣብ ዝቐልጠፈ እዋን ናይ ስፕሪን መበራትዒ ክታበት ክትወስዱ ይግባእ።</p> <p>ከምኡውን ኣብ ግዜ ቀውዒ ካልእ መበራትዒ ክታበትን ናይ ጉንፋዕ ክታበት የድልየኩም ይኸውን።</p> <p><b>ናይ ኮቪድ-19 መርመራ ገይርኩም ኣወንታዊ ውጽኢት መርመራ ምስ ዝረጋገጸልኩም: ናይ ስፕሪን መበራትዒ ክታበት መዓስ ክትወስዱ ይግባዕ።</b></p> <p>ኣብ ንቡር ኩነታት ጥዕና ምስ ዘይትህልዉ: ቅድሚ ክታበት ምውሳድኩም: ክሳብ ትሓውዩ ተጸባዩ። ኮቪድ-19 ከምዝሓዘኩም ምስ ዝረጋገጸ: ስፕሪን መበራትዒ ክታበት ድሕሪ 4 ሰሙን ክትወስዱ ይግባእ። ተወሺብኩም ምስ እትህሉዉ ወይድማ ናይ ኮቪድ-19 መርመራ ንምግባር ኣብምጽባይ ምስ እትህሉዉ ኣብቲ ናይ ክታበት ቆጶራ ክትኸዱ የብልኩምን።</p>

Tigrinya translation of COVID-19 vaccination – a guide to the spring booster

Further information	ተወሳኺ ሓበሬታ
<p>An information leaflet on what to expect after vaccination is available to download at <a href="http://www.pha.site/COVID19InfoMaterials">www.pha.site/COVID19InfoMaterials</a></p>	<p>ድሕረ ክታቦት ምውሳድኩም እንታይ ክትጽበዩ ከምትኸእሉ ዝሕብረኩም ናይ ሓበሬታ ወረቐት ኣብዚ ዝስዕብ ነቕጡ መርበብ ሓበሬታ ብምእታው ክትረኽቡ ትኸእሉ</p> <p><a href="http://www.pha.site/COVID19InfoMaterials">www.pha.site/COVID19InfoMaterials</a></p>
<p>Read the product information leaflets for UK recipients of the Pfizer and Moderna vaccines for more details on your vaccine, including possible side effects. <a href="https://coronavirus-yellowcard.mhra.gov.uk">https://coronavirus-yellowcard.mhra.gov.uk</a></p>	<p>ብኸብረትኩም ብዛዕባ ኣብ ዩኤ ናይ ፋይዘርን ሞደርና ክታቦታትኩም፣ ዘሎ ነዚ ናይ ፍርያት ሓበሬታ ወረቐት ተወከሱ ከምኡውን ከኣ፣ ንተወሳኺ ሓበሬታን ንኸጋጥሙ ብዛዕባ ዝኸእሉ ጎዳኢ ሰዕቤናት ዘጠቓልል ናብዚ ዝስዕብ ተወከሱ</p> <p><a href="https://coronavirus-yellowcard.mhra.gov.uk">https://coronavirus-yellowcard.mhra.gov.uk</a></p>
<p><a href="https://coronavirus-yellowcard.mhra.gov.uk/productinformation">https://coronavirus-yellowcard.mhra.gov.uk/productinformation</a></p>	<p><a href="https://coronavirus-yellowcard.mhra.gov.uk/productinformation">https://coronavirus-yellowcard.mhra.gov.uk/productinformation</a></p>
<p>You can also report suspected side effects on the coronavirus Yellow Card website.</p>	<p>ብተወሳኺ ብዛዕባ እትጥርጥርዎም ጎድናዊ ሰዕቤናት ኣብቲ መርበብ ሓበሬታ ናይቲ ብጫ ካርድ ጸብጻብ ከተቕርቡሎም ትኸእሉ።</p>
<p>Information correct at time of publication. For the latest version of this and other patient leaflets, visit the PHA website <a href="http://www.publichealth.hscni.net">www.publichealth.hscni.net</a></p>	<p>ኣብ ግዜ ሕትመት ዝተኣረመ ሓበሬታ ናይ ቀረባ ግዜ ዝተኣደሰ ክፍሊ ናይዚ ጽሑፍ ንምርካብን ካልኣት ብዛዕባ ተኣከምቲ ሕክምና ዝገልጹ ወረቐት ሓበሬታ ንምርካብ ኣብዚ ዝስዕብ ነቕጡ መርበብ ሓበሬታ PHA ተወከሱ</p> <p><a href="http://www.publichealth.hscni.net/publications">www.publichealth.hscni.net/publications</a></p>
<p>Published January 2022 by the Public Health Agency.</p>	<p>ኣብ ጥሪ 2022፣ ብኣጀንስያ ህዝባዊ ጥዕና ዝተሓትመ።</p>
<p>© Crown copyright 2022. This information was originally developed by UK Health Security Agency and is used under the Open Government Licence v3.0</p>	<p>© መሰል ዋንነት ክራውን 2022 (Crown copyright 2022) እዚ ሓበሬታ እዚ ብመሰረቱ ብህዝባዊ ክፍሊ ክንክን ጥዕና ዓዲ ኣንግሊዝ ዝማዕበል ኮይኑ ከምኡውን ኣብ ትሕቲ ሕጋዊ መንግስታዊ ፍቓድ v3.0 ኣብ ግብረ ዝወዓለ እዩ።</p>