

Index

A

Alcohol 5, 14, 24, 39-40, 56, 131-132, 152, 166-167, 176, 184
Allergies 34, 43, 119, 121, 134, 142
Amniocentesis 66-67
Amniotic sac/fluid 24-26, 67, 86
Anaemia 61-62, 78-79, 145
Anaesthetists 70-71, 104-106, 113-115
Animals, infections transmitted by 51-52
Antenatal care 6-8, 14-16, 48-73, 83-84, 90-95
Antenatal education 7, 15, 56, 71-73, 91
Anti-D treatment 58, 61
Anxiety 90
Asthma 43, 132-133, 165

B

'Baby blues' 9, 58, 60, 96, 144, 156
Baby carriers (slings) 30, 137, 153
Backache 45, 75-76, 101, 107, 180
Bathing the baby 137, 151, 158, 166, 172
Bed sharing 152, 166-168
Benefits and rights 6, 93, 187
Bereavement 98, 179, 183
Birth after 41 weeks 9, 59, 110
Birth preferences 8, 16-20
Birth trauma 97-98
Birthing partners 17, 93, 101, 104, 108,
Birthing pools 17-18, 44, 102, 104-105
Birthmarks 81, 148
Bleeding 75, 79, 82, 85, 87-88, 92, 109, 114-115, 129, 145, 147, 173, 180-181
Blood clots (thrombosis) 53, 87-88, 115-116
Blood pressure 7-9, 56-60, 68, 82, 84, 86, 103, 106, 110-111, 161
Blood spot screening 66, 147
Blood tests 6, 14-15, 48-52, 56, 61, 66, 78, 178, 185
Body mass index (BMI) 6, 35, 56, 71
Booking appointment 6, 14-16, 41, 55-60, 65, 68, 72, 75, 78, 161
Braxton hicks contractions 8, 92, 101

Breast pads 99, 121, 128, 155
Breastfeeding 6, 15, 30, 56, 63, 105, 108, 119-137, 142-143, 145-146, 152, 157-158, 159-160, 165-167, 177-178, 186
Breasts 7, 12, 53, 78, 81, 99, 120-124, 126, 130, 137, 146, 149, 161
Breathing of newborn babies 29, 41, 114, 120, 173-174, 176
Breech births 69, 116

C

Caesarean sections 13, 18, 20, 29, 50, 62, 64, 71, 84, 85, 108-109, 112-117, 186
Caffeine 38, 131
Calcium 33, 36-37
Cap or diaphragm 159
Car safety 99, 133, 152, 154-155, 167, 169
Care to learn scheme 21
Catheters 106, 112, 116
Cervical smears 63, 161
Cervix 10-11, 63, 85, 87, 88, 101, 103, 107, 110, 112, 117, 180-181
Chickenpox 50-51
Childcare 8, 21-22, 74, 95
Chlamydia 49-52, 186
Chromosomes 12, 65, 67
Coeliac disease 5-6, 35, 38, 184
Colic 143, 164, 166
Colostrum 78, 108, 120-121
Combined pill 159
Conception 6, 13, 25, 40, 66, 181
Condoms 48, 50, 145, 159, 186
Constipation 32, 43, 76, 81, 130, 134, 141, 143
Contraception 133, 137, 145, 158-159, 161
Contractions 8, 46, 87, 91-92, 100-103, 105-107, 109-112, 117-118
Cot death (sudden infant death) 41, 119, 121, 151-153, 166-169
Cot safety 153
Cramp 46, 76, 145, 180,
Crying 30, 122, 124, 137, 139, 143, 164-166, 182
Cystic fibrosis 52, 56, 147,

D
Deep vein thrombosis 87-88, 114
Delivery rooms 17, 20, 102
Delivery due date, 64, 69, 99, 110
Dental care 6, 43, 48, 82, 133

Depression 9, 15, 28, 56, 58, 60, 90-91, 96-97, 133, 144, 160-161, 186
Development 28, 39, 56-57, 60, 65, 74, 125, 147, 149, 165, 168-169, 180
Diabetes 5-6, 19, 35, 43, 54, 56, 71, 119, 184-185
Dilation of cervix 103
Disability 8, 16, 27, 52, 54, 91, 185
Discrimination 187
Domestic abuse 16, 55-56, 97-98
Down's syndrome 65-67
Dreams 81, 90
Drugs, illegal 44, 48, 56, 132, 133, 152, 166-167, 176, 185-186
Dummies 124-125, 165, 169

E

Ectopic pregnancy 87, 179-180
Eczema 132
Education 15, 21-22, 55-56, 71, 72-74, 91
Eggs (human) 10-13, 23, 180
Embryo 11, 23-25
Engagement of baby's head 27, 69, 107-108
Epidurals 18, 20, 71, 104-106, 109, 112-117
Epilepsy 43, 54, 56, 185-186
Episiotomy 108-109, 112-113
Exercise 5, 7, 15, 44-46, 53, 56, 71, 73, 76, 80-83, 101, 115-116, 145-146, 157, 184-185
Expressing and storing milk 126-129, 136, 139-142

F

Faintness 45, 76, 180
Fallopian tubes 10-11, 23, 180
Family nurse partnership programme 22
Fathers and/or partners 5-7, 12, 15-18, 20, 27-28, 30, 42, 49-50, 53, 63, 65, 68, 72, 80, 89-98, 100-101, 103-104, 107-108, 114-115, 117-119, 136-137, 144-145, 147, 156, 158-160, 163-164, 167, 178, 181-182, 184-185
Feelings and emotions 12, 21, 28, 73, 79, 89-98, 115, 119, 144, 156, 158, 178, 181-183
Fertilisation 11, 13, 180
Fertility treatment 13, 163

Fetal alcohol syndrome (FAS) 39-40
Fetal heart monitoring 69, 106
Flu 6, 44, 47, 56-59
Flying and travel 53, 148, 152, 155, 167, 178
Folic acid 5-6, 14, 35, 37, 56, 62, 66, 184
Fontanelle 148
Forceps delivery 18, 20, 71, 106, 111, 113
Formula feeding 17, 36-37, 119, 122, 124-125, 127, 128, 132-133, 138-143, 155, 171
Fruit and vegetables 32-38, 76, 78, 81, 99, 130, 131, 136, 145-146, 157, 184

G

'Gas and air' (entonox) 18, 104-105
Gender/sex of baby 6, 12, 25, 65, 67
General practitioners (GPs) 5-6, 14, 28, 35, 37, 44, 47, 48-52, 54-55, 60, 62-64, 70-72, 75, 77-78, 80, 87, 92, 96-98, 105, 123, 129, 131, 133-134, 138-139, 142-146, 149, 152, 156, 159-161, 166-167, 171, 173, 174, 178, 181-182, 185
Genetic conditions 6, 52, 57, 65, 66, 67, 147
German measles (rubella) 48, 51, 62, 66, 133, 149, 161, 185
'Glass test' and meningitis 173-174
Group B streptococcus (GBS, streptococcal infection) 51, 56, 74

H

Haemophilia 52,65
Hair, changes in 81
Headaches 44, 77, 84, 134
Health and safety 21
Health visitors 37, 41, 71-72, 77, 90, 95-98, 120, 123, 125, 127, 130-131, 133, 135-136, 139, 141-144, 147, 150, 152, 156, 158-160, 165-167, 171, 174-175, 178-179, 182
Healthy start scheme 6, 37, 131
Heartbeat of baby 7, 25, 27, 29, 86, 106-108, 110, 181
Hepatitis B 6, 49, 62, 66, 149, 186
Hepatitis C 49-50, 63, 149, 186
Hepatitis E 52
Herpes 50, 63, 186

High blood pressure 56, 60, 84, 110, 111
HIV and AIDS 6, 48-49, 62-63, 66, 186
Home births 18, 100, 102, 104
Hormones 11-12, 29-30, 80, 108, 110, 118, 143, 149, 159, 180
Hospital births 17, 60, 70-71, 100-105, 109, 114, 116
Housing issues 22, 93
Hyperemesis gravidarum 79
Hypnosis 104

I

Implantation 11, 23
Incontinence 46, 77
Incubators 177
Indigestion and heartburn 26, 43, 77-78
Induction 9, 59-60, 84, 110, 181-182
Infections 24, 34, 41, 47-52, 56, 60-63, 68, 80, 83, 87, 92, 97, 108, 115, 119-121, 129, 133, 139, 145, 148-149, 159, 161, 172, 173-174, 176, 180, 186
Inherited diseases and conditions 5, 6, 15, 35, 38, 50, 52, 56, 61, 147
Injections during labour 105-106, 108
Internal examinations 103, 112
Iodine supplements 35
Iron supplements 7, 36, 37, 57, 76, 62, 69, 76, 78, 79
Itching 80, 83, 85, 87

J

Jaundice 61, 85, 149, 171, 173, 176-178

L

Labour 8, 9, 16-20, 56-60, 69-73, 91-93, 99-118, 181-182
Languages other than English 16, 54, 73, 162
Lanugo 26-27
Loss of baby 179-183

M

Massage 104, 118, 126, 129, 137, 173
Mastitis 129, 134
Maternity hand-held record (MHHR) 15, 55, 57, 68, 75, 99, 102

Maternity certificate (form MAT B1) 7
Maternity facilities, tours of 8, 17
Maternity leave 7, 94, 183, 187
Medicines 5-6, 13, 35, 43-44, 47-48, 84, 133-135, 167 180-182, 185,
Membrane sweeps 9, 59, 110
Meconium 123, 171, 190
Medium chain acyl dehydrogenase deficiency (MCADD) 52, 56, 147
Meningitis 147, 173-174
Mental health 5, 39, 56, 90-91, 160
Midwifery-led unit births 16-19, 60, 102, 105, 156, 161
Midwives 16-21, 23, 35-38, 54-72
Milk and dairy foods 33, 37, 78, 130
Minerals 33,35-37,131, 138, 142, 177
Miscarriage 34, 35, 47, 52, 38-39, 47, 52, 56, 62, 65, 67, 97, 179-183
MMR immunisation 48, 62, 133, 149, 185
Monitors, breathing 169
Monthly cycle 12, 64
Morning sickness 79
Movements of baby in uterus 6, 8, 24-8, 57-59, 61, 65, 69, 86, 110
Multiple births 13-15, 31. 64, 66, 73, 109, 117, 125, 161, 166, 183
Muscular dystrophy 52, 65

N

Nappies 99, 100, 123, 136, 150-151, 158, 164, 169-172
Nausea and sickness 79, 101, 105
Neonatal care 73, 176-178
Neonatal death 27, 109, 179, 182-183
Newborn blood spot screening (heel prick test) 66, 147
Newborn hearing screening programme 66, 147
Nipples 78, 81, 128-129
Nose bleeds 79

O

Obstetric cholestasis 85
Obstetric physiotherapists 71
Obstetricians 16-19, 51, 54, 70,106
Oestrogen 12
Ovaries 10-12
Overdue pregnancies (after 41 weeks), 9, 59, 110
Ovulation 10-11

P

Paediatricians 71
Pain relief in labour 70-71, 73, 101, 104-107, 113, 118
Partners see Fathers and/or partners
Parvovirus B19 (slapped cheek disease) 50
Peanuts 34, 132
Pelvis 27, 64, 75, 88, 103, 112
Pelvic floor exercises 15, 46, 56, 80, 145-146
Pelvic joint pain 80
Personal child health record (PCHR) 149, 161
Pertussis (whooping cough) 6, 47-48, 56-59
Phototherapy 177
Piles 43, 80-81, 134, 146
Placenta 13, 24, 39, 61, 64, 85, 108-109, 114, 117,
Placenta praevia 85, 88
Position of baby in uterus 6-9, 23-24, 63, 69, 85, 103-104, 108, 114-115,
Post-mortem examinations 182-183
Postnatal care 144
Postnatal check 145, 159-161
Postnatal depression 9, 56, 58, 60, 96-97, 160, 186
Postnatal exercises 71, 116, 157
Postnatal post-traumatic stress disorder 97
Postnatal recovery and healing 113-117, 144-146
Prams and carrycots 30, 154, 167-168
Pre-eclampsia 56, 60, 84
Pregnancy tests 180
Premature births 13, 35, 47, 56, 85, 97, 109, 125-127, 139, 148, 176-178, 183
Presentation of the baby 69
Puerperal psychosis 97, 186
Pulmonary embolism 88, 115
Pushchairs 153-154

R

Registering the birth 162-164
Relationships 89-98, 158
Relaxation 71, 73, 77, 92, 101, 118
Remifentanyl 105
Rhesus negative mothers 58, 61, 145

Rubella (German measles) 6, 48, 51, 62, 66, 133, 149, 161, 185

S

Same sex couples 94, 163
Sex 10-11, 87, 92, 93, 116, 137, 145-146, 158-159, 184
Sex discrimination 187
Sex organs 6, 25
Sexual abuse 16, 55-56, 97-98
Sexually transmitted infections (STIs) 48-50, 62-63, 159, 186
Shaking 164
Sickle cell disorders 5, 6, 52, 56, 65, 67, 147, 185
Single parents 92-94
Skin, changes in 81
'Slapped cheek disease' (parvovirus B19) 50-51
Sleeping 151-152, 166-169
Sleeplessness of mother 9
Slings (baby carriers) 153
Smoking 5, 14, 41-43, 56, 133, 152, 166-167, 184
Sonographers 71
Sperm 10-12, 184
Spina bifida 5-6, 24, 35, 56, 65, 184
Stillbirth 34-35, 41, 62, 85-86, 179, 182-183
Stitches 109, 113, 145, 161
Stools (poo) of baby 123-124, 143, 171, 178
Streptococcal infection (Group B streptococcus, GBS) 51, 56, 174
Stretch marks 81
Structural abnormality 56, 57, 65
Sudden infant death (cot death) 41, 119, 121, 151-153, 166-169
Sure Start 8, 74, 157, 175
Sweating and feeling hot 76, 168
Swollen ankles, feet and fingers 82
Syphilis 6, 62, 186

T

Teenage mothers 21-22, 73
Teeth and gums 32, 36-37, 82, 165
TENS machines 17, 104
Thalassaemia disorders 52, 67, 147
Thirst of baby 143
Thrombosis (blood clots) 53, 87-88, 115-116

Thrush 43, 83, 129-130, 134
Tiredness 6-8, 36, 53, 62, 78-79, 83, 89, 107, 136, 144, 152, 156, 161, 164, 167
Tongue-tie 130
Toxoplasmosis 34, 50-51
Triplets 12-13, 31, 73, 96-97, 109, 114, 117-118, 125, 160, 166
Twins 12-13, 15, 31, 64, 73, 96-97, 109, 114, 117-118, 125, 160-161, 165-166

U

Ultrasound scans 6-7, 13-14, 25, 57, 60-61, 63-67, 71, 85-86, 88, 106, 110, 181
Umbilical cord 24, 88, 147, 172, 173
Urination 46, 77, 79, 112, 145-146
Urine tests 7-9, 51, 56-60, 68, 84, 103, 161
Uterus (womb) 7-13, 23-24, 57-59, 61, 63-64, 75, 77, 80, 85-86, 92, 100-101, 103, 108-110, 114, 117, 145-146, 148, 160-161, 180-182

V

Vacuum-extractor delivery 18, 20, 71, 111-112
Vaginal bleeding 87-88, 180
Vaginal discharge 83, 161
Varicose veins 83
Vasa praevia 88
Vegetarians and vegans 37-38, 78
Vernix 27, 108, 148
Vitamins 6, 9, 14, 32-37, 56, 58, 78, 109, 131, 133, 138, 139, 147, 184

W

Water births 17, 18, 102, 104-105
Waters breaking 18, 24, 88, 92, 101-102, 107, 109, 117
Weight gain during pregnancy 35, 41, 44, 56, 81, 83, 137, 157, 161, 185
Whooping cough (Pertussis) 6, 47-48, 56-59
Work 52-53, 94-95, 126-127, 187
Worrying about birth 75, 91

X

X-rays 44, 52

Y

Young mothers 21-22, 73