

Core tables 2009

Supporting the Director of Public Health
Annual Report 2010

List of core tables 2009

Table 1a:	Estimated home population by age/gender, Northern Ireland 2009.....
Table 1b:	Estimated home population by age band, local commissioning groups (LCGs) 2009.....
Table 1c:	Estimated home population by age band, LCGs/local government districts (LGDs) 2009.....
Table 2a:	Population projections, Northern Ireland 2016 and 2021 (thousands)
Table 2b:	Population projections, LCGs/LGDs 2016 and 2021 (thousands)
Table 3a:	Live births/stillbirths by maternal residents, Northern Ireland 2000–09.....
Table 3b:	Live births/stillbirths by maternal residents, LCGs/LGDs 2009.....
Table 4:	Total births by maternal residents, LCGs/LGDs 2000–09.....
Table 5a:	Age specific/total period fertility rates, Northern Ireland 2000–09
Table 5b:	Age specific/total period fertility rates, LCGs 2000–09
Table 6a:	Notified live births by maternal residence by birth weight 2000–09.....
Table 6b:	Notified still births by maternal residence by birth weight 2000–09.....
Table 7a:	Infant/perinatal death rates, Northern Ireland 2000–09.....
Table 7b:	Infant/perinatal death rates, LCGs 2000–09.....
Table 8:	Standardised mortality ratios, age 1–14 years, LCGs 2005–09.....
Table 9a:	Directly standardised death rates, selected major causes of death age 15–74 years, Northern Ireland 2000–09
Table 9b:	Age standardised death rates (standardised to EU populations), selected major causes of death age 15–74 years, Northern Ireland 2000–09
Table 9c:	Directly standardised death rates, selected major causes of death age 15–74 years, LCGs 2000–09.....
Table 10a:	Mortality by cause, Northern Ireland 2009.....
Table 10b:	Mortality by cause, LCGs 2009
Table 10c:	Potential years of life lost (PYLL), selected causes of death age 1–74 years, Northern Ireland, 2009.....
Table 10d:	PYLL, selected causes of death age 1–74 years, LCGs 2009
Table 11a:	Life expectancy at birth, age 1 and age 65 years, Northern Ireland 1900–2009.....
Table 11b:	Life expectancy at birth, LGDs 1992/94–2007/09.....
Table 12:	Infectious disease notifications, Northern Ireland 2000–09.....
Table 13a:	Percentage uptake rates immunisation, Northern Ireland 2000–09.....
Table 13b:	Percentage uptake rates immunisation, LCGs and Northern Ireland 2009.....
Table 14a:	Number/birth prevalence per 1,000 total registered births, selected congenital abnormalities, Northern Ireland 2000–09.....
Table 14b:	Number/rate Down's syndrome births, maternal age and LCGs 2005–09.....
Table 15a:	Cervical screening coverage, health and social care trusts (HSCTs) 2009–10
Table 15b:	Breast screening uptake rates (three year screening cycle) by maternal residence, LCGs 2007/08–2009/10.....

Further information

Ms Adele Graham
Senior Health Intelligence Manager
adele.graham@hscni.net

Table 1a
Estimated home population by age/gender, Northern Ireland 2009

Age	Persons	% in each age group	Males	% in each age group	Females	% in each age group
0-4	122,300	6.8%	62,700	7.1%	59,700	6.6%
5-9	112,400	6.3%	57,800	6.6%	54,600	6.0%
10-14	122,500	6.8%	63,000	7.2%	59,500	6.5%
15-19	125,300	7.0%	64,000	7.3%	61,200	6.7%
20-24	132,400	7.4%	67,800	7.7%	64,600	7.1%
25-29	125,300	7.0%	62,900	7.2%	62,400	6.9%
30-34	114,100	6.4%	56,700	6.5%	57,500	6.3%
35-39	124,000	6.9%	61,300	7.0%	62,700	6.9%
40-44	130,700	7.3%	64,100	7.3%	66,600	7.3%
45-49	125,800	7.0%	61,500	7.0%	64,300	7.1%
50-54	110,300	6.2%	54,500	6.2%	55,800	6.1%
55-59	97,300	5.4%	48,500	5.5%	48,800	5.4%
60-64	92,100	5.1%	44,700	5.1%	47,400	5.2%
65-69	76,700	4.3%	36,600	4.2%	40,100	4.4%
70-74	62,800	3.5%	29,000	3.3%	33,800	3.7%
75-79	50,100	2.8%	21,300	2.4%	28,700	3.2%
80-84	36,200	2.0%	13,500	1.5%	22,700	2.5%
85+	28,700	1.6%	8,700	1.0%	20,000	2.2%
0-14	357,200	20.0%	183,400	20.9%	173,800	19.1%
15-64	1,177,200	65.8%	586,000	66.7%	591,200	64.9%
65+	254,500	14.2%	109,200	12.4%	145,300	16.0%
TOTAL	1,788,900	100.0	878,600	100.0	910,300	100.0

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: Population estimates are generally rounded because population counts from the Census and subsequent updates involving births, deaths and migration cannot be precise.
 Totals of rows/columns may not add up due to rounding.
 All figures are home population figures.

**Table 1b
Estimated home population by age band, local commissioning groups (LCGs) 2009**

AGE	Belfast LCG			Northern LCG			South Eastern LCG			Southern LCG			Western LCG		
	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons
0-4	10,900	10,300	21,200	15,600	14,900	30,500	11,700	10,900	22,700	13,800	13,300	27,100	10,600	10,200	20,800
5-9	9,600	9,200	18,800	14,700	14,000	28,700	10,800	10,200	21,000	12,300	11,500	23,800	10,400	9,700	20,100
10-14	10,400	10,100	20,500	16,000	15,200	31,200	12,100	11,100	23,200	13,000	12,100	25,100	11,500	10,900	22,400
15-19	13,000	12,800	25,800	15,600	15,100	30,700	11,600	10,900	22,600	12,800	11,900	24,700	11,000	10,500	21,500
20-24	15,000	15,000	30,000	16,400	15,300	31,800	11,700	10,800	22,600	13,900	13,000	26,900	10,700	10,400	21,100
25-29	12,900	12,700	25,700	14,900	14,700	29,600	11,300	11,300	22,600	13,100	13,200	26,300	10,700	10,400	21,100
30-34	10,700	10,800	21,500	14,000	14,300	28,300	10,300	10,600	20,800	11,800	11,600	23,500	9,900	10,100	20,000
35-39	10,200	10,800	20,900	16,400	16,400	32,800	11,500	12,000	23,500	12,500	12,500	24,900	10,800	11,000	21,800
40-44	10,900	12,000	22,800	16,900	17,500	34,400	12,600	13,300	26,000	12,900	12,800	25,600	10,900	11,100	21,900
45-49	10,800	12,400	23,200	16,000	16,500	32,500	12,200	12,800	25,000	12,100	12,200	24,300	10,400	10,400	20,800
50-54	9,500	10,800	20,300	14,200	14,400	28,600	10,900	11,200	22,200	10,700	10,300	21,000	9,100	9,100	18,200
55-59	8,300	8,500	16,800	12,900	12,800	25,700	10,000	10,300	20,200	9,100	9,100	18,200	8,200	8,100	16,400
60-64	7,400	8,300	15,600	11,900	12,600	24,500	9,800	10,400	20,100	8,300	8,800	17,100	7,300	7,400	14,700
65-69	6,400	7,500	13,900	10,000	10,900	20,900	7,800	8,400	16,200	6,800	7,200	14,000	5,600	6,000	11,700
70-74	5,400	7,200	12,600	7,800	9,000	16,900	5,800	6,600	12,400	5,400	6,100	11,400	4,500	4,900	9,500
75-79	4,400	6,600	10,900	5,800	7,400	13,300	4,200	5,600	9,800	3,700	5,200	8,900	3,200	4,000	7,200
80-84	2,900	5,300	8,200	3,600	5,700	9,300	2,700	4,600	7,300	2,300	3,900	6,300	2,000	3,200	5,200
85+	1,800	4,600	6,400	2,300	5,100	7,400	1,900	4,400	6,300	1,500	3,200	4,700	1,200	2,700	3,800
0-14	31,000	29,600	60,600	46,300	44,100	90,400	34,600	32,300	66,900	39,100	37,000	76,000	32,500	30,800	63,300
15-64	108,500	114,100	222,600	149,200	149,700	298,900	111,900	113,600	225,500	117,300	115,300	232,600	99,200	98,500	197,600
65+	20,800	31,200	52,000	29,700	38,200	67,800	22,500	29,500	52,000	19,700	25,600	45,300	16,500	20,900	37,400
TOTAL	160,200	175,000	335,200	225,100	232,000	457,100	169,100	175,400	344,400	176,100	177,800	353,900	148,200	150,100	298,300

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: Population estimates are generally rounded because population counts from the Census and subsequent updates involving births, deaths and migration cannot be precise.
Totals of rows/columns may not add up due to rounding.
All figures are home population figures.

Table 1c**Estimated home population by age band, LCGs/local government districts (LGDs) 2009****BELFAST LCG**

	Belfast			Castlereagh		
AGE	Male	Female	Persons	Male	Female	Persons
0-4	8,900	8,400	17,300	2,000	1,900	3,900
5-9	7,700	7,400	15,100	1,900	1,800	3,700
10-14	8,200	8,000	16,100	2,200	2,100	4,400
15-19	10,700	10,600	21,400	2,300	2,100	4,400
20-24	13,000	13,100	26,100	2,000	1,900	3,900
25-29	11,100	10,700	21,800	1,800	2,000	3,800
30-34	8,800	8,800	17,600	1,900	2,000	3,900
35-39	7,900	8,500	16,400	2,300	2,300	4,600
40-44	8,200	9,200	17,400	2,600	2,800	5,400
45-49	8,100	9,500	17,700	2,600	2,900	5,500
50-54	7,200	8,400	15,700	2,200	2,400	4,600
55-59	6,400	6,700	13,100	1,800	1,800	3,600
60-64	5,800	6,400	12,200	1,600	1,800	3,400
65-69	4,900	5,900	10,800	1,400	1,700	3,100
70-74	4,200	5,700	9,800	1,200	1,500	2,700
75-79	3,300	5,200	8,500	1,000	1,400	2,400
80-84	2,200	4,100	6,300	700	1,200	1,900
85+	1,300	3,600	5,000	400	1,000	1,400
0-14	24,800	23,700	48,500	6,100	5,900	12,100
15-64	87,400	92,100	179,400	21,100	22,100	43,100
65+	16,000	24,500	40,400	4,800	6,700	11,500
TOTAL	128,200	140,200	268,400	32,000	34,700	66,800

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: Population estimates are generally rounded because population counts from the census and subsequent updates involving births, deaths and migration cannot be precise.
Totals of rows/columns may not add up due to rounding.

NORTHERN LCG

AGE	Antrim			Ballymena			Ballymoney			Carrickfergus			Coleraine		
	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons
0-4	2,100	1,900	4,000	2,100	2,100	4,100	1,100	1,000	2,100	1,200	1,200	2,400	1,800	1,600	3,400
5-9	2,000	1,900	3,900	2,000	1,900	3,900	1,000	1,000	2,000	1,200	1,200	2,400	1,800	1,600	3,400
10-14	2,000	1,900	3,900	2,000	2,100	4,100	1,100	1,100	2,200	1,400	1,300	2,600	2,000	2,000	4,000
15-19	1,800	1,800	3,600	2,000	1,900	3,900	1,000	1,000	2,000	1,400	1,300	2,700	1,900	2,000	3,900
20-24	2,100	1,800	3,900	2,200	2,000	4,300	1,100	900	2,000	1,300	1,300	2,600	2,000	2,000	3,900
25-29	2,000	1,900	3,900	2,100	2,000	4,100	1,000	1,000	2,000	1,200	1,200	2,400	1,600	1,400	3,000
30-34	1,800	1,700	3,500	1,800	1,900	3,700	1,000	1,000	2,000	1,100	1,200	2,300	1,500	1,700	3,200
35-39	2,000	2,200	4,200	2,300	2,200	4,500	1,200	1,100	2,400	1,500	1,400	2,900	1,900	2,000	3,800
40-44	2,000	2,100	4,200	2,400	2,500	4,800	1,200	1,200	2,300	1,600	1,700	3,300	2,100	2,200	4,200
45-49	1,900	1,900	3,800	2,000	2,200	4,200	1,100	1,100	2,100	1,600	1,600	3,200	2,000	2,100	4,100
50-54	1,500	1,500	3,100	2,000	2,000	4,000	900	900	1,900	1,300	1,400	2,700	1,900	1,900	3,800
55-59	1,400	1,400	2,800	1,800	1,800	3,700	800	800	1,600	1,200	1,200	2,400	1,700	1,700	3,300
60-64	1,400	1,400	2,700	1,700	1,900	3,600	700	800	1,500	1,000	1,100	2,100	1,600	1,700	3,300
65-69	1,100	1,200	2,300	1,400	1,600	3,000	700	700	1,400	900	1,000	1,900	1,400	1,600	2,900
70-74	800	900	1,700	1,200	1,300	2,500	500	600	1,000	700	800	1,500	1,100	1,300	2,500
75-79	600	700	1,200	800	1,100	1,900	400	500	900	500	700	1,200	800	1,100	1,900
80-84	300	500	700	600	900	1,500	200	400	600	300	500	800	500	800	1,300
85+	200	400	700	400	800	1,200	200	300	500	200	500	700	400	800	1,100
0-14	6,100	5,800	11,800	6,100	6,000	12,200	3,100	3,100	6,200	3,800	3,600	7,400	5,600	5,200	10,800
15-64	17,900	17,700	35,600	20,400	20,400	40,800	10,100	9,800	19,800	13,100	13,500	26,600	18,000	18,500	36,600
65+	2,900	3,700	6,600	4,500	5,800	10,200	1,900	2,500	4,400	2,600	3,400	6,100	4,200	5,500	9,700
TOTAL	26,900	27,100	54,000	30,900	32,200	63,200	15,100	15,300	30,400	19,600	20,600	40,100	27,800	29,300	57,100

NORTHERN LCG (continued)

AGE	Cookstown			Larne			Magherafelt			Moyle			Newtownabbey		
	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons
0-4	1,400	1,300	2,700	900	900	1,800	1,700	1,700	3,300	600	500	1,100	2,900	2,700	5,600
5-9	1,200	1,200	2,400	900	900	1,800	1,600	1,500	3,000	500	500	1,000	2,500	2,400	4,900
10-14	1,400	1,200	2,600	1,000	1,000	2,000	1,700	1,600	3,300	600	600	1,200	2,800	2,500	5,300
15-19	1,300	1,300	2,600	1,000	1,000	2,100	1,600	1,500	3,100	600	500	1,100	2,900	2,900	5,800
20-24	1,500	1,400	2,900	1,100	1,000	2,000	1,700	1,600	3,400	600	600	1,200	2,900	2,800	5,600
25-29	1,600	1,500	3,000	800	900	1,800	1,700	1,600	3,300	500	500	1,100	2,400	2,600	5,000
30-34	1,300	1,300	2,600	800	800	1,600	1,800	1,500	3,300	400	400	800	2,500	2,700	5,200
35-39	1,300	1,200	2,500	1,000	1,100	2,100	1,800	1,600	3,400	500	600	1,100	3,000	3,000	6,000
40-44	1,200	1,200	2,400	1,200	1,200	2,400	1,600	1,600	3,200	600	600	1,200	3,100	3,200	6,300
45-49	1,200	1,200	2,400	1,300	1,300	2,600	1,500	1,500	2,900	600	600	1,200	2,900	3,200	6,100
50-54	1,100	1,100	2,100	1,100	1,100	2,200	1,300	1,300	2,500	500	600	1,100	2,600	2,700	5,300
55-59	900	900	1,900	1,000	1,000	1,900	1,200	1,100	2,300	600	500	1,100	2,300	2,400	4,700
60-64	800	900	1,700	1,000	1,000	1,900	1,000	1,000	2,000	500	500	1,000	2,200	2,300	4,500
65-69	700	700	1,500	800	900	1,700	800	800	1,600	400	400	800	1,800	2,000	3,800
70-74	500	600	1,100	600	700	1,300	600	700	1,300	400	400	800	1,500	1,800	3,300
75-79	400	500	800	500	600	1,000	500	600	1,100	200	300	500	1,100	1,500	2,600
80-84	300	400	600	300	400	600	300	400	700	100	200	400	800	1,300	2,000
85+	100	400	500	200	400	500	200	400	500	100	200	400	400	900	1,300
0-14	3,900	3,700	7,700	2,800	2,800	5,600	4,900	4,700	9,700	1,700	1,600	3,200	8,200	7,700	15,900
15-64	12,200	12,000	24,100	10,300	10,300	20,600	15,100	14,300	29,400	5,500	5,400	10,900	26,600	27,900	54,500
65+	2,000	2,500	4,500	2,300	2,900	5,200	2,300	2,900	5,200	1,300	1,500	2,800	5,600	7,400	13,000
TOTAL	18,100	18,200	36,300	15,400	16,000	31,400	22,300	21,900	44,200	8,400	8,500	16,900	40,400	43,000	83,400

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: Population estimates are generally rounded because population counts from the census and subsequent updates involving births, deaths and migration cannot be precise. Totals of rows/columns may not add up due to rounding.

SOUTH EASTERN LCG

AGE	Ards			Down			Lisburn			North Down		
	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons
0-4	2,500	2,300	4,800	2,400	2,300	4,700	4,400	4,100	8,500	2,400	2,200	4,600
5-9	2,300	2,200	4,500	2,300	2,200	4,500	3,900	3,700	7,700	2,200	2,100	4,300
10-14	2,600	2,400	5,000	2,600	2,400	5,100	4,400	4,100	8,500	2,400	2,200	4,700
15-19	2,400	2,300	4,700	2,600	2,400	5,000	4,200	4,000	8,100	2,400	2,300	4,700
20-24	2,400	2,300	4,700	2,700	2,400	5,000	4,200	4,000	8,200	2,500	2,200	4,700
25-29	2,300	2,400	4,700	2,500	2,400	4,900	4,100	4,100	8,100	2,500	2,400	4,900
30-34	2,200	2,300	4,500	2,200	2,100	4,300	3,500	3,700	7,200	2,400	2,400	4,800
35-39	2,700	2,700	5,400	2,300	2,300	4,700	3,700	4,300	8,000	2,800	2,700	5,500
40-44	3,000	3,100	6,100	2,600	2,700	5,300	4,200	4,700	8,900	2,800	2,900	5,700
45-49	2,800	3,000	5,800	2,500	2,400	4,900	4,000	4,500	8,500	2,800	2,900	5,700
50-54	2,600	2,600	5,200	2,100	2,200	4,300	3,600	3,600	7,200	2,600	2,800	5,400
55-59	2,400	2,500	4,900	2,000	2,000	4,000	3,100	3,100	6,200	2,600	2,600	5,200
60-64	2,600	2,700	5,300	1,900	1,800	3,700	2,800	3,100	5,900	2,500	2,800	5,300
65-69	2,000	2,000	4,100	1,400	1,500	2,900	2,300	2,600	5,000	2,000	2,200	4,200
70-74	1,400	1,600	3,000	1,100	1,200	2,400	1,800	2,100	3,800	1,500	1,700	3,200
75-79	1,000	1,300	2,300	800	1,000	1,900	1,300	1,700	3,100	1,100	1,500	2,600
80-84	700	1,100	1,700	500	900	1,400	800	1,300	2,100	700	1,300	2,100
85+	500	1,000	1,400	400	800	1,300	500	1,100	1,500	600	1,500	2,000
0-14	7,400	6,900	14,300	7,300	6,900	14,300	12,800	11,900	24,700	7,100	6,600	13,700
15-64	25,400	25,900	51,300	23,400	22,800	46,200	37,300	39,000	76,300	25,800	26,000	51,800
65+	5,600	7,000	12,500	4,300	5,500	9,800	6,700	8,800	15,500	5,900	8,200	14,100
TOTAL	38,400	39,700	78,100	35,100	35,200	70,300	56,800	59,700	116,500	38,800	40,800	79,600

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: Population estimates are generally rounded because population counts from the census and subsequent updates involving births, deaths and migration cannot be precise.

Totals of rows/columns may not add up due to rounding.

SOUTHERN LCG

AGE	Armagh			Banbridge			Craigavon			Dungannon			Newry & Mourne		
	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons
0-4	2,300	2,200	4,500	1,700	1,700	3,500	3,600	3,400	7,100	2,200	2,100	4,400	4,000	3,800	7,800
5-9	2,000	2,000	4,000	1,600	1,500	3,100	3,000	2,700	5,700	1,900	1,800	3,700	3,700	3,400	7,200
10-14	2,200	2,200	4,400	1,800	1,500	3,300	3,200	3,000	6,200	2,000	1,800	3,900	3,800	3,600	7,300
15-19	2,100	2,000	4,200	1,600	1,400	3,000	3,400	3,100	6,400	2,000	2,000	4,000	3,700	3,400	7,200
20-24	2,200	2,200	4,400	1,600	1,500	3,100	3,600	3,400	7,000	2,400	2,200	4,600	4,100	3,800	7,800
25-29	1,800	2,000	3,800	1,600	1,600	3,100	3,600	3,500	7,100	2,600	2,200	4,800	3,600	3,900	7,500
30-34	1,700	1,800	3,500	1,700	1,600	3,200	3,100	3,100	6,200	2,100	1,900	4,100	3,200	3,200	6,400
35-39	2,000	2,000	3,900	1,900	1,900	3,800	3,300	3,200	6,400	2,100	1,900	4,100	3,300	3,500	6,700
40-44	2,000	2,100	4,100	2,000	1,800	3,800	3,500	3,500	7,000	1,900	1,900	3,800	3,500	3,500	7,000
45-49	2,000	2,100	4,100	1,700	1,700	3,500	3,200	3,200	6,500	1,900	1,800	3,700	3,300	3,300	6,700
50-54	1,900	1,700	3,600	1,600	1,500	3,100	2,600	2,700	5,400	1,700	1,500	3,200	2,900	2,800	5,800
55-59	1,600	1,600	3,200	1,300	1,200	2,500	2,300	2,400	4,700	1,400	1,400	2,700	2,500	2,600	5,100
60-64	1,500	1,600	3,100	1,200	1,200	2,400	2,100	2,400	4,600	1,300	1,300	2,600	2,200	2,300	4,500
65-69	1,300	1,300	2,500	900	1,000	2,000	1,800	1,900	3,700	1,000	1,100	2,100	1,800	1,900	3,700
70-74	1,000	1,100	2,000	700	800	1,500	1,400	1,700	3,100	800	900	1,700	1,500	1,600	3,000
75-79	600	900	1,600	500	700	1,200	1,000	1,400	2,300	600	800	1,400	1,000	1,400	2,300
80-84	400	700	1,200	300	500	800	600	1,000	1,600	400	600	1,000	600	1,000	1,600
85+	300	600	800	200	500	700	400	900	1,400	200	500	700	400	800	1,100
0-14	6,500	6,300	12,900	5,100	4,800	9,900	9,800	9,200	19,000	6,100	5,800	12,000	11,500	10,800	22,300
15-64	18,900	18,900	37,900	15,900	15,400	31,400	30,700	30,500	61,200	19,300	18,200	37,500	32,300	32,300	64,600
65+	3,600	4,500	8,100	2,700	3,600	6,300	5,200	6,900	12,100	3,000	3,900	6,900	5,200	6,600	11,800
TOTAL	29,000	29,800	58,800	23,800	23,800	47,600	45,700	46,600	92,400	28,500	27,900	56,400	49,000	49,700	98,700

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: Population estimates are generally rounded because population counts from the census and subsequent updates involving births, deaths and migration cannot be precise.
Totals of rows/columns may not add up due to rounding.

WESTERN LCG

AGE	Fermanagh			Limavady			Derry			Omagh			Strabane		
	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons
0-4	2,200	2,000	4,200	1,200	1,100	2,300	4,000	3,900	7,900	1,800	1,800	3,600	1,400	1,400	2,800
5-9	2,000	1,900	3,900	1,200	1,100	2,300	4,000	3,700	7,700	1,800	1,700	3,500	1,400	1,300	2,700
10-14	2,200	2,100	4,300	1,400	1,300	2,700	4,300	4,100	8,400	2,000	1,900	3,900	1,600	1,500	3,200
15-19	2,100	1,900	4,100	1,300	1,100	2,400	4,300	4,300	8,600	1,900	1,800	3,700	1,400	1,400	2,700
20-24	2,100	2,100	4,100	1,100	1,100	2,200	4,100	4,000	8,100	2,000	1,800	3,800	1,400	1,400	2,800
25-29	2,200	2,100	4,300	1,100	1,200	2,300	4,100	3,900	8,000	1,900	2,000	3,900	1,300	1,300	2,700
30-34	2,100	2,000	4,100	1,200	1,200	2,500	3,600	3,700	7,300	1,800	1,900	3,700	1,300	1,300	2,500
35-39	2,300	2,200	4,500	1,400	1,300	2,700	3,800	4,000	7,800	1,900	1,900	3,800	1,500	1,600	3,100
40-44	2,200	2,100	4,400	1,400	1,300	2,700	3,900	4,200	8,200	1,800	1,800	3,700	1,500	1,500	3,000
45-49	2,200	2,200	4,300	1,200	1,100	2,300	3,800	4,100	7,800	1,800	1,800	3,600	1,400	1,200	2,600
50-54	2,100	2,000	4,100	1,100	1,000	2,000	3,200	3,400	6,500	1,700	1,600	3,300	1,100	1,100	2,200
55-59	1,900	1,800	3,700	1,000	900	1,900	2,800	2,900	5,700	1,500	1,400	2,900	1,100	1,000	2,200
60-64	1,800	1,700	3,500	800	800	1,700	2,500	2,600	5,100	1,200	1,200	2,500	1,000	1,000	2,000
65-69	1,300	1,300	2,700	700	700	1,300	1,900	2,100	4,000	1,000	1,000	2,000	800	900	1,700
70-74	1,100	1,100	2,200	500	500	1,000	1,600	1,700	3,300	800	800	1,600	700	700	1,400
75-79	800	900	1,800	300	400	700	1,000	1,400	2,400	600	700	1,300	500	600	1,000
80-84	500	800	1,300	200	300	500	600	1,000	1,700	400	500	900	300	500	800
85+	400	800	1,100	100	300	400	300	800	1,100	200	500	700	100	300	500
0-14	6,400	6,000	12,300	3,700	3,600	7,300	12,300	11,700	24,000	5,600	5,400	11,000	4,500	4,100	8,600
15-64	21,000	20,000	41,000	11,600	11,100	22,700	36,000	37,100	73,200	17,500	17,300	34,900	13,100	12,900	26,000
65+	4,100	5,000	9,100	1,800	2,200	4,100	5,400	7,100	12,400	2,900	3,600	6,500	2,400	2,900	5,300
TOTAL	31,400	31,000	62,400	17,100	16,900	34,000	53,700	55,900	109,600	26,100	26,400	52,400	20,000	19,900	39,900

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: Population estimates are generally rounded because population counts from the census and subsequent updates involving births, deaths and migration cannot be precise.
 Totals of rows/columns may not add up due to rounding.

Table 2a
Population projections, Northern Ireland 2016 and 2021 (thousands)

AGE	MALES		FEMALES		PERSONS	
	2016	2021	2016	2021	2016	2021
0-4	64	63	61	60	124	122
5-9	65	64	62	61	127	125
10-14	59	65	56	62	115	127
15-19	61	58	56	55	117	113
20-24	63	59	57	54	120	113
25-29	67	64	65	59	132	124
30-34	68	67	68	66	135	133
35-39	58	68	59	68	118	136
40-44	59	58	60	59	119	117
45-49	62	58	65	60	127	117
50-54	62	61	65	65	127	126
55-59	55	60	59	65	114	125
60-64	48	53	49	57	97	110
65-69	43	45	46	47	89	92
70-74	36	39	40	44	76	83
75+	56	70	81	94	137	164
0-14	187	192	179	183	366	374
15-64	602	607	604	607	1,206	1,214
65+	135	154	168	184	302	339
TOTAL	924	952	950	975	1,874	1,927

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: Projections shown are based on the 2008 Mid Year Population Estimates
 Totals of rows/columns may not add up due to rounding.

Table 2b
Population projections, LCGs/LGDs 2016 and 2021 (thousands)

Local Commissioning Group / Local Government District	2016				2021			
	0-14	15-64	65+	Total	0-14	15-64	65+	Total
Belfast LCG	60	226	54	340	61	225	57	343
Belfast	49	182	42	272	49	182	44	274
Castlereagh	12	44	12	68	12	44	13	69
Northern LCG	91	304	82	477	92	305	92	489
Antrim	12	38	9	58	13	39	10	61
Ballymena	12	41	12	66	13	41	14	68
Ballymoney	6	21	5	32	6	22	6	34
Carrickfergus	7	27	7	41	7	26	8	42
Coleraine	10	36	11	56	9	34	13	56
Cookstown	8	26	6	39	8	27	6	41
Larne	5	20	6	32	6	20	7	32
Magherafelt	10	31	6	48	11	32	7	50
Moyle	3	11	3	18	3	11	4	18
Newtownabbey	17	54	16	86	17	54	17	88
South Eastern LCG	68	225	64	357	69	224	72	365
Ards	15	50	16	81	15	50	18	83
Down	14	47	12	73	15	47	14	75
Lisburn	25	79	19	123	26	80	22	127
North Down	14	49	17	80	14	48	19	80
Southern LCG	84	248	56	388	90	258	64	412
Armagh	14	39	10	63	14	40	11	66
Banbridge	10	33	8	51	10	33	9	53
Craigavon	21	66	15	102	23	69	17	109
Dungannon	14	41	9	63	15	43	10	68
Newry/Mourne	25	69	15	109	27	73	17	116
Western LCG	63	202	47	311	63	201	54	318
Derry	24	74	16	114	23	74	18	116
Fermanagh	13	42	11	65	13	42	13	67
Limavady	7	23	5	35	7	22	6	35
Omagh	11	36	8	55	11	36	10	57
Strabane	8	27	7	42	8	27	7	43
NORTHERN IRELAND	366	1,206	302	1,874	374	1,214	339	1,927

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: Projections shown are based on the 2008 Mid Year Population Estimates
Totals of rows/columns may not add up due to rounding.

Table 3a
Live births/stillbirths by maternal residents, Northern Ireland 2000–09

YEAR	LIVE BIRTHS	STILLBIRTHS	TOTAL BIRTHS	TOTAL BIRTH RATE / 1,000 POPULATION
2000	21,512	93	21,605	12.8
2001	21,962	112	22,074	13.1
2002	21,385	122	21,507	12.7
2003	21,648	108	21,756	12.8
2004	22,318	113	22,431	13.1
2005	22,328	89	22,417	13.0
2006	23,272	89	23,361	13.3
2007	24,451	102	24,553	14.0
2008	25,631	115	25,746	14.5
2009	24,910	119	25,029	14.0

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: The Stillbirth (definition) Act 1992 re-defined stillbirths, from 1 October 1992, to include losses between 24 and 27 weeks gestation.
 Figures do not include births to women living outside Northern Ireland

Table 3b
Live births/stillbirths by maternal residents, LCGs/LGDs 2009

Local Commissioning Group / Local Government District	LIVE BIRTHS	STILLBIRTHS	TOTAL BIRTHS	TOTAL BIRTH RATE/ 1,000 POPULATION
Belfast LCG	4,690	25	4,715	14.1
Belfast	3,860	20	3,880	14.5
Castlereagh	830	5	835	12.5
Northern LCG	5,947	32	5,979	13.1
Antrim	813	6	819	15.2
Ballymena	805	4	809	12.8
Ballymoney	409	2	411	13.5
Carrickfergus	424	1	425	10.6
Coleraine	620	4	624	10.9
Cookstown	532	1	533	14.7
Larne	344	1	345	11.0
Magherafelt	690	5	695	15.7
Moyle	203	2	205	12.1
Newtownabbey	1,107	6	1,113	13.3
South Eastern LCG	4,532	22	4,554	13.2
Ards	863	5	868	11.1
Down	979	2	981	14.0
Lisburn	1,767	9	1,776	15.2
North Down	923	6	929	11.7
Southern LCG	5,532	26	5,558	15.7
Armagh	893	2	895	15.2
Banbridge	699	4	703	14.8
Craigavon	1,456	6	1,462	15.8
Dungannon	907	4	911	16.2
Newry/Mourne	1,577	10	1,587	16.1
Western LCG	4,209	14	4,223	14.2
Fermanagh	811	3	814	13.0
Limavady	424	2	426	12.5
Derry	1,670	5	1,675	15.3
Omagh	722	3	725	13.8
Strabane	582	1	583	14.6
NORTHERN IRELAND	24,910	119	25,029	14.0

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: The Stillbirth (definition) Act 1992 re-defined stillbirths, from 1 October 1992, to include losses between 24 and 27 weeks gestation.

Figures do not include births to women living outside Northern Ireland

Table 4
Total births by maternal residents, LCGs/LGDs 2000–09

Local Commissioning Group / Local Government District	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Belfast LCG	4,174	4,109	3,938	4,073	4,158	4,024	4,165	4,484	4,763	4,690
Belfast	3,366	3,320	3,190	3,343	3,440	3,301	3,411	3,681	3,901	3,860
Castlereagh	808	789	748	730	718	723	754	803	862	830
Northern LCG	5,325	5,442	5,452	5,358	5,723	5,644	5,795	6,058	6,376	5,947
Antrim	685	732	677	718	758	704	730	809	859	813
Ballymena	731	724	754	738	785	797	785	824	856	805
Ballymoney	321	368	367	347	398	377	405	391	414	409
Carrickfergus	466	460	434	456	442	479	471	475	500	424
Coleraine	646	640	659	622	676	592	648	647	729	620
Cookstown	430	461	456	411	504	485	499	544	536	532
Larne	340	335	360	345	317	352	360	366	348	344
Magherafelt	573	568	583	563	592	610	628	654	726	690
Moyle	186	198	163	199	200	195	183	225	204	203
Newtownabbey	947	956	999	959	1,051	1,053	1,086	1,123	1,204	1,107
South Eastern LCG	3,948	4,018	3,764	3,970	4,093	4,009	4,263	4,539	4,697	4,532
Ards	860	833	817	885	867	893	868	945	972	863
Down	831	856	816	853	904	804	954	963	983	979
Lisburn	1,454	1,499	1,390	1,375	1,475	1,482	1,542	1,707	1,762	1,767
North Down	803	830	741	857	847	830	899	924	980	923
Southern LCG	4,234	4,575	4,442	4,499	4,700	4,829	5,056	5,379	5,620	5,532
Armagh	712	758	724	768	729	808	856	862	887	893
Banbridge	538	562	578	647	589	648	648	692	738	699
Craigavon	1,060	1,120	1,039	1,086	1,180	1,201	1,329	1,420	1,479	1,456
Dungannon	622	715	722	655	787	762	805	880	917	907
Newry/Mourne	1,302	1,420	1,379	1,343	1,415	1,410	1,418	1,525	1,599	1,577
Western LCG	3,924	3,930	3,911	3,856	3,757	3,911	4,082	4,093	4,290	4,209
Fermanagh	723	723	754	713	693	734	825	806	878	811
Limavady	431	487	433	473	429	452	484	494	459	424
Derry	1,562	1,544	1,583	1,514	1,495	1,536	1,536	1,592	1,655	1,670
Omagh	680	653	660	648	650	683	690	688	723	722
Strabane	528	523	481	508	490	506	547	513	575	582
Northern Ireland	21,605	22,074	21,507	21,756	22,431	22,417	23,361	24,553	25,746	24,910
Births to non-NI residents	256	289	389	407	577	523	497	523	623	577

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: The Stillbirth (definition) Act 1992 re-defined stillbirths, from 1 October 1992, to include losses between 24 and 27 weeks gestation.

Table 5a
Age specific/total period fertility rates, Northern Ireland 2000–09

Age Group	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
15-19	25.6	23.9	23.3	22.9	23.0	21.7	22.5	22.5	23.0	21.8
20-24	66.0	67.5	66.0	65.5	62.8	63.2	63.6	62.6	65.6	63.7
25-29	103.9	105.1	102.9	106.8	109.8	108.6	112.0	116.1	120.5	114.6
30-34	100.4	106.0	104.2	107.0	112.6	114.8	119.2	124.6	131.1	128.0
35-39	46.2	48.0	48.2	50.2	56.1	55.0	58.2	64.2	67.0	65.1
40-44	8.5	9.1	9.2	9.5	9.2	10.1	10.8	11.1	12.1	12.6
45-49	0.3	0.6	0.5	0.3	0.3	0.5	0.6	0.5	0.5	0.5
TPFR	1.75	1.80	1.77	1.81	1.87	1.87	1.93	2.01	2.11	2.04

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: Age-specific fertility rate is the number of live births occurring to a particular woman of a particular age or age group per year, normally expressed per 1,000 women

Total Period Fertility Rate (TPFR) is the average number of children that would be born to a cohort of women who experienced throughout their childbearing years the fertility rates of the calendar year in question.

Table 5b
Age specific/total period fertility rates, LCGs 2000–09

BELFAST LCG

Age Group	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
15-19	32.1	28.2	32.5	30.3	30.2	30.4	29.5	29.9	28.3	26.3
20-24	55.9	59.5	50.8	60.0	56.7	60.6	57.3	60.1	64.9	65.5
25-29	77.3	76.3	74.9	79.0	91.5	87.4	91.1	94.9	99.4	99.2
30-34	91.1	88.9	86.6	89.9	94.6	87.5	96.6	103.9	116.5	111.5
35-39	45.3	45.4	48.0	51.2	52.5	51.1	54.5	63.8	66.9	67.7
40-44	7.4	8.9	8.5	9.3	8.5	8.6	10.5	12.0	13.4	13.5
45-49	0.2	1.0	0.2	0.3	0.3	0.3	0.8	0.6	0.2	0.4
TPFR	1.55	1.54	1.51	1.60	1.67	1.63	1.70	1.83	1.95	1.92

NORTHERN LCG

Age Group	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
15-19	22.7	22.7	22.1	20.1	22.1	19.2	21.2	19.3	22.7	20.5
20-24	66.1	65.0	66.8	69.2	66.6	63.1	64.2	62.0	67.5	58.0
25-29	107.6	108.6	111.0	112.2	117.1	114.0	119.5	126.9	126.6	120.2
30-34	97.5	102.0	106.5	104.6	112.5	120.7	118.2	122.7	134.6	126.9
35-39	42.8	45.6	44.8	45.5	55.7	51.4	55.1	60.2	60.8	58.3
40-44	8.1	8.5	8.5	8.5	8.1	10.0	10.6	10.6	9.9	11.2
45-49	0.2	0.6	0.7	0.2	0.4	0.4	0.4	0.6	0.3	0.4
TPFR	1.73	1.77	1.80	1.80	1.91	1.89	1.95	2.01	2.11	1.98

SOUTH EASTERN LCG

Age Group	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
15-19	25.6	24.5	19.1	22.8	22.3	21.5	22.0	21.6	22.3	21.8
20-24	64.8	71.2	68.7	65.1	65.1	63.5	68.4	67.2	66.3	65.5
25-29	105.4	107.7	100.9	110.3	107.3	106.9	108.5	120.2	122.5	110.0
30-34	100.4	103.7	102.4	107.9	115.6	112.7	122.8	128.0	128.8	133.6
35-39	45.3	45.6	41.6	47.3	54.4	51.9	54.0	62.1	69.8	64.8
40-44	8.6	8.3	8.5	10.6	9.7	9.3	8.8	9.5	10.8	10.7
45-49	0.3	0.4	0.6	0.1	0.2	0.3	0.7	0.5	1.0	0.8
TPFR	1.75	1.81	1.71	1.82	1.87	1.83	1.93	2.05	2.11	2.04

SOUTHERN LCG

Age Group	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
15-19	21.3	21.1	17.9	19.3	19.0	17.7	17.1	20.7	20.2	20.2
20-24	71.0	71.0	73.3	64.3	64.4	65.4	66.5	62.5	64.5	64.4
25-29	121.2	128.8	121.5	127.3	123.5	122.5	123.2	124.0	132.8	127.6
30-34	111.8	127.3	121.8	123.6	133.3	137.3	138.2	146.0	148.7	143.5
35-39	49.7	54.8	56.5	55.1	62.7	61.4	68.6	74.4	75.0	73.6
40-44	9.8	9.5	9.8	10.5	10.9	12.2	12.2	11.4	13.6	13.9
45-49	0.6	0.5	0.7	0.7	0.2	1.1	0.5	0.4	0.6	0.6
TPFR	1.93	2.07	2.01	2.00	2.07	2.09	2.13	2.20	2.28	2.22

WESTERN LCG

Age Group	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
15-19	26.1	22.8	24.3	21.2	20.6	19.1	22.2	20.9	20.9	19.9
20-24	77.3	76.0	79.3	70.4	62.6	64.3	63.7	62.2	64.2	66.5
25-29	111.6	108.6	108.8	107.5	108.4	111.7	116.6	112.7	120.4	114.1
30-34	104.2	112.8	103.6	110.3	106.5	112.6	119.5	121.6	124.4	123.7
35-39	50.1	50.3	52.4	54.5	55.4	61.3	60.2	61.5	64.2	63.6
40-44	9.1	10.8	11.1	8.9	9.4	10.7	12.1	12.6	14.0	14.9
45-49	0.4	0.4	0.2	0.6	0.3	0.2	0.7	0.1	0.8	0.4
TPFR	1.89	1.91	1.90	1.87	1.82	1.90	1.97	1.96	2.04	2.02

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: Age-specific fertility rate is the number of live births occurring to a particular woman of a particular age or age group per year, normally expressed per 1,000 women

Total Period Fertility Rate (TPFR) is the average number of children that would be born to a cohort of women who experienced throughout their childbearing years the fertility rates of the calendar year in question.

Table 6a
Notified live births by maternal residence by birth weight 2000–09

BELFAST LCG

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2000	13	0.4	258	7.5	3,173	92.3	0	0.0	3,444	100
2001	22	0.5	270	6.7	3,739	92.8	0	0.0	4,031	100
2002	17	0.4	270	6.9	3,613	92.6	0	0.0	3,900	100
2003	18	0.4	243	6.0	3,795	93.5	1	0.0	4,057	100
2004	28	0.7	267	6.5	3,797	92.8	0	0.0	4,092	100
2005	37	0.9	243	6.1	3,720	93.0	1	0.0	4,001	100
2006	25	0.6	283	6.7	3,920	92.7	1	0.0	4,229	100
2007	22	0.5	226	5.1	4,182	94.4	0	0.0	4,430	100
2008	28	0.6	304	6.4	4,415	93.0	0	0.0	4,747	100
2009	27	0.6	311	6.7	4,335	92.8	0	0.0	4,673	100

NORTHERN LCG

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2000	32	0.6	290	5.4	5,024	94.0	0	0.0	5,346	100
2001	23	0.4	252	4.7	5,094	94.9	0	0.0	5,369	100
2002	42	0.8	278	5.1	5,092	94.1	0	0.0	5,412	100
2003	25	0.5	287	5.4	5,048	94.2	0	0.0	5,360	100
2004	19	0.3	296	5.2	5,389	94.5	0	0.0	5,704	100
2005	25	0.4	308	5.5	5,294	94.1	1	0.0	5,628	100
2006	23	0.4	357	6.1	5,427	93.5	0	0.0	5,807	100
2007	18	0.3	334	5.5	5,700	94.2	0	0.0	6,052	100
2008	37	0.6	368	5.9	5,857	93.5	0	0.0	6,262	100
2009	27	0.5	324	5.4	5,607	94.1	0	0.0	5,958	100

SOUTH EASTERN LCG

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2000	14	0.3	270	5.8	4,406	93.9	0	0.0	4,690	100
2001	12	0.3	217	5.5	3,750	94.2	0	0.0	3,979	100
2002	17	0.4	223	5.9	3,569	93.7	0	0.0	3,809	100
2003	23	0.6	210	5.3	3,713	94.1	1	0.0	3,947	100
2004	23	0.6	205	5.0	3,837	94.4	0	0.0	4,065	100
2005	22	0.5	235	5.8	3,765	93.6	1	0.0	4,023	100
2006	30	0.7	238	5.6	4,018	93.7	0	0.0	4,286	100
2007	22	0.5	240	5.3	4,268	94.2	2	0.0	4,532	100
2008	14	0.3	234	5.0	4,440	94.7	0	0.0	4,688	100
2009	21	0.5	246	5.4	4,285	94.0	5	0.1	4,557	100

SOUTHERN LCG

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2000	22	0.5	209	4.9	4,017	94.6	0	0.0	4,248	100
2001	21	0.5	251	5.6	4,243	94.0	0	0.0	4,515	100
2002	16	0.4	253	5.7	4,156	93.9	1	0.0	4,426	100
2003	26	0.6	238	5.3	4,261	94.2	0	0.0	4,525	100
2004	24	0.5	242	5.1	4,461	94.4	0	0.0	4,727	100
2005	17	0.4	235	4.9	4,575	94.8	0	0.0	4,827	100
2006	21	0.4	277	5.5	4,777	94.1	0	0.0	5,075	100
2007	19	0.4	292	5.4	5,094	94.2	1	0.0	5,406	100
2008	35	0.6	261	4.7	5,280	94.6	6	0.1	5,582	100
2009	23	0.4	279	5.0	5,312	94.6	4	0.1	5,618	100

WESTERN LCG

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2000	15	0.4	190	4.8	3,775	94.8	0	0.0	3,980	100
2001	11	0.3	229	5.9	3,657	93.8	0	0.0	3,897	100
2002	12	0.3	217	5.6	3,676	94.1	0	0.0	3,905	100
2003	17	0.4	202	5.2	3,635	94.3	1	0.0	3,855	100
2004	16	0.4	195	5.1	3,581	94.4	0	0.0	3,792	100
2005	26	0.7	193	4.9	3,692	94.4	0	0.0	3,911	100
2006	17	0.4	203	5.0	3,870	94.6	0	0.0	4,090	100
2007	19	0.5	244	5.9	3,876	93.6	0	0.0	4,139	100
2008	19	0.4	233	5.5	4,012	94.1	0	0.0	4,264	100
2009	15	0.4	249	5.9	3,967	93.7	2	0.0	4,233	100

NORTHERN IRELAND

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2000	96	0.4	1217	5.6	20,395	94.0	0	0.0	21,708	100
2001	89	0.4	1219	5.6	20,483	94.0	0	0.0	21,791	100
2002	104	0.5	1241	5.8	20,106	93.7	1	0.0	21,452	100
2003	109	0.5	1180	5.4	20,452	94.1	3	0.0	21,744	100
2004	110	0.5	1205	5.4	21,065	94.1	0	0.0	22,380	100
2005	127	0.6	1214	5.4	21,046	94.0	3	0.0	22,390	100
2006	116	0.5	1358	5.8	22,012	93.7	1	0.0	23,487	100
2007	100	0.4	1336	5.4	23,120	94.1	3	0.0	24,559	100
2008	133	0.5	1400	5.5	24,004	94.0	6	0.0	25,543	100
2009	113	0.5	1409	5.6	23,506	93.9	11	0.0	25,039	100

SOURCE: Child Health System

FOOTNOTE: Percentages may not total 100 due to rounding.

Table 6b
Notified still births by maternal residence by birth weight 2000–09

BELFAST LCG

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2000	6	30.0	7	35.0	7	35.0	0	0	20	100
2001	7	26.9	8	30.8	11	42.3	0	0.0	26	100
2002	9	36.0	12	48.0	4	16.0	0	0.0	25	100
2003	6	31.6	10	52.6	3	15.8	0	0.0	19	100
2004	7	30.4	10	43.5	5	21.7	1	4.3	23	100
2005	3	23.1	4	30.8	6	46.2	0	0.0	13	100
2006	2	11.1	6	33.3	10	55.6	0	0.0	18	100
2007	4	22.2	8	44.4	6	33.3	0	0.0	18	100
2008	8	47.1	4	23.5	5	29.4	0	0.0	17	100
2009	7	28.0	7	28.0	10	40.0	1	4.0	25	100

NORTHERN LCG

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2000	7	29.2	8	33.3	9	37.5	0	0.0	24	100
2001	9	32.1	12	42.9	7	25.0	0	0.0	28	100
2002	10	33.3	12	40.0	8	26.7	0	0.0	30	100
2003	6	24.0	9	36.0	9	36.0	1	4.0	25	100
2004	7	25.9	9	33.3	11	40.7	0	0.0	27	100
2005	4	19.0	9	42.9	8	38.1	0	0.0	21	100
2006	3	20.0	5	33.3	7	46.7	0	0.0	15	100
2007	14	37.8	15	40.5	8	21.6	0	0.0	37	100
2008	7	25.0	10	35.7	11	39.3	0	0.0	28	100
2009	11	32.4	15	44.1	8	23.5	0	0.0	34	100

SOUTH EASTERN LCG

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2000	7	35.0	6	30.0	7	35.0	0	0.0	20	100
2001	8	36.4	4	18.2	9	40.9	1	4.5	22	100
2002	5	22.7	12	54.5	5	22.7	0	0.0	22	100
2003	6	37.5	5	31.3	4	25.0	1	6.3	16	100
2004	11	47.8	5	21.7	7	30.4	0	0.0	23	100
2005	4	16.7	11	45.8	9	37.5	0	0.0	24	100
2006	7	30.4	10	43.5	6	26.1	0	0.0	23	100
2007	5	45.5	4	36.4	1	9.1	1	9.1	11	100
2008	2	9.1	15	68.2	5	22.7	0	0.0	22	100
2009	4	19.0	6	28.6	11	52.4	0	0.0	21	100

SOUTHERN LCG

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2000	5	23.8	10	47.6	6	28.6	0	0.0	21	100
2001	4	21.1	9	47.4	6	31.6	0	0.0	19	100
2002	5	27.8	9	50.0	4	22.2	0	0.0	18	100
2003	14	43.8	10	31.3	7	21.9	1	3.1	32	100
2004	5	27.8	7	38.9	6	33.3	0	0.0	18	100
2005	6	28.6	7	33.3	8	38.1	0	0.0	21	100
2006	5	31.3	5	31.3	6	37.5	0	0.0	16	100
2007	5	25.0	7	35.0	8	40.0	0	0.0	20	100
2008	8	26.7	12	40.0	10	33.3	0	0.0	30	100
2009	6	21.4	12	42.9	10	35.7	0	0.0	28	100

WESTERN LCG

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2000	2	20.0	3	30.0	5	50.0	0	0.0	10	100
2001	3	16.7	7	38.9	8	44.4	0	0.0	18	100
2002	4	17.4	7	30.4	12	52.2	0	0.0	23	100
2003	3	14.3	5	23.8	13	61.9	0	0.0	21	100
2004	9	33.3	11	40.7	7	25.9	0	0.0	27	100
2005	3	23.1	5	38.5	5	38.5	0	0.0	13	100
2006	3	17.6	8	47.1	6	35.3	0	0.0	17	100
2007	11	52.4	6	28.6	4	19.0	0	0.0	21	100
2008	2	10.5	7	36.8	10	52.6	0	0.0	19	100
2009	4	28.6	5	35.7	5	35.7	0	0.0	14	100

NORTHERN IRELAND

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2000	27	28.4	34	35.8	34	35.8	0	0.0	95	100
2001	31	27.4	40	35.4	41	36.3	1	0.9	113	100
2002	33	28.0	52	44.1	33	28.0	0	0.0	118	100
2003	35	31.0	39	34.5	36	31.9	3	2.7	113	100
2004	39	33.1	42	35.6	36	30.5	1	0.8	118	100
2005	20	21.7	36	39.1	36	39.1	0	0.0	92	100
2006	20	22.5	34	38.2	35	39.3	0	0.0	89	100
2007	39	36.4	40	37.4	27	25.2	1	0.9	107	100
2008	27	23.3	48	41.4	41	35.3	0	0.0	116	100
2009	32	26.2	45	36.9	44	36.1	1	0.8	122	100

SOURCE: Child Health System

FOOTNOTE: Percentages may not total 100 due to rounding.

Table 7a
Infant/perinatal death rates, Northern Ireland 2000–09

Year	Perinatal		Neonatal		Post neonatal		Infant	
	No	Rate	No	Rate	No	Rate	No	Rate
2000	134	6.1	82	3.8	27	1.2	109	5.0
2001	163	7.3	98	4.4	36	1.6	134	6.0
2002	166	7.6	73	3.4	27	1.2	100	4.6
2003	152	6.9	87	3.9	28	1.3	115	5.2
2004	151	6.6	83	3.6	39	1.7	122	5.3
2005	165	7.2	111	4.9	29	1.3	140	6.1
2006	146	6.1	90	3.8	31	1.3	121	5.1
2007	149	5.9	81	3.2	42	1.7	123	4.9
2008	194	7.4	95	3.6	28	1.1	123	4.7
2009	199	7.8	97	3.8	33	1.3	130	5.1

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: **Perinatal mortality rate:** Number of stillbirths and deaths in the first week of life per 1,000 live and stillbirths per annum (including non Northern Ireland residents).
Neonatal mortality rate: Number of deaths in the first four weeks of life per 1,000 live births per annum (including non Northern Ireland residents).
Post neonatal mortality rate: Number of deaths after the first four weeks but before the end of the first year per 1,000 live births per annum (including non Northern Ireland residents).
Infant mortality rate: Number of deaths in the first year of life per 1,000 live births per annum (including non Northern Ireland residents).
The Stillbirth (definition) Act 1992 re-defined stillbirths, from 1 October 1992, to include losses between 24 and 27 weeks gestation.

Table 7b
Infant/perinatal death rates, LCGs 2000–09

BELFAST LCG

Year	Perinatal		Neonatal		Post neonatal		Infant	
	No	Rate	No	Rate	No	Rate	No	Rate
2000	37	8.8	19	4.5	6	1.4	25	6.0
2001	38	9.1	16	3.9	9	2.2	25	6.1
2002	33	8.2	8	2.0	7	1.8	15	3.8
2003	29	7.0	16	3.9	11	2.7	27	6.5
2004	37	8.6	22	5.1	6	1.4	28	6.5
2005	37	9.1	29	7.1	11	2.7	40	9.8
2006	28	6.7	14	3.4	4	1.0	18	4.3
2007	31	6.9	17	3.8	8	1.8	25	5.6
2008	39	8.1	21	4.4	9	1.9	30	6.3
2009	42	8.9	19	4.0	5	1.1	24	5.1

NORTHERN LCG

Year	Perinatal		Neonatal		Post neonatal		Infant	
	No	Rate	No	Rate	No	Rate	No	Rate
2000	35	6.6	20	3.8	6	1.1	26	4.9
2001	48	8.8	25	4.6	8	1.5	33	6.1
2002	55	10.1	25	4.6	6	1.1	31	5.7
2003	38	7.1	17	3.2	7	1.3	24	4.5
2004	32	5.6	8	1.4	7	1.2	15	2.6
2005	36	6.4	21	3.7	5	0.9	26	4.6
2006	31	5.3	20	3.5	7	1.2	27	4.7
2007	51	8.4	16	2.7	10	1.7	26	4.3
2008	46	7.2	22	3.5	7	1.1	29	4.6
2009	55	9.2	26	4.4	10	1.7	36	6.0

SOUTH EASTERN LCG

Year	Perinatal		Neonatal		Post neonatal		Infant	
	No	Rate	No	Rate	No	Rate	No	Rate
2000	30	7.6	13	3.3	6	1.5	19	4.8
2001	34	8.5	15	3.8	7	1.8	22	5.5
2002	29	7.7	9	2.4	5	1.3	14	3.7
2003	25	6.3	13	3.3	3	0.8	16	4.0
2004	40	9.8	18	4.4	8	2.0	26	6.4
2005	40	10.0	18	4.5	6	1.5	24	6.0
2006	40	9.4	22	5.2	4	0.9	26	6.1
2007	23	5.1	12	2.7	8	1.8	20	4.4
2008	29	6.2	10	2.1	4	0.9	14	3.0
2009	37	8.1	19	4.2	5	1.1	24	5.3

SOUTHERN LCG

Year	Perinatal		Neonatal		Post neonatal		Infant	
	No	Rate	No	Rate	No	Rate	No	Rate
2000	35	8.1	17	3.9	4	0.9	21	4.9
2001	38	8.1	27	5.8	6	1.3	33	7.0
2002	33	7.1	14	3.0	4	0.9	18	3.9
2003	48	10.2	25	5.3	4	0.9	29	6.2
2004	40	8.1	23	4.6	7	1.4	30	6.1
2005	33	6.4	15	2.9	5	1.0	20	3.9
2006	40	7.4	21	3.9	7	1.3	28	5.2
2007	36	6.3	19	3.3	9	1.6	28	4.9
2008	51	8.5	26	4.3	4	0.7	30	5.0
2009	38	6.4	16	2.7	6	1.0	22	3.7

WESTERN LCG

Year	Perinatal		Neonatal		Post neonatal		Infant	
	No	Rate	No	Rate	No	Rate	No	Rate
2000	20	5.0	13	3.2	5	1.2	18	4.5
2001	29	7.2	15	3.7	6	1.5	21	5.2
2002	41	10.2	17	4.3	5	1.3	22	5.5
2003	37	9.3	16	4.1	3	0.8	19	4.8
2004	36	9.2	12	3.1	11	2.8	23	5.9
2005	39	9.7	28	7.0	2	0.5	30	7.5
2006	26	6.2	13	3.1	9	2.1	22	5.2
2007	33	7.8	17	4.0	7	1.7	24	5.7
2008	29	6.5	16	3.6	4	0.9	20	4.5
2009	27	6.1	17	3.9	7	1.6	24	5.5

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: **Perinatal mortality rate:** Number of stillbirths and deaths in the first week of life per 1,000 live and stillbirths per annum (including non Northern Ireland residents).
Neonatal mortality rate: Number of deaths in the first four weeks of life per 1,000 live births per annum (including non Northern Ireland residents).
Post neonatal mortality rate: Number of deaths after the first four weeks but before the end of the first year per 1,000 live births per annum (including non Northern Ireland residents).
Infant mortality rate: Number of deaths in the first year of life per 1,000 live births per annum (including non Northern Ireland residents).
 The Stillbirth (definition) Act 1992 re-defined stillbirths, from 1 October 1992, to include losses between 24 and 27 weeks gestation.

Table 8
Standardised mortality ratios, age 1–14 years, LCGs 2005–09

Local Commissioning Group	ALL CAUSES (2005-2009)		ACCIDENTS (ICD10: V00-X59) (2005-2009)	
	DEATHS	S.M.R.	DEATHS	S.M.R.
Belfast	37	71	15	106
Northern	59	85	14	74
South Eastern	55	106	9	64
Southern	69	124	22	146
Western	61	119	16	116
NORTHERN IRELAND	281	100	76	100

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: ICD = International Classification of Diseases (10th Revision)

Table 9a
Directly standardised death rates, selected major causes of death age 15–74 years,
Northern Ireland 2000–09

(i) Male

Condition	ICD10 CODE	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
All Causes		599.5	575.2	578.4	543.2	495.7	526.8	524.9	516.1	506.3	474.5
Cancer of Stomach	C16	11.6	10.5	8.9	9.2	10.4	7.4	7.1	6.7	4.8	6.8
Cancer of Colon	C18	15.0	13.8	14.9	17.2	16.0	13.6	12.3	13.8	12.7	10.9
Cancer of Rectum	C19-C21	5.7	6.5	4.4	9.5	9.5	7.9	8.1	9.8	7.4	7.7
Cancer of Lung	C33-C34	53.0	56.1	54.5	49.0	48.6	47.7	53.0	45.6	51.5	44.7
Ischaemic Heart Disease	I20-I25	154.5	140.9	134.1	120.6	112.9	107.9	102.4	99.7	87.6	82.7
Cerebrovascular Disease	I60-I69	29.6	27.5	34.0	30.2	25.3	24.5	24.1	18.9	20.1	18.5
Respiratory Diseases	J00-J99	64.8	46.5	41.4	52.6	47.9	43.7	35.7	40.2	41.9	38.3
Diseases of the genitourinary system	N00-N99	5.3	5.7	5.9	4.5	3.8	5.3	5.6	5.1	4.2	2.8
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	16.1	16.1	15.7	13.6	15.0	18.7	16.6	17.2	14.6	13.8
Suicide/self inflicted injuries	X60-X84, Y87.0	21.4	19.3	21.2	16.4	16.6	23.4	30.8	23.2	29.6	27.8

(ii) Female

Condition	ICD10 CODE	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
All causes		370.0	346.3	343.6	328.9	300.9	306.2	312.4	302.5	305.5	308.6
Cancer of Stomach	C16	5.4	5.2	4.5	3.8	4.0	3.6	4.5	3.4	3.1	2.3
Cancer of Colon	C18	11.4	7.4	7.1	9.3	10.4	9.3	8.3	9.2	7.6	7.7
Cancer of Rectum	C19-C21	3.6	3.7	4.0	6.2	4.3	3.7	2.3	2.8	4.5	4.6
Cancer of Lung	C33-C34	32.3	27.2	28.1	26.7	28.9	26.3	27.0	27.2	27.1	31.2
Cancer of Breast	C50	31.1	31.1	26.5	25.1	31.6	25.1	26.9	24.9	26.5	26.9
Cancer of Cervix	C53	3.9	3.0	2.6	3.2	3.2	1.6	3.0	1.6	2.7	1.9
Ischaemic Heart Disease	I20-I25	57.3	54.3	49.8	40.7	38.0	38.8	37.7	32.5	30.6	30.2
Cerebrovascular Disease	I60-I69	24.6	23.9	25.7	19.9	19.0	16.5	17.7	18.4	17.8	13.7
Respiratory Diseases	J00-J99	47.7	31.1	33.9	33.7	32.0	26.7	26.9	27.3	28.8	31.4
Diseases of the genitourinary system	N00-N99	2.7	4.1	5.3	4.1	4.9	3.7	3.2	4.7	3.4	4.7
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	3.8	4.2	4.1	3.3	5.1	5.3	5.0	4.8	5.0	2.2
Suicide/self inflicted injuries	X60-X84, Y87.0	5.1	3.5	4.4	4.5	6.2	5.4	7.4	8.4	7.9	5.4

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: ICD = International Classification of Diseases (10th Revision).
 In 2001, ICD10 classification of diseases was introduced to replace ICD09. There was a change in the selection rules between ICD09 and ICD10 and this had a significant effect on the way pneumonia and bronchopneumonia were coded and therefore there has been a fall in the number of deaths from these causes since the implementation of ICD10 in 2001.
 Rates are per 100,000 population
 All rates are standardised to the revised 2001 home mid year estimate

Table 9b**Age standardised death rates (standardised to EU populations), selected major causes of death age 15–74 years, Northern Ireland 2000–09****(i) Male**

Condition	ICD10 CODE	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
All Causes		601.1	576.3	581.5	543.4	543.8	530.6	529.1	521.3	508.5	478.3
Cancer of Stomach	C16	11.7	10.6	8.8	9.4	10.2	7.4	7.1	6.6	4.7	6.7
Cancer of Colon	C18	15.1	14.0	14.9	17.5	14.5	13.6	12.4	14.2	12.9	11.1
Cancer of Rectum	C19-C21	5.8	6.6	4.5	9.8	9.2	8.1	8.3	9.8	7.4	7.7
Cancer of Lung	C33-C34	52.9	56.1	54.9	49.1	47.7	48.2	53.1	46.2	51.7	44.9
Ischaemic Heart Disease	I20-I25	155.5	141.9	135.3	121.2	121.4	108.9	103.9	101.4	86.6	83.4
Cerebrovascular Disease	I60-I69	29.3	27.3	33.1	29.9	26.2	24.3	24.0	18.9	20.0	18.6
Respiratory Diseases	J00-J99	63.6	46.0	41.0	51.5	47.1	43.0	35.5	39.5	41.7	38.2
Diseases of the genitourinary system	N00-N99	5.1	5.6	5.9	4.6	3.1	5.3	5.4	5.0	4.1	2.7
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	15.8	15.6	15.3	13.4	14.9	18.4	16.4	16.9	14.3	13.5
Suicide/self inflicted injuries	X60-X84, Y87.0	20.9	18.9	21.0	16.3	15.1	23.2	30.8	23.3	29.3	27.6

(ii) Female

Condition	ICD10 CODE	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
All causes		372.3	347.1	345.5	330.1	330.3	308.1	315.1	305.4	308.6	311.1
Cancer of Stomach	C16	5.4	5.1	4.4	3.8	4.0	3.6	4.4	3.5	3.1	2.5
Cancer of Colon	C18	11.5	7.3	7.2	9.5	9.5	9.5	8.3	9.3	7.6	7.8
Cancer of Rectum	C19-C21	3.7	3.7	4.2	6.4	4.9	3.8	2.4	2.8	4.6	4.6
Cancer of Lung	C33-C34	32.5	27.4	28.5	26.9	28.3	26.5	27.6	27.6	27.5	31.6
Cancer of Breast	C50	32.5	32.3	27.3	26.0	31.4	26.2	28.0	25.5	27.4	27.5
Cancer of Cervix	C53	4.2	3.1	2.7	3.3	3.7	1.7	3.2	1.7	2.7	1.9
Ischaemic Heart Disease	I20-I25	56.6	53.3	49.2	40.3	41.2	38.4	37.6	32.3	30.2	29.9
Cerebrovascular Disease	I60-I69	24.7	23.8	25.6	19.8	21.7	16.2	17.6	18.1	17.9	13.7
Respiratory Diseases	J00-J99	47.7	30.7	33.9	33.2	31.3	26.6	26.7	27.4	28.5	31.1
Diseases of the genitourinary system	N00-N99	2.5	4.1	5.2	4.1	4.4	3.6	3.1	4.6	3.4	4.6
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	3.8	4.0	4.0	3.2	5.8	5.2	4.9	4.7	5.0	2.1
Suicide/self inflicted injuries	X60-X84, Y87.0	5.1	3.5	4.4	3.5	4.9	5.5	7.5	8.5	7.9	5.3

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: ICD = International Classification of Diseases (10th Revision). In 2001, ICD10 classification of diseases was introduced to replace ICD09. There was a change in the selection rules between ICD09 and ICD10 and this had a significant effect on the way pneumonia and bronchopneumonia were coded and therefore there has been a fall in the number of deaths from these causes since the implementation of ICD10 in 2001.

Rates are per 100,000 population. All rates are standardised to the Standard EU population (Source: Health Statistics - Atlas on mortality in the European Union, Annexe 1)

http://epp.eurostat.ec.europa.eu/cache/ITY_SDDS/Annexes/hlth_cdeath_esms_an1.pdf

Table 9c
Directly standardised death rates, selected major causes of death age 15–74 years, LCGs
2000–09

BELFAST LCG

Condition	ICD10 CODE	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
(i) Male											
All Causes		706.0	670.0	733.4	641.4	640.4	652.7	621.8	663.9	707.0	623.9
Cancer of Stomach	C16	12.7	9.4	13.5	9.5	13.0	12.1	6.1	8.8	6.1	10.3
Cancer of Colon	C18	11.6	13.7	11.9	25.7	15.5	19.0	18.3	19.1	17.2	13.0
Cancer of Rectum	C19-C21	10.2	5.0	6.0	10.4	10.4	9.5	7.8	13.9	9.4	12.9
Cancer of Lung	C33-C34	66.0	80.2	79.7	73.5	73.1	59.8	87.1	77.2	84.6	60.6
Ischaemic Heart Disease	I20-I25	166.3	151.4	154.5	124.3	130.5	131.9	116.6	106.4	106.0	117.7
Cerebrovascular Disease	I60-I69	25.2	29.6	44.8	42.6	36.9	23.5	33.1	30.4	30.5	30.3
Respiratory Diseases	J00-J99	96.1	57.2	60.2	66.7	54.9	57.1	47.9	60.7	63.0	54.5
Diseases of the genitourinary system	N00-N99	1.6	6.7	10.3	6.1	4.3	8.7	7.9	3.5	4.3	5.1
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	13.7	11.6	11.3	11.0	10.7	13.2	9.3	9.9	12.5	8.9
Suicide/self inflicted injuries	X60-X84, Y87.0	26.9	23.8	23.7	20.0	17.8	30.7	34.7	28.9	40.1	42.1
(ii) Female											
All Causes		451.3	397.1	392.9	379.4	382.5	342.1	377.2	367.3	356.2	379.1
Cancer of Stomach	C16	6.5	8.6	3.7	5.8	2.7	2.8	5.8	5.7	4.3	3.0
Cancer of Colon	C18	16.3	8.3	6.4	4.5	12.4	8.1	10.4	11.2	6.6	7.8
Cancer of Rectum	C19-C21	3.9	2.6	2.0	6.1	6.4	4.5	2.2	2.4	6.0	4.5
Cancer of Lung	C33-C34	52.4	35.5	42.6	36.2	40.1	35.9	39.2	38.9	38.9	48.2
Cancer of Breast	C50	25.9	33.7	34.3	23.9	28.7	21.8	25.7	26.8	29.0	24.7
Cancer of Cervix	C53	6.6	2.2	3.5	3.2	3.6	3.8	3.1	0.7	3.1	3.2
Ischaemic Heart Disease	I20-I25	63.2	56.5	48.2	38.4	53.6	41.0	45.7	40.8	38.8	45.1
Cerebrovascular Disease	I60-I69	36.1	25.2	26.5	25.1	21.2	21.4	21.4	16.6	26.9	17.9
Respiratory Diseases	J00-J99	68.1	39.5	40.7	45.1	40.4	33.3	29.3	38.6	29.1	38.4
Diseases of the genitourinary system	N00-N99	3.0	6.6	4.1	5.9	3.2	2.8	6.3	4.1	3.1	7.0
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	1.3	3.7	0.6	1.4	4.0	0.7	1.6	4.6	2.3	0.0
Suicide/self inflicted injuries	X60-X84, Y87.0	11.0	4.7	4.8	5.5	8.5	5.6	10.8	12.2	6.6	10.3

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: ICD = International Classification of Diseases (10th Revision).
 In 2001, ICD10 classification of diseases was introduced to replace ICD09. There was a change in the selection rules between ICD09 and ICD10 and this had a significant effect on the way pneumonia and bronchopneumonia were coded and therefore there has been a fall in the number of deaths from these causes since the implementation of ICD10 in 2001. Rates are per 100,000 population. All rates are standardised to the revised 2001 home mid year estimate

NORTHERN LCG

Condition	ICD10 CODE	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
(i) Male											
All Causes		550.6	543.2	532.0	504.1	510.6	482.7	495.2	466.6	463.7	433.9
Cancer of Stomach	C16	9.4	10.5	6.6	7.0	9.8	7.4	10.7	4.7	3.4	4.5
Cancer of Colon	C18	13.6	15.3	16.4	10.2	15.7	13.0	12.6	9.9	10.4	9.4
Cancer of Rectum	C19-C21	5.4	6.0	7.1	11.6	8.6	6.7	7.9	8.2	6.9	8.4
Cancer of Lung	C33-C34	48.4	49.4	54.8	40.5	45.1	44.1	44.8	42.1	44.3	41.8
Ischaemic Heart Disease	I20-I25	143.3	142.3	122.1	106.1	120.4	97.6	99.8	91.5	85.2	72.0
Cerebrovascular Disease	I60-I69	34.1	23.7	34.4	30.0	20.1	29.6	19.3	15.0	16.2	12.9
Respiratory Diseases	J00-J99	54.1	40.1	32.8	53.6	42.4	34.3	35.3	32.9	32.0	33.4
Diseases of the genitourinary system	N00-N99	6.2	7.4	3.3	1.9	2.4	4.2	5.4	6.0	5.2	1.7
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	17.1	12.4	17.5	13.6	19.4	19.5	15.4	16.5	14.5	17.0
Suicide/self inflicted injuries	X60-X84, Y87.0	16.5	15.7	20.2	16.0	10.9	20.5	28.1	18.7	23.9	24.1
(ii) Female											
All Causes		322.4	337.8	312.5	310.7	299.5	293.5	293.8	267.2	289.9	278.2
Cancer of Stomach	C16	4.8	4.8	3.6	2.3	4.5	3.5	5.0	0.5	3.1	2.6
Cancer of Colon	C18	9.8	7.8	6.4	9.9	11.5	10.1	7.7	10.2	5.3	7.7
Cancer of Rectum	C19-C21	6.6	3.6	1.2	6.3	4.0	3.3	3.3	2.8	7.0	5.2
Cancer of Lung	C33-C34	28.4	23.8	24.0	17.9	24.6	28.8	20.8	18.9	29.2	26.6
Cancer of Breast	C50	31.7	26.6	20.9	28.7	32.7	24.7	29.7	22.5	25.4	23.4
Cancer of Cervix	C53	4.4	4.4	1.2	4.6	1.1	0.0	1.1	1.1	2.3	1.6
Ischaemic Heart Disease	I20-I25	62.0	57.2	40.9	38.7	34.4	29.8	35.8	29.3	27.5	23.6
Cerebrovascular Disease	I60-I69	17.4	24.8	25.4	20.4	23.4	13.8	20.2	17.7	13.9	12.2
Respiratory Diseases	J00-J99	31.4	31.7	28.6	33.0	29.7	25.2	24.8	25.4	28.5	26.5
Diseases of the genitourinary system	N00-N99	2.4	2.4	5.2	2.9	5.2	3.9	2.8	6.5	2.1	4.6
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	4.3	4.4	5.0	3.3	6.4	5.4	7.6	7.9	6.7	1.2
Suicide/self inflicted injuries	X60-X84, Y87.0	4.6	1.9	5.2	3.3	2.3	5.4	6.0	4.3	4.1	1.1

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: ICD = International Classification of Diseases (10th Revision).
 In 2001, ICD10 classification of diseases was introduced to replace ICD09. There was a change in the selection rules between ICD09 and ICD10 and this had a significant effect on the way pneumonia and bronchopneumonia were coded and therefore there has been a fall in the number of deaths from these causes since the implementation of ICD10 in 2001. Rates are per 100,000 population. All rates are standardised to the revised 2001 home mid year estimate

SOUTH EASTERN LCG

Condition	ICD10 CODE	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
(i) Male											
All Causes		534.3	519.7	500.9	478.1	492.0	475.4	445.4	464.0	405.2	398.2
Cancer of Stomach	C16	7.3	10.0	2.5	9.2	12.2	7.0	7.1	9.5	3.0	5.1
Cancer of Colon	C18	18.1	9.9	21.2	13.8	14.8	10.1	6.4	17.0	6.7	6.5
Cancer of Rectum	C19-C21	3.6	7.9	3.5	8.1	10.0	6.5	5.6	8.5	9.2	4.1
Cancer of Lung	C33-C34	48.4	51.8	38.1	38.4	37.8	38.5	38.2	38.2	38.1	32.9
Ischaemic Heart Disease	I20-I25	143.5	119.1	122.8	114.1	97.8	90.5	96.1	84.6	66.6	74.7
Cerebrovascular Disease	I60-I69	26.1	28.4	33.2	19.9	22.0	20.7	20.4	18.1	21.5	13.1
Respiratory Diseases	J00-J99	47.8	42.0	36.7	39.1	46.1	42.5	22.9	34.4	39.6	29.3
Diseases of the genitourinary system	N00-N99	4.7	5.4	1.6	3.6	3.4	4.2	4.8	6.7	5.3	1.4
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	13.3	13.2	12.9	17.2	13.8	15.5	8.2	10.6	14.4	11.5
Suicide/self inflicted injuries	X60-X84, Y87.0	25.5	20.4	21.0	15.0	12.9	23.4	24.3	18.6	19.2	15.8
(ii) Female											
All Causes		348.0	286.2	322.9	320.4	286.1	280.9	263.1	292.2	286.8	275.7
Cancer of Stomach	C16	4.0	2.4	3.8	3.1	4.5	5.1	1.5	3.5	2.3	2.0
Cancer of Colon	C18	6.4	2.4	5.4	13.7	8.8	9.4	5.9	11.5	10.0	7.3
Cancer of Rectum	C19-C21	1.6	3.9	7.7	6.7	5.4	1.4	2.1	2.8	4.1	7.7
Cancer of Lung	C33-C34	27.0	21.3	23.9	30.4	20.5	17.7	18.8	27.9	17.6	25.4
Cancer of Breast	C50	40.8	33.1	22.5	22.7	30.0	26.8	23.6	25.3	26.5	24.0
Cancer of Cervix	C53	1.6	2.5	2.5	1.7	4.4	2.1	3.8	3.9	3.1	1.5
Ischaemic Heart Disease	I20-I25	53.1	44.1	52.6	41.2	28.3	40.5	27.3	33.9	31.3	26.3
Cerebrovascular Disease	I60-I69	23.0	22.1	22.5	20.6	17.1	16.2	15.8	16.1	16.0	15.4
Respiratory Diseases	J00-J99	50.9	29.1	38.3	26.8	27.1	21.2	26.2	24.4	33.0	31.2
Diseases of the genitourinary system	N00-N99	3.1	4.7	3.1	2.3	5.2	3.0	1.5	4.1	3.5	4.0
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	3.6	4.4	3.5	0.9	5.2	2.6	3.2	3.5	2.1	0.7
Suicide/self inflicted injuries	X60-X84, Y87.0	5.8	4.1	6.7	5.0	5.0	7.4	6.0	5.0	7.9	4.2

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: ICD = International Classification of Diseases (10th Revision).

In 2001, ICD10 classification of diseases was introduced to replace ICD09. There was a change in the selection rules between ICD09 and ICD10 and this had a significant effect on the way pneumonia and bronchopneumonia were coded and therefore there has been a fall in the number of deaths from these causes since the implementation of ICD10 in 2001. Rates are per 100,000 population. All rates are standardised to the revised 2001 home mid year estimate

SOUTHERN LCG

Condition	ICD10 CODE	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
(i) Male											
All Causes		617.1	577.6	543.8	539.7	527.2	506.9	532.5	443.1	473.4	473.3
Cancer of Stomach	C16	15.4	12.7	7.7	12.0	6.6	4.6	1.6	4.3	5.2	7.3
Cancer of Colon	C18	12.9	10.6	12.2	19.6	8.2	10.6	12.1	12.6	17.1	14.6
Cancer of Rectum	C19-C21	7.1	6.0	1.9	12.0	8.2	7.0	10.4	6.8	7.5	9.0
Cancer of Lung	C33-C34	46.4	46.4	44.2	45.2	39.3	51.4	44.7	25.1	45.9	40.9
Ischaemic Heart Disease	I20-I25	165.0	143.2	131.5	134.6	128.8	107.8	113.6	107.8	86.2	79.4
Cerebrovascular Disease	I60-I69	32.7	36.2	26.3	24.6	27.6	25.3	25.4	11.2	15.7	18.4
Respiratory Diseases	J00-J99	66.7	48.2	34.0	49.0	42.9	36.6	37.6	36.6	35.5	39.8
Diseases of the genitourinary system	N00-N99	7.3	4.0	8.0	6.5	1.0	2.8	3.7	1.7	2.5	4.1
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	24.3	26.1	14.3	13.9	14.8	26.7	24.1	20.4	15.4	13.0
Suicide/self inflicted injuries	X60-X84, Y87.0	18.7	20.5	22.2	18.2	20.6	20.4	28.6	24.0	37.6	25.4
(ii) Female											
All Causes		366.7	328.5	330.5	313.5	327.3	298.6	303.4	275.6	311.9	303.1
Cancer of Stomach	C16	5.4	4.3	4.2	4.2	3.3	3.3	5.7	5.5	2.3	3.0
Cancer of Colon	C18	14.3	8.7	5.1	11.8	4.1	6.5	7.3	5.5	8.5	8.4
Cancer of Rectum	C19-C21	2.7	2.6	6.1	7.6	6.7	3.3	2.4	3.1	2.3	3.0
Cancer of Lung	C33-C34	29.4	20.0	17.1	19.4	25.7	16.3	27.3	20.5	26.2	30.1
Cancer of Breast	C50	30.7	35.6	26.8	25.5	33.4	26.2	34.3	28.4	27.0	36.4
Cancer of Cervix	C53	2.8	0.0	1.7	3.4	4.2	0.8	3.3	0.8	1.5	1.6
Ischaemic Heart Disease	I20-I25	54.1	58.1	61.4	43.7	47.2	40.8	37.1	28.3	30.9	26.5
Cerebrovascular Disease	I60-I69	25.7	19.2	29.9	11.8	25.7	18.0	10.5	21.4	17.0	9.1
Respiratory Diseases	J00-J99	45.1	21.7	27.4	28.6	24.9	26.3	22.6	17.4	25.5	25.9
Diseases of the genitourinary system	N00-N99	3.5	1.7	4.3	2.6	3.3	5.7	4.1	1.6	6.1	4.6
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	4.5	5.4	7.7	4.4	8.6	12.7	6.6	4.0	4.7	3.9
Suicide/self inflicted injuries	X60-X84, Y87.0	0.9	3.6	1.8	3.5	0.8	5.0	4.9	12.1	10.3	7.1

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: ICD = International Classification of Diseases (10th Revision).

In 2001, ICD10 classification of diseases was introduced to replace ICD09. There was a change in the selection rules between ICD09 and ICD10 and this had a significant effect on the way pneumonia and bronchopneumonia were coded and therefore there has been a fall in the number of deaths from these causes since the implementation of ICD10 in 2001. Rates are per 100,000 population. All rates are standardised to the revised 2001 home mid year estimate

WESTERN LCG

Condition	ICD10 CODE	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
(i) Male											
All Causes		606.1	572.0	593.4	577.4	543.5	540.6	551.0	578.9	521.7	482.0
Cancer of Stomach	C16	15.4	10.0	15.9	9.8	8.1	5.1	8.5	7.1	7.7	8.2
Cancer of Colon	C18	19.8	21.0	11.0	19.8	17.9	15.7	12.8	11.6	13.9	12.7
Cancer of Rectum	C19-C21	1.2	8.1	2.0	4.5	8.2	11.3	9.7	13.3	3.8	3.7
Cancer of Lung	C33-C34	55.7	51.2	52.1	50.2	40.6	46.3	56.5	48.6	50.3	51.7
Ischaemic Heart Disease	I20-I25	160.9	151.9	146.4	133.1	125.4	119.1	85.0	116.5	101.1	76.1
Cerebrovascular Disease	I60-I69	29.9	20.4	28.6	34.7	29.2	20.9	24.1	22.7	19.0	22.4
Respiratory Diseases	J00-J99	59.7	45.8	46.0	55.1	53.6	53.3	35.7	39.9	45.7	39.0
Diseases of the genitourinary system	N00-N99	7.3	3.5	8.0	6.2	5.3	7.3	6.5	6.9	2.9	2.0
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	11.2	18.7	21.9	12.5	15.8	18.1	26.8	30.0	16.3	18.2
Suicide/self inflicted injuries	X60-X84, Y87.0	20.6	17.6	20.3	13.1	14.8	23.5	40.9	27.4	29.1	35.4
(ii) Female											
All Causes		364.3	387.2	369.7	320.9	359.1	324.9	338.0	327.0	287.3	325.1
Cancer of Stomach	C16	7.4	5.3	8.3	4.0	4.9	2.9	3.7	2.8	3.7	0.9
Cancer of Colon	C18	9.7	10.5	14.5	7.1	9.0	12.6	11.7	6.3	9.1	7.3
Cancer of Rectum	C19-C21	2.1	6.4	4.2	4.1	2.1	6.9	0.9	2.9	1.8	1.8
Cancer of Lung	C33-C34	18.4	39.4	33.3	31.7	26.9	32.2	32.3	34.2	22.1	27.8
Cancer of Breast	C50	25.6	27.2	30.6	21.8	27.3	26.7	19.7	22.2	25.4	27.3
Cancer of Cervix	C53	4.3	6.0	5.1	3.0	5.8	2.0	4.6	1.8	3.6	1.8
Ischaemic Heart Disease	I20-I25	50.6	55.3	50.1	43.1	45.2	48.3	45.6	30.2	24.3	32.6
Cerebrovascular Disease	I60-I69	20.1	27.3	23.8	20.7	22.0	12.9	19.1	20.8	16.4	14.4
Respiratory Diseases	J00-J99	43.8	30.6	36.5	35.2	36.1	28.5	33.8	32.2	27.6	39.3
Diseases of the genitourinary system	N00-N99	1.1	5.3	11.3	8.2	5.9	3.0	0.9	6.8	2.8	2.6
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	6.3	3.0	3.9	6.8	5.8	5.8	5.7	2.8	9.2	5.7
Suicide/self inflicted injuries	X60-X84, Y87.0	1.9	3.9	2.9	5.8	8.6	3.8	10.2	10.2	12.8	5.6

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: ICD = International Classification of Diseases (10th Revision).

In 2001, ICD10 classification of diseases was introduced to replace ICD09. There was a change in the selection rules between ICD09 and ICD10 and this had a significant effect on the way pneumonia and bronchopneumonia were coded and therefore there has been a fall in the number of deaths from these causes since the implementation of ICD10 in 2001. Rates are per 100,000 population. All rates are standardised to the revised 2001 home mid year estimate

Table 10a
Mortality by cause, Northern Ireland 2009

Condition	ICD Number	Total Deaths		Number of Deaths by Age Group					
		Males	Females	Male			Female		
				0-14	15-74	75+	0-14	15-74	75+
ALL CAUSES		6,914	7,499	96	3,149	3,669	85	2,207	5,207
Infectious Diseases	A00-B99	67	97	2	28	37	2	25	70
Cancer of Stomach	C16	85	50	0	45	40	0	17	33
Cancer of Colon	C18	132	139	0	73	59	0	56	83
Cancer of Rectum and Anus	C19-C21	95	71	0	51	44	0	33	38
Cancer of Pancreas	C25	114	100	0	62	52	0	45	55
Cancer of Trachea, Bronchus and Lung	C33-C34	520	386	0	298	222	0	226	160
Cancer of Breast	C50	3	305	0	0	3	0	192	113
Cancer of Cervix	C53	-	21	-	-	-	0	13	8
Cancer of Ovary	C56	-	119	-	-	-	0	62	57
Cancer of Prostate	C61	214	-	0	67	147	-	-	-
Cancer of lymphoid, haematopoietic & related tissue	C81-C96	149	111	0	93	56	0	50	61
Other Cancers	Rem C00-C97	704	567	4	403	297	4	265	298
Benign Neoplasms	D10-D36	5	7	0	1	4	0	1	6
Diabetes Mellitus	E10-E14	108	121	0	42	66	0	40	81
Other Metabolic Diseases	Rem E00-E90	40	50	1	24	15	1	18	31
Diseases of the blood and immune system	D50-D89	10	18	0	4	6	0	6	12
Mental Disorders	F00-F99	167	358	0	46	121	0	24	334
Multiple Sclerosis	G35	15	21	0	15	0	0	15	6
Other Nervous System Diseases	Rem G00-G99	268	312	6	96	166	7	66	239
Chronic Rheumatic Heart Disease	I05-I09	9	26	0	2	7	0	9	17
Hypertensive Disease	I10-I15	35	60	0	12	23	0	18	42
Ischaemic Heart Disease	I20-I25	1,274	1,031	0	551	723	1	219	811
Other forms of heart disease	I30-I52	234	321	1	73	160	2	48	271
Cerebrovascular Disease	I60-I69	436	739	0	123	313	0	99	640
Diseases of arteries, arterioles and capillaries	I70-I79	111	103	0	43	68	0	23	80
Influenza and pneumonia	J10-J18	339	493	2	63	274	5	42	446
Other Respiratory Diseases	Rem J00-J99	562	623	4	191	367	2	185	436
Ulcer of the stomach, duodenum and jejunum	K25-K28	19	31	0	12	7	0	6	25
Chronic Liver Disease	K70, K73-K74	129	87	0	123	6	0	78	9
Other Digestive Diseases	Rem K00-K93	166	254	3	71	92	0	61	193
Diseases of the genitourinary system	N00-N99	134	233	0	18	116	0	34	199
Skin and Musculoskeletal Disease	L00-L99, M00-M99	33	89	0	8	25	0	29	60
Congenital Anomalies	Q00-Q99	41	41	22	18	1	26	14	1
Perinatal Conditions	P00-P96	37	23	37	-	-	23	-	-
III-Defined Causes	R00-R99	38	100	5	15	18	4	13	83
Road Traffic Accidents	V01-V80, V87, V89, Y85	103	25	4	93	6	3	14	8
Accidental Falls	W00-W19	87	68	1	47	39	1	14	53
Other Accidents	Rem V00-X59	111	108	1	71	39	1	36	71
Suicide and Self Inflicted Injury	X60-X84, Y87.0	183	37	1	179	3	0	35	2
Other Causes of Death	Rem A00-Y98	137	154	2	88	47	3	76	75

SOURCE: Northern Ireland Statistics and Research Agency

Table 10b
Mortality by cause, LCGs 2009

Condition	ICD Number	Number of Deaths														
		Belfast LCG		Northern LCG		South Eastern LCG		Southern LCG		Western LCG						
		Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons			
ALL CAUSES		1,563	1,791	3,354	1,717	1,792	3,509	1,300	1,482	2,782	1,235	1,295	2,530	1,099	1,139	2,238
Infectious Diseases	A00-B99	20	26	46	14	31	45	13	15	28	8	15	23	12	10	22
Cancer of Stomach	C16	17	18	35	20	7	27	14	8	22	16	10	26	18	7	25
Cancer of Colon	C18	24	32	56	30	32	62	23	35	58	30	21	51	25	19	44
Cancer of Rectum and Anus	C19-C21	26	17	43	25	18	43	13	22	35	22	9	31	9	5	14
Cancer of Pancreas	C25	15	22	37	32	25	57	23	20	43	25	16	41	19	17	36
Cancer of Trachea, Bronchus, Lung	C33-C34	131	110	241	123	87	210	80	67	147	98	64	162	88	58	146
Cancer of Breast	C50	1	61	62	0	75	75	0	57	57	2	66	68	0	46	46
Cancer of Cervix	C53	..	6	6	..	5	5	..	3	3	..	3	3	..	4	4
Cancer of Ovary	C56	..	27	27	..	31	31	..	25	25	..	24	24	..	12	12
Cancer of Prostate	C61	43	..	43	56	..	56	38	..	38	44	..	44	33	..	33
Cancer of lymphoid, haematopoietic & related tissue	C81-96	27	31	58	45	22	67	23	16	39	30	28	58	24	14	38
Other Cancers	Rem C00-C97	155	108	263	176	156	332	155	109	264	129	109	238	89	85	174
Benign Neoplasms	D10-D36	1	2	3	0	4	4	2	0	2	2	1	3	0	0	0
Diabetes Mellitus	E10-E14	20	16	36	21	38	59	21	19	40	25	20	45	21	28	49
Other Metabolic Diseases	Rem E00-E90	6	13	19	12	13	25	7	8	15	10	7	17	5	9	14
Diseases of the blood and immune system	D50-D89	5	3	8	2	2	4	1	0	1	2	5	7	0	8	8
Mental Disorders	F00-F99	39	91	130	37	71	108	34	93	127	35	71	106	22	32	54
Multiple Sclerosis	G35	1	1	2	8	7	15	1	4	5	3	5	8	2	4	6
Other Nervous System Diseases	Rem G00-G99	59	65	124	60	81	141	63	73	136	47	41	88	39	52	91
Chronic Rheumatic Heart Disease	I05-I09	2	7	9	2	5	7	2	4	6	2	4	6	1	6	7
Hypertensive Disease	I10-I15	4	22	26	20	16	36	3	4	7	4	10	14	4	8	12
Ischaemic Heart Disease	I20-I25	290	259	549	336	250	586	226	195	421	216	168	384	206	159	365
Other forms of heart disease	I30-I52	40	71	111	55	85	140	52	55	107	45	60	105	42	50	92
Cerebrovascular Disease	I60-I69	102	163	265	104	171	275	89	172	261	71	129	200	70	104	174
Diseases of arteries, arterioles and capillaries	I70-I79	25	27	52	25	17	42	20	20	40	18	27	45	23	12	35

Table 10b (continued)
Mortality by cause, LCGs 2009

	Number of Deaths														
	Belfast LCG			Northern LCG			South Eastern LCG			Southern LCG			Western LCG		
	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons
Influenza and pneumonia															
Other Respiratory Diseases															
Ulcer of the stomach, duodenum and jejunum															
Chronic Liver Disease															
Other Digestive Diseases															
Diseases of the genitourinary system															
Skin and Musculoskeletal Disease															
Congenital Anomalies															
Perinatal Conditions															
Ill-Defined Causes															
Road Traffic Accidents															
Accidental Falls															
Other Accidents															
Suicide and Self Inflicted Injury															
Other Causes of Death															

SOURCE: Northern Ireland Statistics and Research Agency

Table 10c
Potential years of life lost (PYLL), selected causes of death age 1–74 years, Northern Ireland, 2009

Condition	ICD Number	Males	Females	Persons
ALL CAUSES		52,080	32,196	84,276
Cancer of Colon	C18	945	570	1,515
Cancer of Rectum and Anus	C19-C21	495	415	910
Cancer of Trachea, Bronchus and Lung	C33-C34	2,980	2,440	5,420
Cancer of Breast	C50	0	2,840	2,840
Cancer of Ovary	C56	..	780	780
Mental Disorders	F00-F99	920	410	1,330
Ischaemic Heart Disease	I20-I25	6,665	2,260	8,925
Cerebrovascular Disease	I60-I69	1,445	1,105	2,550
Influenza and pneumonia	J10-J18	1,012	819	1,831
Other Respiratory Diseases	Rem J00-J99	1,992	1,735	3,727
Chronic Liver Disease	K70, K73-K74	2,575	1,550	4,125
Congenital Anomalies	Q00-Q99	594	435	1,029
Road Traffic Accidents	V01-V80, V87, V89, Y85	3,855	782	4,637
Accidental Falls	W00-W19	1,130	332	1,462
Other Accidents	Rem V00-X59	2,310	850	3,160
Suicide and Self Inflicted Injury	X60-X84, Y87.0	6,470	1,295	7,765
Other Causes of Death	Rem A00-Y98	2,270	1,889	4,159

SOURCE: Northern Ireland Statistics and Research Agency

**Table 10d
PYLL, selected causes of death age 1-74 years, LCGs 2009**

Condition	ICD Number	Number of Years														
		Belfast LCG		Northern LCG		South Eastern LCG		Southern LCG		Western LCG						
		Male	Female	Male	Female	Male	Female	Male	Female	Male	Female					
ALL CAUSES		11,710	6,922	18,632	12,155	7,813	19,968	8,974	5,372	14,346	9,885	6,068	15,953	9,356	6,021	15,377
Cancer of Colon	C18	215	115	330	175	135	310	135	135	270	210	125	335	210	60	270
Cancer of Rectum and Anus	C19-C21	115	60	175	175	130	305	80	165	245	75	40	115	50	20	70
Cancer of Trachea, Bronchus and Lung	C33-C34	735	710	1,445	715	615	1,330	460	340	800	555	470	1,025	515	305	820
Cancer of Breast	C50	0	420	420	0	670	670	0	505	505	0	690	690	0	555	555
Cancer of Ovary	C56	..	155	155	..	205	205	..	135	135	..	180	180	..	105	105
Mental Disorders	F00-F99	260	85	345	305	85	390	85	55	140	115	135	250	155	50	205
Ischaemic Heart Disease	I20-I25	1,645	665	2,310	1,355	370	1,725	1,325	315	1,640	1,300	490	1,790	1,040	420	1,460
Cerebrovascular Disease	I60-I69	435	245	680	295	345	640	160	225	385	265	140	405	290	150	440
Influenza and pneumonia	J10-J18	230	232	462	195	292	487	292	95	387	70	50	120	225	150	375
Other Respiratory Diseases	Rem J00-J99	510	435	945	585	390	975	205	435	640	427	230	657	265	245	510
Chronic Liver Disease	K70, K73-K74	820	385	1,205	425	235	660	590	270	860	380	235	615	360	425	785
Congenital Anomalies	Q00-Q99	60	75	135	105	60	165	70	30	100	80	100	180	279	170	449
Road Traffic Accidents	V01-V80, V87, V89, Y85	495	65	560	1,070	70	1,140	655	5	660	610	277	887	1,025	365	1,390
Accidental Falls	W00-W19	280	95	375	200	70	270	275	15	290	245	40	285	130	112	242
Other Accidents	Rem V00-X59	395	240	635	630	110	740	445	180	625	520	60	580	320	260	580
Suicide and Self Inflicted Injury	X60-X84, Y87.0	1,755	385	2,140	1,570	60	1,630	715	215	930	1,065	375	1,440	1,365	260	1,625
Other Causes of Death	Rem A00-Y98	635	335	970	670	620	1,290	305	235	540	260	205	465	400	494	894

SOURCE: Northern Ireland Statistics and Research Agency

Table 11a
Life expectancy at birth, age 1 and age 65 years, Northern Ireland 1900–2009

PERIOD	AT BIRTH		AT AGE 1 YEAR		AT AGE 65 YEARS	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
1900-02	47.1	46.7	#	#	10.5	10.4
1925-27	55.4	56.1	59.9	59.5	11.9	12.7
1950-52	65.5	68.8	67.5	70.3	12.1	13.5
1975-77	67.5	73.8	67.9	74.1	11.8	15.3
1985-87	70.9	77.1	70.6	76.8	13.2	16.9
1995-97	73.9	79.3	73.3	78.6	14.6	18.1
2000-02	75.2	80.2	74.6	79.5	15.7	18.9
2001-03	75.6	80.5	75.0	79.8	15.9	19.0
2002-04	75.9	80.6	75.3	79.9	16.2	19.1
2003-05	76.1	80.9	75.5	80.2	16.4	19.4
2004-06	76.2	81.0	75.6	80.4	16.7	19.6
2005-07	76.3	81.3	75.6	80.6	16.9	19.8
2006-08	76.4	81.3	75.8	80.6	17.0	19.9
2007-09	76.8	81.4	76.1	80.7	17.2	20.0

SOURCE: General Register Office, Northern Ireland Statistics & Research Agency (via Office for National Statistics)
<http://www.statistics.gov.uk/StatBase/Product.asp?vlnk=8841>

FOOTNOTE: # - figures not available
 Life expectancy at age 1 based on Interim Life Tables for Northern Ireland (Period expectation of life). Source: NISRA
 via Office for National Statistics

Table 11b
Life expectancy at birth, LGDs 1992/94–2007/09
Males

LGD	1992-94	1993-95	1994-96	1995-97	1996-98	1997-99	1998-2000	1999-2001	2000-02	2001-03	2002-04	2003-05	2004-06	2005-07	2006-08	2007-09
Antrim	72.9	73.5	72.6	73.2	73.6	74.1	74.1	74.1	74.2	75.0	75.4	76.1	76.6	76.8	76.9	77.6
Ards	73.9	73.9	74.3	74.2	75.0	75.2	75.1	75.0	75.9	76.9	77.2	77.1	77.2	77.0	77.3	77.7
Armagh	72.8	73.4	74.0	73.9	74.1	74.4	74.1	74.2	74.2	75.7	76.6	77.3	76.4	76.3	76.2	76.5
Ballymena	74.0	74.2	74.5	75.0	74.9	74.8	75.0	75.3	76.3	76.3	76.9	77.2	77.5	77.8	78.1	78.6
Ballymoney	74.0	73.8	73.8	74.8	75.1	75.0	74.6	75.0	76.0	77.7	78.0	78.6	78.0	77.2	77.6	77.6
Banbridge	74.1	75.0	74.9	75.2	75.2	75.6	75.6	76.0	76.5	76.8	77.4	77.7	78.0	78.5	78.1	78.4
Belfast	71.5	71.5	71.9	72.4	72.7	72.4	72.3	72.8	73.2	73.5	73.5	73.6	73.7	73.6	73.4	73.5
Carrickfergus	74.0	73.8	74.3	74.9	74.6	74.3	74.1	75.2	76.3	77.2	77.9	77.6	77.2	76.4	76.5	77.0
Castlereagh	74.8	74.4	75.0	75.4	76.0	76.1	76.2	76.1	76.3	76.6	77.0	77.0	78.0	78.1	78.5	77.6
Coleraine	74.0	73.8	74.0	74.7	75.3	75.4	75.7	75.5	76.1	76.6	76.6	77.3	77.3	78.4	78.1	78.2
Cookstown	73.4	73.7	73.5	74.4	74.8	74.9	75.2	74.9	75.9	77.3	77.7	76.7	74.7	75.0	74.9	76.3
Craigavon	72.8	73.1	74.1	73.9	74.7	74.5	75.2	75.1	75.7	75.3	75.7	76.1	76.8	77.3	77.1	77.2
Derry	72.4	72.1	71.8	71.6	72.4	73.6	74.0	74.8	74.4	74.4	74.2	74.6	74.9	74.5	74.6	75.1
Down	73.5	73.0	72.4	73.1	73.5	74.0	74.6	75.4	76.1	76.0	77.0	77.3	77.8	77.6	78.1	78.5
Dungannon	71.8	71.7	72.5	73.3	74.0	73.9	74.8	74.5	75.2	76.5	77.0	75.7	74.6	74.5	75.9	77.1
Fermanagh	72.0	72.6	73.3	73.4	73.3	73.6	74.3	75.1	75.4	75.2	75.2	74.9	75.1	75.0	76.1	76.5
Larne	72.5	72.6	74.0	75.0	74.2	74.8	74.3	75.4	75.0	74.9	74.3	74.8	75.7	77.0	76.8	77.2
Limavady	73.5	73.8	74.8	75.3	75.5	75.0	75.1	75.4	75.6	76.0	76.7	77.2	76.9	76.8	76.4	76.4
Lisburn	73.9	74.1	74.3	74.6	75.2	75.3	75.6	75.8	76.1	75.8	75.6	75.9	76.3	77.0	77.2	77.8
Magherafelt	73.4	73.9	74.6	73.9	73.7	73.8	75.9	76.8	76.8	76.8	76.7	76.9	77.3	77.1	77.8	78.0
Moyle	71.1	71.1	72.2	74.2	75.7	75.3	75.4	74.7	76.6	76.8	77.6	76.8	76.8	77.6	78.5	79.0
Newry and Mourne	72.5	72.9	73.5	73.9	73.6	73.4	73.7	74.3	75.1	75.4	75.6	75.8	75.5	76.0	75.9	77.1
Newtownabbey	74.8	74.4	75.0	75.2	75.7	75.5	75.3	75.4	75.5	75.9	76.5	77.6	78.0	77.9	77.5	77.7
North Down	75.5	75.6	75.8	75.4	75.6	75.7	75.9	76.4	77.2	77.6	77.9	77.4	77.8	78.1	79.0	78.6
Omagh	71.5	72.5	73.8	74.3	74.1	74.0	73.8	73.9	74.3	75.8	76.7	76.7	76.5	75.4	76.1	76.2
Strabane	72.0	71.7	72.9	73.6	74.2	75.5	75.4	75.1	74.2	74.2	75.0	76.2	76.5	76.3	75.4	76.6
Northern Ireland	73.0	73.1	73.5	73.9	74.2	74.3	74.5	74.8	75.2	75.6	75.9	76.1	76.2	76.3	76.4	76.8

Females

LGD	1992-94	1993-95	1994-96	1995-97	1996-98	1997-99	1998-2000	1999-2001	2000-02	2001-03	2002-04	2003-05	2004-06	2005-07	2006-08	2007-09
Antrim	78.1	78.7	79.4	79.5	79.2	78.7	78.7	79.2	79.7	80.0	80.0	80.6	80.8	80.5	80.7	80.8
Ards	79.2	79.6	79.7	79.8	80.4	79.8	79.9	80.1	80.8	81.2	80.6	80.9	81.1	81.7	82.0	82.2
Armagh	78.1	78.1	78.5	78.8	78.9	79.2	79.4	79.4	79.8	80.7	80.8	81.7	81.3	81.8	81.2	81.4
Ballymena	80.1	79.7	79.3	79.2	79.4	79.5	80.3	80.6	81.0	80.9	81.2	81.9	82.3	82.6	82.2	82.5
Ballymoney	79.0	78.7	79.2	79.3	78.9	79.5	80.3	81.5	81.5	81.7	82.6	82.4	82.4	82.5	82.5	82.4
Banbridge	80.2	80.0	80.2	80.5	80.1	80.0	79.3	80.2	80.1	80.5	80.6	81.6	82.5	83.2	82.6	82.7
Belfast	78.1	77.9	78.1	78.5	79.0	78.8	78.3	78.3	78.8	79.3	79.4	79.6	79.6	79.6	79.6	79.6
Carrickfergus	78.7	78.7	78.6	78.7	79.1	79.5	80.0	79.8	79.6	79.4	79.8	80.6	81.2	80.4	80.3	80.4
Castlereagh	79.0	79.2	79.5	79.9	79.9	80.0	80.1	80.5	81.2	81.3	81.3	81.8	82.0	82.3	82.2	82.6
Coleraine	79.1	79.3	79.7	80.1	80.5	80.7	80.9	81.3	81.9	82.2	81.7	81.4	81.5	82.3	82.5	82.5
Cookstown	79.0	79.1	79.5	80.1	80.5	80.5	81.0	81.4	81.8	82.4	82.3	82.0	81.6	81.7	81.9	82.2
Craigavon	78.3	78.6	79.4	79.6	80.1	79.8	80.0	80.1	80.4	80.7	80.9	81.5	81.8	82.4	82.3	82.2
Derry	76.9	76.6	77.4	77.5	78.0	78.0	78.3	78.5	78.8	79.1	79.3	79.5	79.4	79.7	80.0	79.9
Down	79.0	79.1	78.8	78.7	79.2	79.3	79.8	80.1	80.9	81.0	81.3	81.1	81.0	80.9	80.7	81.5
Dungannon	78.3	79.1	78.6	79.7	79.6	80.0	79.8	80.0	80.2	80.2	80.2	80.3	80.6	81.4	81.1	81.3
Fermanagh	78.5	78.5	79.3	79.5	79.7	80.0	80.3	80.2	80.3	80.3	80.0	80.4	80.3	81.5	81.7	82.0
Larne	79.9	80.0	80.7	80.7	80.0	80.4	79.6	80.6	80.2	80.5	80.9	81.0	81.1	81.2	81.7	81.5
Limavady	77.8	77.7	78.2	78.5	80.2	79.8	79.2	79.2	79.7	80.5	80.5	79.9	80.3	81.1	82.4	83.5
Lisburn	79.7	79.4	79.5	79.7	80.0	79.5	79.7	80.0	80.3	80.6	80.7	80.9	81.5	81.7	82.0	81.9
Magherafelt	80.9	81.2	81.5	80.5	80.4	80.3	80.8	80.9	81.5	81.4	81.9	81.7	81.9	81.8	82.2	82.6
Moyle	79.2	79.5	81.1	81.3	80.8	79.4	79.6	79.3	79.6	79.5	80.6	82.2	81.7	82.1	81.1	81.5
Newry and Mourne	78.9	78.0	78.5	78.4	78.6	79.0	79.3	79.6	79.6	79.9	79.8	80.0	79.8	80.3	80.6	81.1
Newtownabbey	79.6	79.5	79.3	79.7	79.7	79.5	79.5	79.9	80.6	80.8	81.0	81.2	81.5	81.7	81.9	82.1
North Down	80.8	80.0	79.8	80.2	80.9	80.7	81.2	81.1	81.7	81.6	81.7	82.4	82.8	82.8	82.1	82.0
Omagh	79.0	79.1	79.3	79.2	80.1	80.4	80.3	79.7	80.3	80.8	81.6	82.1	81.9	81.5	81.9	82.0
Strabane	77.0	77.8	78.4	79.3	79.1	79.4	79.4	79.4	79.7	79.3	80.1	80.9	81.6	81.1	80.6	79.8
Northern Ireland	78.0	78.8	79.0	79.3	79.6	79.5	79.6	79.8	80.2	80.5	80.6	80.9	81.0	81.3	81.3	81.4

SOURCE: Office for National Statistics

<http://www.statistics.gov.uk/StatBase/Product.asp?vlnk=8841>

Table 12
Infectious disease notifications, Northern Ireland 2000–09

Disease	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Acute Encephalitis/Meningitis: Bacterial**	99	68	75	69	59	48	46	33	39	43
Acute Encephalitis/Meningitis: Viral**	31	29	23	9	5	18	12	3	2	2
Chickenpox **	4,531	3,927	4,931	4,459	3,768	3,227	3,034	2,823	1,941	2,655
Cholera	0	0	1	0	0	1	1	0	0	0
Diphtheria	0	0	0	0	0	0	0	0	1	0
Dysentery	24	22	7	14	8	7	7	10	16	13
Food Poisoning	2,285	1,644	1,220	1,268	1,666	1,409	1,469	1,321	1,267	1,452
Gastro-enteritis (persons under 2)	1,205	1,106	882	867	697	736	718	762	758	612
Hepatitis A**	26	6	1	4	12	4	4	1	15	32
Hepatitis B**	11	7	8	21	45	41	42	50	60	54
Hepatitis Unspecified: Viral**	9	10	2	15	2	29	2	1	0	0
Legionnaires Disease**	1	1	3	4	4	6	5	10	5	8
Leptospirosis**	0	0	1	0	0	1	1	1	0	0
Malaria**	11	13	2	1	5	2	6	4	2	5
Measles	92	96	89	57	90	56	52	31	24	51
Meningococcal Septicaemia**	123	90	98	76	82	66	75	42	33	46
Mumps***	1,006	537	77	180	780	4,556	205	164	135	632
Paratyphoid Fever	0	0	1	0	0	0	0	0	1	0
Rabies	0	0	0	0	0	0	0	0	1	0
Rubella***	62	65	50	34	39	31	33	26	28	14
Scarlet Fever	310	283	214	304	228	186	213	214	173	207
Tetanus	0	1	0	0	0	0	0	0	0	0
Tuberculosis (Pulmonary)	36	31	58	26	59	37	34	44	28	41
Tuberculosis (Non Pulmonary)	22	17	10	12	14	31	14	19	29	12
Typhoid	0	1	3	0	0	1	1	3	0	0
Whooping Cough	61	65	69	40	28	28	28	16	30	25
Yellow Fever	0	1	0	0	0	0	0	0	0	0
Total	9,945	8,020	7,825	7,460	7,591	10,521	6,002	5,578	4,588	5,904

SOURCE: Public Health Agency

FOOTNOTES: ** Only notifiable from 16 April 1990

*** Only notifiable from October 1988

Food poisoning notifications include those formally notified by clinicians and reports of Salmonella, Campylobacter, Cryptosporidium, Giardia, Listeria and E Coli O 157 informally ascertained from laboratories

Table 13a
Percentage uptake rates immunisation, Northern Ireland 2000–09

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Diphtheria	95.1	94.9	96.2	95.5	95.2	96.1	96.7	96.9	97.4	98.1
Polio	95.0	94.7	95.5	95.4	95.1	95.9	96.6	96.8	97.3	98.0
Tetanus	95.1	94.9	95.7	95.5	95.2	96.1	96.7	96.9	97.4	98.1
Whooping Cough	94.2	94.2	95.2	95.1	94.9	96.1	96.7	96.9	97.3	98.1
MMR	92.5	89.9	89.3	88.3	88.0	90.7	91.6	92.7	90.6	92.0
Hib	95.8	94.9	95.6	95.5	95.2	96.2	96.6	96.7	97.2	98.0
Meningitis C	-	-	95.8	95.6	95.3	96.1	96.8	97.0	96.9	97.7
PCVb	-	-	-	-	-	-	-	81.1	84.5	92.7

SOURCE: Child Health System (Cover/Korner)

FOOTNOTES: Diphtheria, Polio, Tetanus, Whooping Cough and Hib refer to children who have received 3 doses (completed) before their first birthday.
MMR (Measles, Mumps and Rubella) refers to children who have achieved their 1st dose on or after their first birthday and before their second birthday
Meningitis C refers to children who have received 2 doses (completed) before their first birthday.
PCVb - Pneumococcal Conjugate Vaccine was introduced in September 2006 and refers to children who have received vaccine after their first birthday and before their second birthday

Table 13b
Percentage uptake rates immunisation, LCGs and Northern Ireland 2009

	Local Commissioning Group					Northern Ireland
	Belfast	Northern	South Eastern	Southern	Western	
DTaP/IPV/Hib3	97.0	98.1	97.8	98.4	99.0	98.1
MenC	96.5	97.7	97.7	98.1	98.6	97.7
PCV	96.7	97.7	97.7	98.0	95.5	97.3
MMR1 by age 2	88.1	92.6	91.7	93.1	94.3	92.0
MMR1 by age 5	95.0	96.2	95.9	96.1	96.9	96.0
MMR2	86.8	91.3	89.7	90.3	92.0	90.2
Pre School Booster	88.7	93.9	92.0	91.7	94.0	92.2
HPV	83.0	81.3	83.0	86.1	79.2	82.6

SOURCE: Child Health Systems (Cover/Korner)

FOOTNOTES: Uptake rates for:
Diphtheria, Polio, Tetanus, Whooping Cough and Hib refer to children who have received 3 doses (completed) before their first birthday.
MenC and PCV refer to children who have received 2 doses (completed) before their first birthday.
MMR1 by age 2 refer to children who received the first dose on or after their first birthday and before their second birthday
MMR1 by age 5 refer to children who received the first dose on or after their first birthday and before their fifth birthday
MMR2 by age 5 refer to children who received 2 doses on or after their first birthday and before their fifth birthday
Pre school booster refer to children who received their vaccine by age 5
HPV refer to girls in form 9 aged 12-13yrs who have received their 3rd dose (School year)

Table 14a
Number/birth prevalence per 1,000 total registered births, selected congenital abnormalities, Northern Ireland 2000–09

YEAR	Anencephaly		Hydrocephalus		Spina Bifida		Down's Syndrome	
	No	Rate	No	Rate	No	Rate	No	Rate
2000	0	0.0	13	0.6	9	0.4	32	1.5
2001	5	0.2	11	0.5	13	0.6	36	1.6
2002	6	0.3	8	0.4	8	0.4	34	1.6
2003	4	0.2	6	0.3	12	0.6	38	1.8
2004	2	0.1	7	0.3	11	0.5	36	1.6
2005	1	0.0	6	0.3	14	0.6	35	1.6
2006	2	0.0	5	0.2	10	0.4	46	1.9
2007	0	0.0	8	0.3	7	0.3	50	2.0
2008	4	0.2	9	0.4	18	0.7	30	1.2
2009	6	0.2	4	0.2	7	0.3	53	2.1

SOURCE: Child Health System, GRO (NISRA)

FOOTNOTE: Rates have been calculated using registered births as a denominator.
 The definition of a stillbirth changed on 1/10/92 and now includes loss of foetus after 24 weeks of pregnancy
 The data does not include cases where the foetus was born dead before 24 weeks of pregnancy

Table 14b
Number/rate Down's syndrome births, maternal age and LCGs 2005–09

Maternal Age	BELFAST LCG	
	No of Cases	Rate Per 1000 Total Births
<19	1	0.5
20-24	2	0.4
25-29	2	0.4
30-34	8	1.4
35-39	9	2.6
40-44	8	11.0
45-49	0	0.0

Maternal Age	NORTHERN LCG	
	No of Cases	Rate Per 1000 Total Births
<19	0	0.0
20-24	2	0.4
25-29	9	1.1
30-34	14	1.5
35-39	18	3.7
40-44	15	16.6
45-49	1	30.3

Maternal Age	SOUTH EASTERN LCG	
	No of Cases	Rate Per 1000 Total Births
<19	3	2.5
20-24	2	0.6
25-29	8	1.3
30-34	11	1.6
35-39	16	4.2
40-44	9	13.8
45-49	0	0.0

Maternal Age	SOUTHERN LCG	
	No of Cases	Rate Per 1000 Total Births
<19	0	0.0
20-24	2	0.5
25-29	2	0.3
30-34	5	0.6
35-39	20	4.5
40-44	9	11.4
45-49	0	0.0

Maternal Age	WESTERN LCG	
	No of Cases	Rate Per 1000 Total Births
<19	2	1.8
20-24	1	0.3
25-29	7	1.2
30-34	4	0.6
35-39	19	5.5
40-44	5	7.2
45-49	0	0.0

Maternal Age	NORTHERN IRELAND	
	No of Cases	Rate Per 1000 Total Births
<19	6	0.9
20-24	9	0.4
25-29	28	0.8
30-34	42	1.2
35-39	82	4.1
40-44	46	12.2
45-49	1	6.4

SOURCE: Child Health System and NISRA

FOOTNOTE: Rate is calculated using total registered births as denominator

Table 15a
Cervical screening coverage, health and social care trusts (HSCTs) 2009–10

HSC Trust	Eligible population	Women with at least one test in the last 5 years (coverage)	% Coverage
Belfast and South Eastern	185,598	137,697	74.2%
Northern	108,520	87,459	80.6%
Southern	93,000	71,660	77.1%
Western	79,607	61,589	77.4%
Total	466,725	358,405	76.8%

SOURCE: Quality Assurance Reference Centre (QARC)


Table 15b
Breast screening uptake rates (three year screening cycle) by maternal residence, LCGs
2007/08–2009/10

LCG	Number	%
Belfast	20,018	65.7
South Eastern	35,074	79.5
Northern	27,287	76.2
Southern	22,066	77.1
Western	20,457	76.9
N/A	838	68.1
Northern Ireland	125,740	75.4

SOURCE: Quality Assurance Reference Centre (QARC)

FOOTNOTES: Uptake data are normally calculated by screening unit and are not routinely available at LCG level. Therefore the data shown have been calculated using slightly different methodology to that normally used by the QARC.
 The standard is $\geq 70\%$ with a target of 80%.
 N/A refers to where either the postcode was missing, incomplete or inaccurate therefore no LCG could be assigned.

health
protection



Published by the Public Health Agency, Ormeau Avenue Unit, 18 Ormeau Avenue, Belfast BT2 8HS.
Tel: 028 9031 1611. Textphone/Text Relay: 18001 028 9031 1611.

www.publichealth.hscni.net