

Cumulative Incidence of SSI (Superficial, Deep Incisional, Organ/Space) Within 30 Days After Caesarean section, Reporting Year 2009 (Post-Discharge Excluded)

Cumulative incidence of SSI (superficial, deep incisional, organ/space) within 30 days after Caesarean section, reporting year 2009 (post-discharge excluded)

Country	Data source	Number of hospitals	Number of operations	Number of SSI	SSI %	95% CI	Mean	P10	P25	P50	P75	P90
Austria	AT-ANISS	17	3294	13	0.4%	(0.2% - 0.7%)	0.5 %	0.0 %	0.0 %	0.0 %	0.3 %	2.2 %
Belgium		-	-	-	-	-						
Finland		-	-	-	-	-						
France	FR-RAISIN	275	14503	87	0.6%	(0.5% - 0.7%)	0.5 %	0.0 %	0.0 %	0.0 %	0.0 %	1.8 %
Germany	DE-HAICU_AND_SSI	113	6855	18	0.3%	(0.2% - 0.4%)	0.2 %	0.0 %	0.0 %	0.0 %	0.0 %	0.9 %
Hungary	HU-SURGICAL_INFECTION	24	3263	47	1.4%	(1.1% - 1.9%)	0.9 %	0.0 %	0.0 %	0.0 %	0.8 %	2.4 %
Italy	IT-SNICH	31	2391	7	0.3%	(0.1% - 0.6%)	0.2 %	0.0 %	0.0 %	0.0 %	0.0 %	0.0 %
Lithuania	LT-Institute of Hygiene	13	2040	18	0.9%	(0.5% - 1.4%)	0.7 %	0.0 %	0.0 %	0.0 %	0.9 %	2.3 %
Malta		-	-	-	-	-						
Netherlands	NL-HAISSI	11	1648	1	< 0.1%	(0.0% - 0.3%)	0.0 %	0.0 %	0.0 %	0.0 %	0.0 %	0.0 %
Norway	NO-NOIS	38	2018	15	0.7%	(0.4% - 1.2%)	1.4 %	0.0 %	0.0 %	0.0 %	0.0 %	3.3 %
Poland		-	-	-	-	-						
Portugal	PT-HAI	7	2304	1	< 0.1%	(0.0% - 0.2%)	0.0 %	0.0 %	0.0 %	0.0 %	0.0 %	0.0 %
Spain	ES-HAI	6	737	7	0.9%	(0.4% - 1.9%)	1.0 %	0.0 %	0.0 %	0.3 %	0.8 %	2.8 %
United Kingdom	UK-NI-SSI	10	4348	56	1.3%	(1.0% - 1.7%)	1.2 %	0.5 %	0.6 %	1.1 %	1.8 %	2.4 %
United Kingdom	UK-SC-SSI	22	12631	57	0.5%	(0.3% - 0.6%)	0.7 %	0.0 %	0.0 %	0.1 %	0.6 %	1.4 %
United Kingdom	UK-WLS-SSI	13	5392	74	1.4%	(1.1% - 1.7%)	1.3 %	0.4 %	0.7 %	1.2 %	2.0 %	2.1 %
EU/EEA	All	580	61424	401	0.7%	(0.6% - 0.7%)	0.5 %	0.0 %	0.0 %	0.0 %	0.0 %	1.9 %

Cumulative Incidence of SSI (Superficial, Deep Incisional, Organ/Space) Within 30 Days After Caesarean section, Reporting Year 2009 (Post-Discharge Excluded)

Cumulative incidence of SSI within 30 days after Caesarean section, reporting year 2009

