

## Meningococcal Disease

Total, by age-group and serogroup, calendar year, 2008-2017, Northern Ireland

Serogroup B	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
<1	17	20	9	13	8	9	8	9	2	5
1-4	13	13	13	10	8	4	12	5	2	2
5-14	5	9	7	4	7	4	0	2	0	3
15-19	7	5	3	5	2	1	0	0	3	0
20-24	1	2	1	1	1	0	1	0	0	1
>24	3	0	1	2	1	4	2	4	1	2
<b>Total</b>	<b>46</b>	<b>49</b>	<b>34</b>	<b>35</b>	<b>27</b>	<b>22</b>	<b>23</b>	<b>20</b>	<b>8</b>	<b>13</b>

Serogroup C	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
<1	0	0	0	0	0	0	0	0	0	1
1-4	0	0	0	0	1	0	0	0	1	0
5-14	0	0	0	0	1	0	1	1	1	1
15-19	0	0	0	0	0	1	1	1	0	0
20-24	0	0	0	0	0	0	0	0	1	0
>24	1	0	0	1	0	3	0	1	1	2
<b>Total</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>4</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>4</b>

Serogroup W135	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
<1	1	0	0	0	0	1	2	0	0	0
1-4	0	1	0	0	0	0	0	3	3	0
5-14	0	0	0	0	0	0	0	0	0	0
15-19	0	0	0	0	0	1	0	0	0	0
20-24	0	0	0	0	0	0	0	0	2	0
>24	0	0	0	0	0	0	1	2	1	1
<b>Total</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>3</b>	<b>5</b>	<b>6</b>	<b>1</b>

<b>Other Serogroups</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>	<b>2013</b>	<b>2014</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>
<1	0	0	0	2	2	1	0	0	0	0
1-4	0	0	1	1	0	0	0	0	0	0
5-14	0	0	0	0	0	1	0	0	0	0
15-19	0	0	0	0	0	0	0	0	0	0
20-24	0	0	0	0	0	0	0	0	0	0
>24	2	3	2	3	2	4	1	0	2	3
<b>Total</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>6</b>	<b>4</b>	<b>6</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>3</b>

<b>All confirmed</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>	<b>2013</b>	<b>2014</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>
<1	18	20	9	15	10	11	10	9	2	6
1-4	13	14	14	11	9	4	12	8	6	2
5-14	5	9	7	4	8	5	1	3	1	4
15-19	7	5	3	5	2	3	1	1	3	0
20-24	1	2	1	1	1	0	1	0	3	1
>24	6	3	3	6	3	11	4	7	5	8
<b>Total</b>	<b>50</b>	<b>53</b>	<b>37</b>	<b>42</b>	<b>33</b>	<b>34</b>	<b>29</b>	<b>28</b>	<b>20</b>	<b>21</b>

## Enhanced Surveillance of Meningococcal Disease

Total, all ages, by serogroup and calendar year, 1995-2017, Northern Ireland

	B	C	W135	Others	All confirmed	Unconfirmed	Total (confirmed and probable)
1995	35	20	2	2	59	0	59
1996	27	14	1	12	54	0	54
1997	34	16	3	13	66	0	66
1998	42	15	1	14	72	0	72
1999	50	40	2	15	107	76	183
2000	83	36	3	14	136	72	208
2001	60	8	2	11	81	51	132
2002	70	8	0	5	83	50	133
2003	71	4	0	8	83	33	116
2004	57	2	1	10	70	40	110
2005	56	0	0	1	57	36	93
2006	74	1	0	1	76	27	103
2007	61	0	1	8	70	20	90
2008	46	1	1	2	50	28	78
2009	49	0	1	3	53	21	74
2010	34	0	0	3	37	32	69
2011	35	1	0	6	42	18	60
2012	27	2	0	4	33	18	51
2013	22	4	2	6	34	24	58
2014	23	2	3	1	29	20	49
2015	20	3	5	0	28	5	33
2016	8	4	6	2	20	13	33
2017	13	4	1	3	21	15	36

Data from 1995-1998 are based on laboratory reports of *N. meningitidis*.

Data from 1999-2017 are based on Enhanced Surveillance of Meningococcal Disease notifications validated with laboratory reports