

Cumulative Incidence of SSI (Superficial, Deep Incisional, Organ/Space) Within One Year After Hip prosthesis, Reporting Year 2009 (Post-Discharge Excluded)

Cumulative incidence of SSI (superficial, deep incisional, organ/space) within one year after Hip prosthesis, reporting year 2009 (post-discharge excluded)

Country	Data source	Number of hospitals	Number of operations	Number of SSI	SSI %	95% CI	Mean	P10	P25	P50	P75	P90
Austria	AT-ANISS	21	4441	32	0.7%	(0.5% - 1.0%)	1.2 %	0.0 %	0.0 %	0.4 %	1.3 %	5.1 %
Belgium		-	-	-	-	-						
Finland	FI-SIRO	3	890	8	0.9%	(0.4% - 1.8%)	0.9 %	0.0 %	0.0 %	0.0 %	1.3 %	2.1 %
France	FR-RAISIN	532	19738	50	0.3%	(0.2% - 0.3%)	0.3 %	0.0 %	0.0 %	0.0 %	0.0 %	0.0 %
Germany	DE-HAICU_AND_SSI	431	17552	148	0.8%	(0.7% - 1.0%)	1.1 %	0.0 %	0.0 %	0.0 %	0.0 %	3.6 %
Hungary	HU-SURGICAL_INFECTION	7	323	4	1.2%	(0.3% - 3.1%)	0.7 %	0.0 %	0.0 %	0.0 %	1.2 %	2.4 %
Italy	IT-SNICH	29	984	3	0.3%	(0.1% - 0.9%)	0.1 %	0.0 %	0.0 %	0.0 %	0.0 %	0.0 %
Lithuania	LT-Institute of Hygiene	11	536	2	0.4%	(0.0% - 1.3%)	0.1 %	0.0 %	0.0 %	0.0 %	0.0 %	0.0 %
Malta		-	-	-	-	-						
Netherlands	NL-HAISSI	23	5111	34	0.7%	(0.5% - 0.9%)	0.8 %	0.0 %	0.0 %	0.5 %	0.8 %	1.8 %
Norway	NO-NOIS	41	2426	20	0.8%	(0.5% - 1.3%)	1.0 %	0.0 %	0.0 %	0.0 %	1.9 %	2.9 %
Poland		-	-	-	-	-						
Portugal	PT-HAI	16	952	6	0.6%	(0.2% - 1.4%)	0.4 %	0.0 %	0.0 %	0.0 %	0.0 %	1.6 %
Spain	ES-HAI	25	1687	28	1.7%	(1.1% - 2.4%)	1.8 %	0.0 %	0.0 %	1.0 %	2.7 %	4.9 %
United Kingdom	UK-EN-SSI	171	30718	95	0.3%	(0.3% - 0.4%)	0.4 %	0.0 %	0.0 %	0.0 %	0.4 %	1.2 %
United Kingdom	UK-NI-SSI	5	1909	4	0.2%	(0.1% - 0.5%)	1.6 %	0.0 %	0.1 %	0.4 %	0.9 %	4.4 %
United Kingdom	UK-SC-SSI	26	7976	32	0.4%	(0.3% - 0.6%)	1.1 %	0.0 %	0.0 %	0.0 %	0.9 %	2.1 %
United Kingdom	UK-WLS-SSI	14	2714	13	0.5%	(0.3% - 0.8%)	0.5 %	0.0 %	0.0 %	0.0 %	0.7 %	1.4 %
EU/EEA	All	1355	97957	479	0.5%	(0.4% - 0.5%)	0.7 %	0.0 %	0.0 %	0.0 %	0.0 %	2.1 %

Cumulative Incidence of SSI (Superficial, Deep Incisional, Organ/Space) Within One Year After Hip prosthesis, Reporting Year 2009 (Post-Discharge Excluded)

Cumulative incidence of SSI within one year after Hip prosthesis, reporting year 2009

