

Core tables 2008

Supporting the 2009
Annual report of the
Director of Public Health

Created by:
Health Intelligence Unit, Public Health Agency

For information on this publication, please contact:

Health Intelligence Unit
Public Health Agency
E-mail: healthintelligence@hscni.net

List of core tables 2008

Table 1a:	Estimated home population of Northern Ireland 2008 by age and gender	2
Table 1b:	Estimated home population of Local Commissioning Groups 2008 by age band	3
Table 1c:	Estimated home population of Local Commissioning Groups by Local Government Districts by age band, 2008	4–9
Table 2a:	Population projections for Northern Ireland for years 2015 and 2020 (thousands)	10
Table 2b:	Population projections by Local Commissioning Group / Local Government District for years 2015 and 2020 (thousands)	11
Table 3a:	Live births and stillbirths to maternal residents of Northern Ireland, 1999–2008	12
Table 3b:	Live births and stillbirths to maternal residents by Local Commissioning Group and Local Government District, 2008	13
Table 4:	Total births to maternal residents in each Local Commissioning Group/Local Government District (1999–2008)	14
Table 5a:	Age specific fertility rates and total period fertility rates for Northern Ireland, 1999–2008	15
Table 5b:	Age specific fertility rates and total period fertility rates by Local Commissioning Group, 1999–2008	15–16
Table 6a:	Notified live births by maternal resident area by birth weight, 1999–2008	17–18
Table 6b:	Notified still births by maternal resident area by birth weight, 1999–2008	19–20
Table 7a:	Infant and perinatal death rates in Northern Ireland, 1999–2008	21
Table 7b:	Infant and perinatal death rates by Local Commissioning Group, 1999–2008	21–23
Table 8:	Standardised mortality ratios for children aged 1–14 years by Local Commissioning Group, 2004–2008	23
Table 9a:	Directly standardised death rates 1999–2008 for selected major causes of death, age 15–74 years, Northern Ireland	24
Table 9b:	Age standardised death rates 1999–2008 (Standardised to European Populations) for selected major causes of death, age 15–74 years, Northern Ireland	25
Table 9c:	Directly standardised death rates 1999–2008 for selected major causes of death, age 15–74 years, Local Commissioning Group	26–30
Table 10a:	Mortality by cause in Northern Ireland, 2008	31
Table 10b:	Mortality by cause by Local Commissioning Group, 2008	32–33
Table 10c:	Potential years of life lost (PYLL) in those aged 1–74 years for selected causes of death, Northern Ireland, 2008	34
Table 10d:	Potential years of life lost (PYLL) in those aged 1–74 years for selected causes of death, Local Commissioning Groups, 2008	35
Table 11a:	Life Expectancy in Northern Ireland at birth, age 1 and age 65 years old, 1900–2008	36
Table 11b:	Life Expectancy at birth by Local Government District, 1992–1994 – 2006–2008	37–38
Table 12:	Infectious Disease Notifications for Northern Ireland, 1999–2008	39
Table 13a:	Immunisation Rates for Northern Ireland, percentage uptake rates, 1999–2008	40
Table 13b:	Immunisation Rates by Local Commissioning Group and Northern Ireland, percentage uptake rates, 2008	41
Table 14a:	Number and birth prevalence per 1,000 total registered births for selected Congenital Abnormalities in Northern Ireland, 1999–2008	42
Table 14b:	Number and rate of Down's Syndrome births by maternal age and Local Commissioning Group, 2004–2008	43–44
Table 15a:	Cervical screening coverage by Health and Social Care Trust, 2008/2009	45
Table 15b:	Breast screening uptakes by Local Commissioning Group of residence 3 year screening cycle (2006–2009)	46

Table 1a
Estimated home population of Northern Ireland 2008 by age and gender

Age	Persons	% in each age group	Males	% in each age group	females	% in each age group
0-4	119,300	6.7%	61,200	7.0%	58,100	6.4%
5-9	113,300	6.4%	58,100	6.7%	55,200	6.1%
10-14	123,200	6.9%	63,300	7.3%	59,900	6.6%
15-19	126,600	7.1%	64,700	7.4%	61,900	6.8%
20-24	132,900	7.5%	67,800	7.8%	65,000	7.2%
25-29	122,000	6.9%	61,200	7.0%	60,900	6.7%
30-34	113,300	6.4%	56,200	6.5%	57,100	6.3%
35-39	126,000	7.1%	62,200	7.1%	63,800	7.1%
40-44	131,300	7.4%	64,300	7.4%	67,000	7.4%
45-49	122,700	6.9%	59,900	6.9%	62,700	6.9%
50-54	107,700	6.1%	53,600	6.2%	54,100	6.0%
55-59	96,500	5.4%	47,800	5.5%	48,600	5.4%
60-64	91,400	5.1%	44,300	5.1%	47,000	5.2%
65-69	73,900	4.2%	35,200	4.0%	38,800	4.3%
70-74	61,600	3.5%	28,300	3.2%	33,300	3.7%
75-79	49,500	2.8%	20,900	2.4%	28,700	3.2%
80-84	35,700	2.0%	13,300	1.5%	22,400	2.5%
85+	28,000	1.6%	8,400	1.0%	19,600	2.2%
0-14	355,900	20.0%	182,700	21.0%	173,200	19.2%
15-64	1,170,400	65.9%	582,200	66.8%	588,200	65.1%
65+	248,800	14.0%	106,000	12.2%	142,700	15.8%
TOTAL	1,775,000	100.0	870,900	100.0	904,100	100.0

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: Population estimates are generally rounded because population counts from the census and subsequent updates involving births, deaths and migration cannot be precise.
 Totals of rows/columns may not add up due to rounding.
 All figures are home population figures.

Table 1b
Estimated home population of Local Commissioning Groups 2008 by age band

AGE	Belfast LCG			Northern LCG			South Eastern LCG			Southern LCG			Western LCG		
	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons
0-4	10,700	10,100	20,800	15,300	14,600	29,900	11,500	10,700	22,200	13,300	12,800	26,200	10,400	9,900	20,300
5-9	9,700	9,300	19,000	14,900	14,100	28,900	10,800	10,300	21,100	12,200	11,600	23,800	10,600	10,000	20,600
10-14	10,600	10,500	21,000	16,000	15,200	31,200	12,200	11,200	23,400	13,000	12,100	25,100	11,600	10,900	22,500
15-19	13,300	13,100	26,400	15,800	15,100	30,900	11,500	11,000	22,500	13,000	12,000	25,000	11,100	10,700	21,800
20-24	14,600	14,800	29,400	16,600	15,600	32,200	11,600	10,900	22,600	13,700	13,200	26,900	11,300	10,600	21,900
25-29	12,500	12,600	25,200	14,500	14,400	28,900	10,900	10,900	21,800	12,600	12,700	25,300	10,600	10,300	20,900
30-34	10,400	10,800	21,200	14,100	14,300	28,500	10,100	10,500	20,600	11,500	11,400	22,900	10,000	10,100	20,100
35-39	10,300	10,900	21,300	16,700	16,800	33,500	11,800	12,400	24,200	12,500	12,600	25,100	10,900	11,100	22,000
40-44	11,100	12,400	23,600	17,000	17,600	34,500	12,600	13,400	26,000	12,800	12,700	25,500	10,900	11,000	21,800
45-49	10,600	12,200	22,800	15,700	16,000	31,600	11,900	12,600	24,500	11,800	11,800	23,600	10,000	10,200	20,200
50-54	9,300	10,300	19,700	13,900	13,900	27,900	10,800	10,900	21,700	10,400	10,000	20,400	9,100	8,900	18,000
55-59	8,100	8,400	16,500	12,700	12,800	25,500	9,900	10,400	20,300	9,000	9,000	18,100	8,100	8,000	16,100
60-64	7,500	8,500	15,900	11,900	12,500	24,400	9,700	10,200	19,900	8,200	8,600	16,700	7,100	7,200	14,400
65-69	6,300	7,400	13,700	9,500	10,600	20,100	7,400	7,900	15,300	6,500	7,000	13,500	5,400	5,800	11,300
70-74	5,400	7,200	12,600	7,600	8,800	16,400	5,700	6,400	12,100	5,200	6,000	11,200	4,400	4,800	9,200
75-79	4,400	6,700	11,100	5,700	7,300	12,900	4,100	5,600	9,700	3,700	5,000	8,700	3,100	4,000	7,100
80-84	2,900	5,300	8,200	3,600	5,700	9,300	2,700	4,500	7,100	2,300	3,800	6,100	1,900	3,100	5,000
85+	1,800	4,600	6,300	2,200	4,900	7,100	1,800	4,300	6,200	1,500	3,200	4,600	1,100	2,600	3,700
0-14	31,000	29,800	60,800	46,100	43,900	90,100	34,500	32,200	66,600	38,600	36,500	75,000	32,500	30,800	63,400
15-64	107,800	114,000	221,800	148,800	149,100	297,900	110,800	113,100	224,000	115,600	113,900	229,500	99,200	98,000	197,200
65+	20,700	31,300	52,000	28,600	37,300	65,900	21,700	28,800	50,500	19,100	25,000	44,100	16,000	20,400	36,300
TOTAL	159,400	175,100	334,500	223,500	230,300	453,800	167,000	174,100	341,100	173,300	175,400	348,700	147,700	149,200	296,900

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: Population estimates are generally rounded because population counts from the census and subsequent updates involving births, deaths and migration cannot be precise.
Totals of rows/columns may not add up due to rounding.

All figures are home population figures.

Table 1c
Estimated home population of Local Commissioning Groups by Local Government Districts
by age band, 2008

BELFAST LCG

	Belfast			Castlereagh		
AGE	Male	Female	Persons	Male	Female	Persons
0-4	8,800	8,200	17,000	1,900	1,900	3,800
5-9	7,700	7,400	15,100	2,000	1,900	3,800
10-14	8,400	8,300	16,600	2,200	2,200	4,400
15-19	11,000	10,900	21,900	2,300	2,200	4,400
20-24	12,600	12,900	25,500	2,000	1,900	3,900
25-29	10,800	10,800	21,600	1,700	1,900	3,600
30-34	8,600	8,800	17,400	1,800	2,000	3,800
35-39	8,100	8,600	16,700	2,300	2,300	4,600
40-44	8,400	9,500	17,900	2,700	3,000	5,700
45-49	8,000	9,400	17,400	2,600	2,800	5,400
50-54	7,200	8,100	15,300	2,100	2,200	4,400
55-59	6,300	6,600	12,900	1,800	1,800	3,600
60-64	5,900	6,600	12,500	1,600	1,900	3,500
65-69	4,900	5,800	10,700	1,400	1,600	3,000
70-74	4,200	5,800	10,000	1,200	1,500	2,700
75-79	3,300	5,200	8,600	1,000	1,500	2,500
80-84	2,200	4,200	6,300	700	1,200	1,900
85+	1,400	3,600	5,000	400	900	1,300
0-14	24,900	23,900	48,800	6,100	5,900	12,000
15-64	86,900	92,100	179,100	20,900	21,900	42,800
65+	15,900	24,600	40,500	4,700	6,700	11,400
TOTAL	127,700	140,600	268,300	31,700	34,500	66,200

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: Population estimates are generally rounded because population counts from the census and subsequent updates involving births, deaths and migration cannot be precise.
 Totals of rows/columns may not add up due to rounding.

NORTHERN LCG

AGE	Antrim			Ballymena			Ballymoney			Carrickfergus			Coleraine		
	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons
0-4	2,100	1,900	3,900	2,000	2,000	4,100	1,000	1,000	2,000	1,200	1,200	2,400	1,700	1,600	3,300
5-9	2,000	1,900	3,800	2,000	1,900	3,900	1,000	1,000	2,000	1,300	1,100	2,400	1,900	1,700	3,500
10-14	1,900	1,900	3,900	2,000	2,100	4,100	1,100	1,100	2,100	1,400	1,300	2,800	2,000	1,900	3,900
15-19	1,800	1,700	3,500	2,000	1,800	3,900	1,000	1,000	2,000	1,400	1,300	2,700	2,000	2,000	3,900
20-24	1,900	1,800	3,800	2,300	2,000	4,300	1,100	900	2,000	1,300	1,300	2,700	2,000	2,000	4,000
25-29	2,000	1,800	3,800	2,100	2,000	4,100	1,000	1,000	2,000	1,100	1,200	2,400	1,500	1,400	3,000
30-34	1,900	1,800	3,600	1,800	1,800	3,700	1,000	1,000	2,000	1,100	1,200	2,400	1,600	1,700	3,300
35-39	2,000	2,200	4,200	2,300	2,400	4,700	1,200	1,200	2,400	1,500	1,500	3,000	1,900	2,000	3,900
40-44	2,100	2,200	4,300	2,300	2,400	4,700	1,100	1,100	2,300	1,600	1,700	3,300	2,100	2,200	4,300
45-49	1,800	1,800	3,500	2,100	2,100	4,200	1,000	1,000	2,100	1,500	1,600	3,100	2,000	2,000	4,000
50-54	1,500	1,500	3,000	1,900	2,000	3,900	900	900	1,800	1,200	1,300	2,500	1,800	1,800	3,700
55-59	1,400	1,400	2,900	1,800	1,900	3,700	800	800	1,600	1,200	1,100	2,300	1,600	1,700	3,300
60-64	1,300	1,400	2,700	1,700	1,900	3,600	800	800	1,600	1,100	1,100	2,200	1,600	1,600	3,200
65-69	1,000	1,100	2,200	1,400	1,500	2,900	600	700	1,400	900	900	1,800	1,300	1,600	2,900
70-74	800	800	1,600	1,100	1,300	2,500	400	600	1,000	700	800	1,500	1,100	1,300	2,400
75-79	500	700	1,200	800	1,100	1,900	400	500	800	500	700	1,200	800	1,000	1,900
80-84	300	500	800	600	900	1,400	300	400	600	300	500	800	500	800	1,300
85+	200	400	600	400	800	1,200	200	300	500	200	500	600	300	800	1,100
0-14	6,000	5,700	11,600	6,100	6,000	12,100	3,100	3,000	6,200	3,900	3,700	7,600	5,600	5,200	10,800
15-64	17,700	17,600	35,300	20,400	20,300	40,700	10,000	9,700	19,700	13,100	13,500	26,500	18,200	18,600	36,700
65+	2,800	3,500	6,400	4,300	5,600	9,900	1,900	2,400	4,300	2,500	3,300	5,900	4,000	5,400	9,500
TOTAL	26,500	26,800	53,200	30,700	32,000	62,700	14,900	15,200	30,100	19,600	20,500	40,000	27,800	29,300	57,000

NORTHERN LCG (continued)

AGE	Cookstown			Larne			Magherafelt			Moyle			Newtownabbey		
	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons
0-4	1,300	1,300	2,600	900	900	1,800	1,700	1,600	3,200	600	500	1,100	2,800	2,700	5,400
5-9	1,200	1,200	2,400	900	900	1,800	1,500	1,500	3,100	500	500	1,000	2,600	2,400	4,900
10-14	1,400	1,200	2,600	1,100	1,000	2,000	1,700	1,600	3,300	600	600	1,100	2,800	2,600	5,300
15-19	1,400	1,300	2,700	1,000	1,000	2,100	1,600	1,500	3,200	600	600	1,200	3,000	2,800	5,800
20-24	1,600	1,400	3,000	1,000	1,000	2,000	1,700	1,700	3,400	700	600	1,200	2,900	2,800	5,800
25-29	1,500	1,400	3,000	800	900	1,700	1,700	1,600	3,300	500	500	1,000	2,300	2,400	4,800
30-34	1,200	1,200	2,500	800	800	1,600	1,800	1,600	3,400	400	500	900	2,500	2,800	5,300
35-39	1,300	1,200	2,500	1,100	1,100	2,200	1,700	1,600	3,400	600	600	1,100	3,000	3,000	6,100
40-44	1,200	1,200	2,500	1,200	1,300	2,500	1,600	1,500	3,200	600	600	1,200	3,000	3,300	6,300
45-49	1,200	1,100	2,300	1,300	1,200	2,500	1,400	1,400	2,800	600	600	1,200	2,800	3,100	6,000
50-54	1,000	1,000	2,100	1,100	1,000	2,100	1,300	1,200	2,500	500	500	1,100	2,600	2,600	5,200
55-59	900	900	1,800	1,000	1,000	2,000	1,100	1,100	2,200	600	500	1,100	2,300	2,400	4,700
60-64	900	900	1,800	1,000	1,000	1,900	1,000	1,000	2,000	500	500	1,000	2,200	2,300	4,500
65-69	700	700	1,400	800	800	1,600	700	800	1,600	400	400	800	1,700	1,900	3,700
70-74	500	600	1,100	600	700	1,300	600	700	1,200	400	400	700	1,400	1,700	3,200
75-79	400	400	800	400	600	1,000	500	600	1,000	200	300	500	1,100	1,500	2,600
80-84	300	400	600	300	400	700	300	400	700	100	300	400	700	1,200	2,000
85+	100	400	500	200	400	500	200	400	500	100	200	300	400	900	1,300
0-14	3,900	3,700	7,600	2,800	2,800	5,600	4,900	4,700	9,600	1,700	1,600	3,200	8,100	7,600	15,700
15-64	12,100	11,800	23,900	10,300	10,300	20,600	15,000	14,200	29,200	5,500	5,400	10,900	26,600	27,700	54,300
65+	1,900	2,400	4,400	2,200	2,900	5,100	2,300	2,800	5,100	1,200	1,500	2,700	5,400	7,300	12,700
TOTAL	18,000	17,900	35,900	15,400	15,900	31,300	22,200	21,700	43,800	8,400	8,500	16,900	40,200	42,600	82,700

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: Population estimates are generally rounded because population counts from the census and subsequent updates involving births, deaths and migration cannot be precise. Totals of rows/columns may not add up due to rounding.

SOUTH EASTERN LCG

AGE	Ards			Down			Lisburn			North Down		
	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons
0-4	2,500	2,300	4,700	2,400	2,300	4,700	4,300	4,000	8,300	2,400	2,200	4,600
5-9	2,400	2,200	4,600	2,300	2,200	4,500	3,900	3,700	7,600	2,200	2,100	4,300
10-14	2,600	2,400	4,900	2,600	2,500	5,200	4,500	4,100	8,500	2,500	2,200	4,700
15-19	2,400	2,300	4,800	2,600	2,400	5,000	4,200	4,000	8,200	2,300	2,300	4,600
20-24	2,400	2,300	4,700	2,700	2,400	5,100	4,100	4,000	8,000	2,400	2,300	4,700
25-29	2,300	2,300	4,700	2,400	2,300	4,800	3,800	3,900	7,700	2,300	2,300	4,600
30-34	2,200	2,300	4,500	2,200	2,100	4,300	3,300	3,700	7,000	2,400	2,400	4,900
35-39	2,700	2,800	5,500	2,400	2,500	4,900	3,800	4,400	8,200	2,800	2,700	5,600
40-44	3,000	3,100	6,100	2,600	2,600	5,300	4,300	4,700	8,900	2,700	3,000	5,700
45-49	2,800	2,900	5,700	2,400	2,400	4,800	4,000	4,400	8,300	2,700	2,900	5,600
50-54	2,500	2,600	5,100	2,100	2,200	4,300	3,500	3,500	7,000	2,600	2,700	5,300
55-59	2,400	2,600	5,000	2,000	2,000	3,900	3,000	3,200	6,200	2,600	2,700	5,200
60-64	2,600	2,600	5,200	1,800	1,800	3,600	2,800	3,000	5,800	2,500	2,800	5,300
65-69	1,900	2,000	3,800	1,400	1,400	2,900	2,200	2,500	4,800	1,900	2,000	3,900
70-74	1,400	1,500	2,900	1,100	1,200	2,400	1,700	2,000	3,700	1,500	1,700	3,100
75-79	1,000	1,300	2,300	800	1,000	1,800	1,300	1,700	3,000	1,100	1,600	2,700
80-84	600	1,000	1,600	500	900	1,400	800	1,300	2,100	700	1,300	2,000
85+	400	1,000	1,400	400	800	1,200	400	1,100	1,500	600	1,400	2,000
0-14	7,400	6,900	14,300	7,300	7,000	14,300	12,700	11,800	24,400	7,100	6,600	13,600
15-64	25,500	25,800	51,300	23,200	22,600	45,900	36,600	38,600	75,300	25,500	26,100	51,600
65+	5,300	6,800	12,100	4,200	5,400	9,600	6,400	8,600	15,100	5,700	8,000	13,700
TOTAL	38,200	39,400	77,600	34,800	35,000	69,800	55,700	59,000	114,800	38,300	40,600	78,900

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: Population estimates are generally rounded because population counts from the census and subsequent updates involving births, deaths and migration cannot be precise.

Totals of rows/columns may not add up due to rounding.

SOUTHERN LCG

AGE	Armagh			Banbridge			Craigavon			Dungannon			Newry & Mourne		
	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons
0-4	2,200	2,100	4,300	1,600	1,700	3,300	3,400	3,300	6,700	2,100	2,000	4,200	3,900	3,700	7,600
5-9	2,100	2,100	4,100	1,700	1,500	3,200	3,000	2,700	5,700	1,900	1,800	3,700	3,600	3,500	7,100
10-14	2,200	2,100	4,300	1,700	1,500	3,300	3,300	3,100	6,300	2,000	1,800	3,900	3,800	3,500	7,300
15-19	2,200	2,000	4,200	1,600	1,400	3,000	3,400	3,000	6,400	2,000	2,000	4,000	3,800	3,500	7,300
20-24	2,300	2,200	4,400	1,600	1,600	3,100	3,500	3,400	6,900	2,400	2,200	4,600	4,000	3,800	7,800
25-29	1,800	1,900	3,600	1,500	1,500	3,000	3,400	3,400	6,800	2,500	2,100	4,600	3,400	3,700	7,200
30-34	1,700	1,800	3,600	1,600	1,600	3,200	3,000	3,000	6,000	2,000	1,900	3,900	3,200	3,100	6,300
35-39	2,000	2,000	3,900	1,900	1,900	3,800	3,400	3,200	6,600	2,000	2,000	4,000	3,300	3,500	6,800
40-44	2,000	2,100	4,100	2,000	1,800	3,800	3,400	3,500	6,900	1,900	1,800	3,700	3,500	3,500	7,000
45-49	2,000	2,000	4,000	1,700	1,700	3,400	3,100	3,100	6,200	1,800	1,800	3,600	3,200	3,200	6,400
50-54	1,800	1,700	3,500	1,500	1,400	2,900	2,500	2,700	5,200	1,700	1,500	3,100	2,900	2,800	5,700
55-59	1,600	1,600	3,200	1,300	1,200	2,500	2,300	2,300	4,700	1,400	1,300	2,700	2,400	2,500	5,000
60-64	1,500	1,500	3,000	1,200	1,200	2,300	2,100	2,400	4,500	1,200	1,300	2,500	2,200	2,200	4,400
65-69	1,200	1,200	2,400	900	1,000	1,900	1,700	1,900	3,600	1,000	1,000	2,000	1,700	1,800	3,500
70-74	900	1,000	2,000	700	800	1,500	1,400	1,700	3,000	800	900	1,700	1,400	1,600	3,000
75-79	600	900	1,500	500	700	1,200	1,000	1,300	2,300	600	800	1,400	1,000	1,300	2,300
80-84	400	700	1,100	300	500	800	600	1,000	1,600	400	600	1,000	600	1,000	1,600
85+	200	500	800	200	500	700	400	900	1,300	200	500	800	300	800	1,100
0-14	6,500	6,300	12,700	5,000	4,700	9,800	9,600	9,100	18,800	6,100	5,700	11,800	11,400	10,600	22,000
15-64	18,800	18,800	37,600	15,800	15,300	31,100	30,200	30,000	60,200	18,900	17,900	36,800	31,900	31,900	63,800
65+	3,400	4,400	7,800	2,700	3,500	6,100	5,000	6,800	11,900	3,000	3,800	6,800	5,000	6,500	11,500
TOTAL	28,700	29,400	58,200	23,500	23,500	47,000	44,900	46,000	90,800	27,900	27,400	55,400	48,300	49,000	97,300

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: Population estimates are generally rounded because population counts from the census and subsequent updates involving births, deaths and migration cannot be precise. Totals of rows/columns may not add up due to rounding.

WESTERN LCG

AGE	Fermanagh			Limavady			Derry			Omagh			Strabane		
	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons
0-4	2,100	1,900	4,000	1,200	1,100	2,300	4,000	3,800	7,800	1,800	1,700	3,500	1,400	1,300	2,700
5-9	2,000	1,900	4,000	1,200	1,200	2,400	4,000	3,800	7,800	1,800	1,800	3,600	1,400	1,300	2,800
10-14	2,200	2,100	4,300	1,300	1,300	2,600	4,300	4,100	8,500	2,000	1,900	4,000	1,600	1,500	3,100
15-19	2,100	2,000	4,100	1,300	1,200	2,500	4,400	4,400	8,800	1,900	1,800	3,700	1,400	1,400	2,800
20-24	2,200	2,100	4,300	1,200	1,100	2,300	4,300	4,100	8,400	2,100	1,900	4,000	1,500	1,400	2,900
25-29	2,200	2,000	4,100	1,200	1,200	2,400	4,000	3,900	7,800	1,900	2,000	3,900	1,300	1,300	2,700
30-34	2,100	2,000	4,100	1,300	1,300	2,600	3,600	3,800	7,400	1,800	1,800	3,600	1,200	1,200	2,500
35-39	2,300	2,200	4,400	1,400	1,300	2,700	3,800	4,100	7,900	1,900	1,900	3,800	1,500	1,600	3,100
40-44	2,200	2,200	4,400	1,400	1,300	2,600	3,900	4,300	8,200	1,800	1,800	3,600	1,600	1,500	3,000
45-49	2,100	2,100	4,200	1,100	1,100	2,300	3,700	4,000	7,600	1,800	1,800	3,600	1,300	1,200	2,500
50-54	2,100	1,900	4,000	1,100	1,000	2,100	3,100	3,300	6,400	1,700	1,600	3,300	1,100	1,100	2,200
55-59	1,900	1,800	3,700	900	900	1,800	2,800	2,900	5,600	1,400	1,400	2,800	1,100	1,100	2,100
60-64	1,700	1,600	3,400	800	800	1,600	2,400	2,600	5,000	1,200	1,200	2,400	1,000	1,000	2,000
65-69	1,300	1,300	2,500	600	700	1,300	1,800	2,000	3,800	900	1,000	2,000	800	900	1,600
70-74	1,000	1,200	2,200	400	500	900	1,500	1,700	3,200	700	800	1,500	600	700	1,300
75-79	800	900	1,700	300	400	700	1,000	1,400	2,400	500	700	1,300	500	600	1,000
80-84	500	900	1,400	200	300	500	600	1,000	1,600	400	500	900	300	400	700
85+	400	700	1,100	100	300	400	300	800	1,100	200	500	700	200	300	500
0-14	6,400	5,900	12,300	3,800	3,600	7,300	12,300	11,700	24,000	5,700	5,400	11,100	4,400	4,200	8,600
15-64	20,900	19,900	40,800	11,800	11,100	22,900	35,900	37,100	73,100	17,500	17,200	34,700	13,100	12,700	25,800
65+	4,000	4,900	8,900	1,700	2,200	3,900	5,200	6,900	12,000	2,800	3,600	6,400	2,300	2,900	5,200
TOTAL	31,200	30,800	62,000	17,300	16,900	34,100	53,400	55,700	109,100	25,900	26,200	52,100	19,900	19,800	39,600

SOURCE: Northern Ireland Statistics and Research Agency

NOTE: Population estimates are generally rounded because population counts from the census and subsequent updates involving births, deaths and migration cannot be precise. Totals of rows/columns may not add up due to rounding.

Table 2a
Population projections for Northern Ireland for years 2015 and 2020 (thousands)

AGE	MALES		FEMALES		PERSONS	
	2015	2020	2015	2020	2015	2020
0-4	64	63	61	60	125	123
5-9	64	64	61	61	125	125
10-14	58	64	55	61	113	125
15-19	62	58	57	54	119	112
20-24	63	60	58	55	121	115
25-29	69	64	66	60	135	125
30-34	66	69	66	67	132	136
35-39	57	66	58	66	116	132
40-44	60	57	61	58	121	116
45-49	62	59	66	61	128	120
50-54	61	61	65	65	126	126
55-59	54	60	57	64	111	124
60-64	47	52	48	56	95	108
65-69	42	44	46	6	88	90
70-74	35	39	39	43	73	82
75+	54	67	80	91	134	158
0-14	186	191	177	183	363	374
15-64	601	606	603	607	1,204	1,213
65+	131	150	164	181	295	330
TOTAL	918	947	945	970	1,862	1,917

SOURCE: Northern Ireland Statistics and Research Agency

NOTE: Projections shown are based on the 2008 Mid Year Population Estimates
 Totals of rows/columns may not add up due to rounding.

Table 2b**Population projections by Local Commissioning Group / Local Government District for years 2015 and 2020 (thousands)**

Local Commissioning Group / Local Government District	2015				2020			
	0-14	15-64	65+	Total	0-14	15-64	65+	Total
Belfast LCG	55	213	53	321	53	203	54	311
Belfast	46	172	41	259	45	165	42	251
Castlereagh	9	41	12	62	9	38	13	60
Northern LCG	89	304	80	473	91	306	90	486
Antrim	13	39	8	60	14	41	9	65
Ballymena	12	42	12	66	12	42	14	68
Ballymoney	6	21	5	33	7	23	6	35
Carrickfergus	8	27	8	42	8	27	9	43
Coleraine	9	34	11	55	9	32	12	53
Cookstown	9	25	5	39	9	26	6	42
Larne	5	20	6	32	6	20	7	32
Magherafelt	10	32	6	47	10	33	7	50
Moyle	3	11	3	17	3	11	4	18
Newtownabbey	14	52	15	81	14	51	16	80
South Eastern LCG	67	228	64	358	70	228	72	369
Ards	14	52	16	82	15	52	18	85
Down	15	48	12	76	17	49	14	79
Lisburn	24	79	19	121	25	79	21	126
North Down	13	49	17	79	13	47	19	79
Southern LCG	83	256	54	393	92	272	62	425
Armagh	13	41	10	64	14	42	11	67
Banbridge	10	34	8	52	11	36	9	56
Craigavon	21	66	14	101	23	70	16	110
Dungannon	14	44	8	66	16	49	9	74
Newry/Mourne	25	70	14	110	28	75	16	119
Western LCG	62	204	45	311	63	204	53	320
Derry	23	74	15	113	24	74	18	115
Fermanagh	13	43	11	67	14	43	12	70
Limavady	6	24	5	35	6	23	6	35
Omagh	11	37	8	56	12	38	9	59
Strabane	9	26	6	41	9	26	7	42
NORTHERN IRELAND	356	1,204	297	1,857	368	1,212	331	1,911

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: Projections shown are based on the 2006 Mid Year Population Estimates

Totals of rows/columns may not add up due to rounding.

Northern Ireland totals are slightly different from those in Table 2a due to the use of 2008 estimates rather than the 2006 used here.

Table 3a
Live births and stillbirths to maternal residents of Northern Ireland, 1999-2008

YEAR	LIVE BIRTHS	STILLBIRTHS	TOTAL BIRTHS	TOTAL BIRTH RATE / 1,000 POPULATION
1999	22,957	132	23,089	13.8
2000	21,512	93	21,605	12.8
2001	21,962	112	22,074	13.1
2002	21,385	122	21,507	12.7
2003	21,648	108	21,756	12.8
2004	22,318	113	22,431	13.1
2005	22,328	89	22,417	13.0
2006	23,272	89	23,361	13.3
2007	24,451	102	24,553	14.0
2008	25,631	115	25,746	14.5

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: The Stillbirth (definition) Act 1992 re-defined stillbirths, from 1 October 1992, to include losses between 24 and 27 weeks gestation.
 Figures do not include births to women living outside Northern Ireland.

Table 3b**Live births and stillbirths to maternal residents by Local Commissioning Group and Local Government District, 2008**

Local Commissioning Group / Local Government District	LIVE BIRTHS	STILLBIRTHS	TOTAL BIRTHS	TOTAL BIRTH RATE/ 1,000 POPULATION
Belfast LCG	4,745	18	4,763	14.2
Belfast	3,883	18	3,901	14.5
Castlereagh	862	0	862	13.0
Northern LCG	6,347	29	6,376	14.1
Antrim	857	2	859	16.1
Ballymena	852	4	856	13.6
Ballymoney	412	2	414	13.8
Carrickfergus	498	2	500	12.5
Coleraine	725	4	729	12.8
Cookstown	533	3	536	14.9
Larne	347	1	348	11.1
Magherafelt	720	6	726	16.6
Moyle	203	1	204	12.1
Newtownabbey	1,200	4	1,204	14.6
South Eastern LCG	4,676	21	4,697	13.8
Ards	971	1	972	12.5
Down	979	4	983	14.1
Lisburn	1,751	11	1,762	15.4
North Down	975	5	980	12.4
Southern LCG	5,591	29	5,620	16.1
Armagh	884	3	887	15.2
Banbridge	733	5	738	15.7
Craigavon	1,470	9	1,479	16.3
Dungannon	911	6	917	16.6
Newry/Mourne	1,593	6	1,599	16.4
Western LCG	4,272	18	4,290	14.4
Derry	1,648	7	1,655	15.2
Fermanagh	876	2	878	14.2
Limavady	458	1	459	13.5
Omagh	719	4	723	13.9
Strabane	571	4	575	14.5
NORTHERN IRELAND	25,631	115	25,746	14.5

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: The Stillbirth (definition) Act 1992 re-defined stillbirths, from 1 October 1992, to include losses between 24 and 27 weeks gestation.

Figures do not include births to women living outside Northern Ireland

Table 4

Total births to maternal residents in each Local Commissioning Group/Local Government District (1999-2008)

Local Commissioning Group / Local Government District	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Belfast LCG	4,457	4,174	4,109	3,938	4,073	4,158	4,024	4,165	4,484	4,763
Belfast	3,525	3,366	3,320	3,190	3,343	3,440	3,301	3,411	3,681	3,901
Castlereagh	932	808	789	748	730	718	723	754	803	862
Northern LCG	5,659	5,325	5,442	5,452	5,358	5,723	5,644	5,795	6,058	6,376
Antrim	776	685	732	677	718	758	704	730	809	859
Ballymena	756	731	724	754	738	785	797	785	824	856
Ballymoney	345	321	368	367	347	398	377	405	391	414
Carrickfergus	483	466	460	434	456	442	479	471	475	500
Coleraine	705	646	640	659	622	676	592	648	647	729
Cookstown	452	430	461	456	411	504	485	499	544	536
Larne	386	340	335	360	345	317	352	360	366	348
Magherafelt	581	573	568	583	563	592	610	628	654	726
Moyle	211	186	198	163	199	200	195	183	225	204
Newtownabbey	964	947	956	999	959	1,051	1,053	1,086	1,123	1,204
South Eastern LCG	4,245	3,948	4,018	3,764	3,970	4,093	4,009	4,263	4,539	4,697
Ards	924	860	833	817	885	867	893	868	945	972
Down	892	831	856	816	853	904	804	954	963	983
Lisburn	1,574	1,454	1,499	1,390	1,375	1,475	1,482	1,542	1,707	1,762
North Down	855	803	830	741	857	847	830	899	924	980
Southern LCG	4,600	4,234	4,575	4,442	4,499	4,700	4,829	5,056	5,379	5,620
Armagh	804	712	758	724	768	729	808	856	862	887
Banbridge	602	538	562	578	647	589	648	648	692	738
Craigavon	1,126	1,060	1,120	1,039	1,086	1,180	1,201	1,329	1,420	1,479
Dungannon	721	622	715	722	655	787	762	805	880	917
Newry/Mourne	1,347	1,302	1,420	1,379	1,343	1,415	1,410	1,418	1,525	1,599
Western LCG	4,128	3,924	3,930	3,911	3,856	3,757	3,911	4,082	4,093	4,290
Derry	1,685	1,562	1,544	1,583	1,514	1,495	1,536	1,536	1,592	1,655
Fermanagh	727	723	723	754	713	693	734	825	806	878
Limavady	467	431	487	433	473	429	452	484	494	459
Omagh	679	680	653	660	648	650	683	690	688	723
Strabane	570	528	523	481	508	490	506	547	513	575
Northern Ireland	23,089	21,605	22,074	21,507	21,756	22,431	22,417	23,361	24,553	25,746
Births to non-NI residents	217	256	289	389	407	577	523	497	523	623

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: Births include both live and still births
The Stillbirth (definition) Act 1992 re-defined stillbirths, from 1 October 1992, to include losses between 24 and 27 weeks gestation.

Table 5a**Age specific fertility rates and total period fertility rates for Northern Ireland, 1999 – 2008**

Age Group	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
15-19	28.6	25.6	23.9	23.3	22.9	23.0	21.7	22.5	22.5	23.0
20-24	70.6	66.0	67.5	66.0	65.5	62.8	63.2	63.6	62.6	65.6
25-29	112.3	103.9	105.1	102.9	106.8	109.8	108.6	112.0	116.1	120.5
30-34	105.6	100.4	106.0	104.2	107.0	112.6	114.8	119.2	124.6	131.1
35-39	46.1	46.2	48.0	48.2	50.2	56.1	55.0	58.2	64.2	67.0
40-44	8.9	8.5	9.1	9.2	9.5	9.2	10.1	10.8	11.1	12.1
45-49	0.4	0.3	0.6	0.5	0.3	0.3	0.5	0.6	0.5	0.5
TPFR	1.86	1.75	1.80	1.77	1.81	1.87	1.87	1.93	2.01	2.11

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: Age-specific fertility rate is the number of live births occurring to a particular woman of a particular age or age group per year, normally expressed per 1,000 women

Total Period Fertility Rate (TPFR) is the average number of children that would have been born to a cohort of women who experienced throughout their childbearing years, the fertility rates of the calendar year in question.

Table 5b**Age specific fertility rates and total period fertility rates by Local Commissioning Group, 1999 - 2008****BELFAST LCG**

Age Group	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
15-19	33.4	32.1	28.2	32.5	30.3	30.2	30.4	29.5	29.9	28.3
20-24	62.6	55.9	59.5	50.8	60.0	56.7	60.6	57.3	60.1	64.9
25-29	87.3	77.3	76.3	74.9	79.0	91.5	87.4	91.1	94.9	99.4
30-34	91.4	91.1	88.9	86.6	89.9	94.6	87.5	96.6	103.9	116.5
35-39	45.4	45.3	45.4	48.0	51.2	52.5	51.1	54.5	63.8	66.9
40-44	6.8	7.4	8.9	8.5	9.3	8.5	8.6	10.5	12.0	13.4
45-49	0.5	0.2	1.0	0.2	0.3	0.3	0.3	0.8	0.6	0.2
TPFR	1.64	1.55	1.54	1.51	1.60	1.67	1.63	1.70	1.83	1.95

NORTHERN LCG

Age Group	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
15-19	27.1	22.7	22.7	22.1	20.1	22.1	19.2	21.2	19.3	22.7
20-24	69.5	66.1	65.0	66.8	69.2	66.6	63.1	64.2	62.0	67.5
25-29	113.8	107.6	108.6	111.0	112.2	117.1	114.0	119.5	126.9	126.6
30-34	104.2	97.5	102.0	106.5	104.6	112.5	120.7	118.2	122.7	134.6
35-39	40.2	42.8	45.6	44.8	45.5	55.7	51.4	55.1	60.2	60.8
40-44	9.0	8.1	8.5	8.5	8.5	8.1	10.0	10.6	10.6	9.9
45-49	0.2	0.2	0.6	0.7	0.2	0.4	0.4	0.4	0.6	0.3
TPFR	1.82	1.73	1.77	1.80	1.80	1.91	1.89	1.95	2.01	2.11

SOUTHERN EAST LCG

Age Group	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
15-19	27.1	25.6	24.5	19.1	22.8	22.3	21.5	22.0	21.6	22.3
20-24	71.9	64.8	71.2	68.7	65.1	65.1	63.5	68.4	67.2	66.3
25-29	119.2	105.4	107.7	100.9	110.3	107.3	106.9	108.5	120.2	122.5
30-34	105.4	100.4	103.7	102.4	107.9	115.6	112.7	122.8	128.0	128.8
35-39	43.3	45.3	45.6	41.6	47.3	54.4	51.9	54.0	62.1	69.8
40-44	8.5	8.6	8.3	8.5	10.6	9.7	9.3	8.8	9.5	10.8
45-49	0.3	0.3	0.4	0.6	0.1	0.2	0.3	0.7	0.5	1.0
TPFR	1.88	1.75	1.81	1.71	1.82	1.87	1.83	1.93	2.05	2.11

SOUTHERN LCG

Age Group	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
15-19	23.6	21.3	21.1	17.9	19.3	19.0	17.7	17.1	20.7	20.2
20-24	79.5	71.0	71.0	73.3	64.3	64.4	65.4	66.5	62.5	64.5
25-29	126.5	121.2	128.8	121.5	127.3	123.5	122.5	123.2	124.0	132.8
30-34	122.2	111.8	127.3	121.8	123.6	133.3	137.3	138.2	146.0	148.7
35-39	54.9	49.7	54.8	56.5	55.1	62.7	61.4	68.6	74.4	75.0
40-44	10.4	9.8	9.5	9.8	10.5	10.9	12.2	12.2	11.4	13.6
45-49	0.3	0.6	0.5	0.7	0.7	0.2	1.1	0.5	0.4	0.6
TPFR	2.09	1.93	2.07	2.01	2.00	2.07	2.09	2.13	2.20	2.28

WESTERN LCG

Age Group	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
15-19	31.6	26.1	22.8	24.3	21.2	20.6	19.1	22.2	20.9	20.9
20-24	74.3	77.3	76.0	79.3	70.4	62.6	64.3	63.7	62.2	64.2
25-29	117.9	111.6	108.6	108.8	107.5	108.4	111.7	116.6	112.7	120.4
30-34	108.2	104.2	112.8	103.6	110.3	106.5	112.6	119.5	121.6	124.4
35-39	49.7	50.1	50.3	52.4	54.5	55.4	61.3	60.2	61.5	64.2
40-44	9.9	9.1	10.8	11.1	8.9	9.4	10.7	12.1	12.6	14.0
45-49	0.6	0.4	0.4	0.2	0.6	0.3	0.2	0.7	0.1	0.8
TPFR	1.96	1.89	1.91	1.90	1.87	1.82	1.90	1.97	1.96	2.04

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: Age-specific fertility rate is the number of live births occurring to a particular woman of a particular age or age group per year, normally expressed per 1,000 women

Total Period Fertility Rate (TPFR) is the average number of children that would have been born to a cohort of women who experienced throughout their childbearing years, the fertility rates of the calendar year in question.

Table 6a

Notified live births by maternal resident area by birth weight, 1999 - 2008

BELFAST LCG

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
1999	24	0.6	328	7.5	4006	91.9	0	0.0	4358	100
2000	13	0.4	258	7.5	3173	92.3	0	0.0	3444	100
2001	22	0.5	270	6.7	3739	92.8	0	0.0	4031	100
2002	17	0.4	270	6.9	3613	92.6	0	0.0	3900	100
2003	18	0.4	243	6.0	3795	93.5	1	0.0	4057	100
2004	28	0.7	267	6.5	3797	92.8	0	0.0	4092	100
2005	37	0.9	243	6.1	3720	93.0	1	0.0	4001	100
2006	25	0.6	283	6.7	3920	92.7	1	0.0	4229	100
2007	22	0.5	226	5.1	4182	94.4	0	0.0	4430	100
2008	28	0.6	304	6.4	4415	93.0	0	0.0	4747	100

NORTHERN LCG

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
1999	21	0.4	300	5.3	5357	94.3	0	0.0	5678	100
2000	32	0.6	290	5.4	5024	94.0	0	0.0	5346	100
2001	23	0.4	252	4.7	5094	94.9	0	0.0	5369	100
2002	42	0.8	278	5.1	5092	94.1	0	0.0	5412	100
2003	25	0.5	287	5.4	5048	94.2	0	0.0	5360	100
2004	19	0.3	296	5.2	5389	94.5	0	0.0	5704	100
2005	25	0.4	308	5.5	5294	94.1	1	0.0	5628	100
2006	23	0.4	357	6.1	5427	93.5	0	0.0	5807	100
2007	18	0.3	334	5.5	5700	94.2	0	0.0	6052	100
2008	37	0.6	368	5.9	5857	93.5	0	0.0	6262	100

SOUTH EASTERN LCG

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
1999	26	0.6	246	5.8	3999	93.6	1	0.0	4272	100
2000	14	0.3	270	5.8	4406	93.9	0	0.0	4690	100
2001	12	0.3	217	5.5	3750	94.2	0	0.0	3979	100
2002	17	0.4	223	5.9	3569	93.7	0	0.0	3809	100
2003	23	0.6	210	5.3	3713	94.1	1	0.0	3947	100
2004	23	0.6	205	5.0	3837	94.4	0	0.0	4065	100
2005	22	0.5	235	5.8	3765	93.6	1	0.0	4023	100
2006	30	0.7	238	5.6	4018	93.7	0	0.0	4286	100
2007	22	0.5	240	5.3	4268	94.2	2	0.0	4532	100
2008	14	0.3	234	5.0	4440	94.7	0	0.0	4688	100

SOUTHERN LCG

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
1999	20	0.4	260	5.6	4357	94.0	0	0.0	4637	100
2000	22	0.5	209	4.9	4017	94.6	0	0.0	4248	100
2001	21	0.5	251	5.6	4243	94.0	0	0.0	4515	100
2002	16	0.4	253	5.7	4156	93.9	1	0.0	4426	100
2003	26	0.6	238	5.3	4261	94.2	0	0.0	4525	100
2004	24	0.5	242	5.1	4461	94.4	0	0.0	4727	100
2005	17	0.4	235	4.9	4575	94.8	0	0.0	4827	100
2006	21	0.4	277	5.5	4777	94.1	0	0.0	5075	100
2007	19	0.4	292	5.4	5094	94.2	1	0.0	5406	100
2008	35	0.6	261	4.7	5280	94.6	6	0.1	5582	100

WESTERN LCG

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
1999	19	0.5	216	5.3	3866	94.0	0	0.0	4101	100
2000	15	0.4	190	4.8	3775	94.8	0	0.0	3980	100
2001	11	0.3	229	5.9	3657	93.8	0	0.0	3897	100
2002	12	0.3	217	5.6	3676	94.1	0	0.0	3905	100
2003	17	0.4	202	5.2	3635	94.3	1	0.0	3855	100
2004	16	0.4	195	5.1	3581	94.4	0	0.0	3792	100
2005	26	0.7	193	4.9	3692	94.4	0	0.0	3911	100
2006	17	0.4	203	5.0	3870	94.6	0	0.0	4090	100
2007	19	0.5	244	5.9	3876	93.6	0	0.0	4139	100
2008	19	0.4	233	5.5	4012	94.1	0	0.0	4264	100

NORTHERN IRELAND

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
1999	110	0.5	1350	5.9	21585	93.7	1	0.0	23046	100
2000	96	0.4	1217	5.6	20395	94.0	0	0.0	21708	100
2001	89	0.4	1219	5.6	20483	94.0	0	0.0	21791	100
2002	104	0.5	1241	5.8	20106	93.7	1	0.0	21452	100
2003	109	0.5	1180	5.4	20452	94.1	3	0.0	21744	100
2004	110	0.5	1205	5.4	21065	94.1	0	0.0	22380	100
2005	127	0.6	1214	5.4	21046	94.0	3	0.0	22390	100
2006	116	0.5	1358	5.8	22012	93.7	1	0.0	23487	100
2007	100	0.4	1336	5.4	23120	94.1	3	0.0	24559	100
2008	133	0.5	1400	5.5	24004	94.0	6	0.0	25543	100

SOURCE: Child Health System

FOOTNOTE: Percentages may not total 100 due to rounding.

Table 6b
Notified still births by maternal resident area by birth weight, 1999 - 2008

BELFAST LCG

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
1999	8	28.6	11	39.3	9	32.1	0	0	28	100
2000	6	30.0	7	35.0	7	35.0	0	0	20	100
2001	7	26.9	8	30.8	11	42.3	0	0.0	26	100
2002	9	36.0	12	48.0	4	16.0	0	0.0	25	100
2003	6	31.6	10	52.6	3	15.8	0	0.0	19	100
2004	7	30.4	10	43.5	5	21.7	1	4.3	23	100
2005	3	23.1	4	30.8	6	46.2	0	0.0	13	100
2006	2	11.1	6	33.3	10	55.6	0	0.0	18	100
2007	4	22.2	8	44.4	6	33.3	0	0.0	18	100
2008	8	47.1	4	23.5	5	29.4	0	0.0	17	100

NORTHERN LCG

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
1999	8	25.0	14	43.8	10	31.3	0	0.0	32	100
2000	7	29.2	8	33.3	9	37.5	0	0.0	24	100
2001	9	32.1	12	42.9	7	25.0	0	0.0	28	100
2002	10	33.3	12	40.0	8	26.7	0	0.0	30	100
2003	6	24.0	9	36.0	9	36.0	1	4.0	25	100
2004	7	25.9	9	33.3	11	40.7	0	0.0	27	100
2005	4	19.0	9	42.9	8	38.1	0	0.0	21	100
2006	3	20.0	5	33.3	7	46.7	0	0.0	15	100
2007	14	37.8	15	40.5	8	21.6	0	0.0	37	100
2008	7	25.0	10	35.7	11	39.3	0	0.0	28	100

SOUTH EASTERN LCG

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
1999	5	25.0	4	20.0	10	50.0	1	5.0	20	100
2000	7	35.0	6	30.0	7	35.0	0	0.0	20	100
2001	8	36.4	4	18.2	9	40.9	1	4.5	22	100
2002	5	22.7	12	54.5	5	22.7	0	0.0	22	100
2003	6	37.5	5	31.3	4	25.0	1	6.3	16	100
2004	11	47.8	5	21.7	7	30.4	0	0.0	23	100
2005	4	16.7	11	45.8	9	37.5	0	0.0	24	100
2006	7	30.4	10	43.5	6	26.1	0	0.0	23	100
2007	5	45.5	4	36.4	1	9.1	1	9.1	11	100
2008	2	9.1	15	68.2	5	22.7	0	0.0	22	100

SOUTHERN LCG

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
1999	6	22.2	13	48.1	8	29.6	0	0.0	27	100
2000	5	23.8	10	47.6	6	28.6	0	0.0	21	100
2001	4	21.1	9	47.4	6	31.6	0	0.0	19	100
2002	5	27.8	9	50.0	4	22.2	0	0.0	18	100
2003	14	43.8	10	31.3	7	21.9	1	3.1	32	100
2004	5	27.8	7	38.9	6	33.3	0	0.0	18	100
2005	6	28.6	7	33.3	8	38.1	0	0.0	21	100
2006	5	31.3	5	31.3	6	37.5	0	0.0	16	100
2007	5	25.0	7	35.0	8	40.0	0	0.0	20	100
2008	8	26.7	12	40.0	10	33.3	0	0.0	30	100

WESTERN LCG

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
1999	7	27.0	12	46.0	7	27.0	0	0.0	26	100
2000	2	20.0	3	30.0	5	50.0	0	0.0	10	100
2001	3	16.7	7	38.9	8	44.4	0	0.0	18	100
2002	4	17.4	7	30.4	12	52.2	0	0.0	23	100
2003	3	14.3	5	23.8	13	61.9	0	0.0	21	100
2004	9	33.3	11	40.7	7	25.9	0	0.0	27	100
2005	3	23.0	5	38.5	5	38.5	0	0.0	13	100
2006	3	17.6	8	47.1	6	35.3	0	0.0	17	100
2007	11	52.4	6	28.6	4	19.0	0	0.0	21	100
2008	2	10.5	7	36.8	10	52.6	0	0.0	19	100

NORTHERN IRELAND

Year	BIRTH WEIGHT									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
1999	34	25.6	54	40.6	44	33.1	1	0.8	133	100
2000	27	28.4	34	35.8	34	35.8	0	0.0	95	100
2001	31	27.4	40	35.4	41	36.3	1	0.9	113	100
2002	33	28.0	52	44.1	33	28.0	0	0.0	118	100
2003	35	31.0	39	34.5	36	31.9	3	2.7	113	100
2004	39	33.1	42	35.6	36	30.5	1	0.8	118	100
2005	20	21.7	36	39.1	36	39.1	0	0.0	92	100
2006	20	22.5	34	38.2	35	39.3	0	0.0	89	100
2007	39	36.4	40	37.4	27	25.2	1	0.9	107	100
2008	27	23.3	48	41.4	41	35.3	0	0.0	116	100

SOURCE: Child Health System

FOOTNOTE: Percentages may not total 100 due to rounding.

Table 7a
Infant and perinatal death rates in Northern Ireland, 1999 – 2008

Year	Perinatal		Neonatal		Post neonatal		Infant	
	No	Rate	No	Rate	No	Rate	No	Rate
1999	206	8.8	112	4.8	36	1.6	148	6.4
2000	134	6.1	82	3.8	27	1.2	109	5.0
2001	163	7.3	98	4.4	36	1.6	134	6.0
2002	166	7.6	73	3.4	27	1.2	100	4.6
2003	152	6.9	87	3.9	28	1.3	115	5.2
2004	151	6.6	83	3.6	39	1.7	122	5.3
2005	165	7.2	111	4.9	29	1.3	140	6.1
2006	146	6.1	90	3.8	31	1.3	121	5.1
2007	149	5.9	81	3.2	42	1.7	123	4.9
2008	194	7.4	95	3.6	28	1.1	123	4.7

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: **Perinatal mortality rate:** Number of stillbirths and deaths in the first week of life per 1,000 live and stillbirths per annum (including non Northern Ireland residents).
Neonatal mortality rate: Number of deaths in the first four weeks of life per 1,000 live births per annum (including non Northern Ireland residents).
Post neonatal mortality rate: Number of deaths after the first four weeks but before the end of the first year per 1,000 live births per annum (including non Northern Ireland residents).
Infant mortality rate: Number of deaths in the first year of life per 1,000 live births per annum (including non Northern Ireland residents).
The Stillbirth (definition) Act 1992 re-defined stillbirths, from 1 October 1992, to include losses between 24 and 27 weeks gestation.

Table 7b
Infant and perinatal death rates by Local Commissioning Group, 1999 - 2008

BELFAST LCG

Year	Perinatal		Neonatal		Post neonatal		Infant	
	No	Rate	No	Rate	No	Rate	No	Rate
1999	48	10.7	23	5.2	12	2.7	35	7.9
2000	37	8.8	19	4.5	6	1.4	25	6.0
2001	38	9.1	16	3.9	9	2.2	25	6.1
2002	33	8.2	8	2.0	7	1.8	15	3.8
2003	29	7.0	16	3.9	11	2.7	27	6.5
2004	37	8.6	22	5.1	6	1.4	28	6.5
2005	37	9.1	29	7.1	11	2.7	40	9.8
2006	28	6.7	14	3.4	4	1.0	18	4.3
2007	31	6.9	17	3.8	8	1.8	25	5.6
2008	39	8.1	21	4.4	9	1.9	30	6.3

NORTHERN LCG

	Perinatal		Neonatal		Post neonatal		Infant	
	No	Rate	No	Rate	No	Rate	No	Rate
1999	51	9.0	21	3.7	5	0.9	26	4.6
2000	35	6.6	20	3.8	6	1.1	26	4.9
2001	48	8.8	25	4.6	8	1.5	33	6.1
2002	55	10.1	25	4.6	6	1.1	31	5.7
2003	38	7.1	17	3.2	7	1.3	24	4.5
2004	32	5.6	8	1.4	7	1.2	15	2.6
2005	36	6.4	21	3.7	5	0.9	26	4.6
2006	31	5.3	20	3.5	7	1.2	27	4.7
2007	51	8.4	16	2.7	10	1.7	26	4.3
2008	46	7.2	22	3.5	7	1.1	29	4.6

SOUTH EASTERN LCG

	Perinatal		Neonatal		Post neonatal		Infant	
	No	Rate	No	Rate	No	Rate	No	Rate
1999	47	11.1	31	7.3	5	1.2	36	8.5
2000	30	7.6	13	3.3	6	1.5	19	4.8
2001	34	8.5	15	3.8	7	1.8	22	5.5
2002	29	7.7	9	2.4	5	1.3	14	3.7
2003	25	6.3	13	3.3	3	0.8	16	4.0
2004	40	9.8	18	4.4	8	2.0	26	6.4
2005	40	10.0	18	4.5	6	1.5	24	6.0
2006	40	9.4	22	5.2	4	0.9	26	6.1
2007	23	5.1	12	2.7	8	1.8	20	4.4
2008	29	6.2	10	2.1	4	0.9	14	3.0

SOUTHERN LCG

	Perinatal		Neonatal		Post neonatal		Infant	
	No	Rate	No	Rate	No	Rate	No	Rate
1999	41	8.7	17	3.6	8	1.7	25	5.4
2000	35	8.1	17	3.9	4	0.9	21	4.9
2001	38	8.1	27	5.8	6	1.3	33	7.0
2002	33	7.1	14	3.0	4	0.9	18	3.9
2003	48	10.2	25	5.3	4	0.9	29	6.2
2004	40	8.1	23	4.6	7	1.4	30	6.1
2005	33	6.4	15	2.9	5	1.0	20	3.9
2006	40	7.4	21	3.9	7	1.3	28	5.2
2007	36	6.3	19	3.3	9	1.6	28	4.9
2008	51	8.5	26	4.3	4	0.7	30	5.0

WESTERN LCG

	Perinatal		Neonatal		Post neonatal		Infant	
	No	Rate	No	Rate	No	Rate	No	Rate
1999	46	10.9	20	4.8	6	1.4	26	6.2
2000	20	5.0	13	3.2	5	1.2	18	4.5
2001	29	7.2	15	3.7	6	1.5	21	5.2
2002	41	10.2	17	4.3	5	1.3	22	5.5
2003	37	9.3	16	4.1	3	0.8	19	4.8
2004	36	9.2	12	3.1	11	2.8	23	5.9
2005	39	9.7	28	7.0	2	0.5	30	7.5
2006	26	6.2	13	3.1	9	2.1	22	5.2
2007	33	7.8	17	4.0	7	1.7	24	5.7
2008	29	6.5	16	3.6	4	0.9	20	4.5

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: **Perinatal mortality rate:** Number of stillbirths and deaths in the first week of life per 1,000 live and stillbirths per annum (including non Northern Ireland residents).
Neonatal mortality rate: Number of deaths in the first four weeks of life per 1,000 live births per annum (including non Northern Ireland residents).
Post neonatal mortality rate: Number of deaths after the first four weeks but before the end of the first year per 1,000 live births per annum (including non Northern Ireland residents).
Infant mortality rate: Number of deaths in the first year of life per 1,000 live births per annum (including non Northern Ireland residents).
 The Stillbirth (definition) Act 1992 re-defined stillbirths, from 1 October 1992, to include losses between 24 and 27 weeks gestation.

Table 8
Standardised mortality ratios for children aged 1-14 years by Local Commissioning Group, 2004 - 2008

Local Commissioning Group	ALL CAUSES (2004-2008)		ACCIDENTS (ICD10: V00-X59) (2004-2008)	
	DEATHS	S.M.R.	DEATHS	S.M.R.
Belfast	44	84	15	100
Northern	62	89	18	89
South Eastern	55	106	12	80
Southern	68	122	21	130
Western	52	102	15	102
NORTHERN IRELAND	281	100	81	100

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: *ICD = International Classification of Diseases (10th Revision)

Table 9a
Directly standardised death rates 1999-2008 for selected major causes of death, age 15-74 years, Northern Ireland

(i) Male

Condition	ICD10 CODE	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
All Causes		644.6	599.5	575.2	578.4	543.2	539.6	526.8	524.9	516.1	506.3
Cancer of Stomach	C16	12.3	11.6	10.5	8.9	9.2	10.0	7.4	7.1	6.7	4.8
Cancer of Colon	C18	14.4	15.0	13.8	14.9	17.2	14.4	13.6	12.3	13.8	12.7
Cancer of Rectum	C19-C21	5.9	5.7	6.5	4.4	9.5	9.1	7.9	8.1	9.8	7.4
Cancer of Lung	C33-C34	56.4	53.0	56.1	54.5	49.0	47.2	47.7	53.0	45.6	51.5
Ischaemic Heart Disease	I20-I25	179.7	154.5	140.9	134.1	120.6	119.9	107.9	102.4	99.7	87.6
Cerebrovascular Disease	I60-I69	39.4	29.6	27.5	34.0	30.2	26.5	24.5	24.1	18.9	20.1
Respiratory Diseases	J00-J99	68.5	64.8	46.5	41.4	52.6	47.4	43.7	35.7	40.2	41.9
Diseases of the genitourinary system	N00-N99	5.0	5.3	5.7	5.9	4.5	3.2	5.3	5.6	5.1	4.2
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	14.5	16.1	16.1	15.7	13.6	15.1	18.7	16.6	17.2	14.6
Suicide/self inflicted injuries	X60-X84, Y87.0	16.6	21.4	19.3	21.2	16.4	15.1	23.4	30.8	23.2	29.6

(ii) Female

Condition	ICD10 CODE	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
All causes		374.0	370.0	346.3	343.6	328.9	328.4	306.2	312.4	302.5	305.5
Cancer of Stomach	C16	4.5	5.4	5.2	4.5	3.8	4.0	3.6	4.5	3.4	3.1
Cancer of Colon	C18	10.0	11.4	7.4	7.1	9.3	9.5	9.3	8.3	9.2	7.6
Cancer of Rectum	C19-C21	2.4	3.6	3.7	4.0	6.2	4.9	3.7	2.3	2.8	4.5
Cancer of Lung	C33-C34	26.2	32.3	27.2	28.1	26.7	27.5	26.3	27.0	27.2	27.1
Cancer of Breast	C50	30.1	31.1	31.1	26.5	25.1	30.5	25.1	26.9	24.9	26.5
Cancer of Cervix	C53	4.2	3.9	3.0	2.6	3.2	3.6	1.6	3.0	1.6	2.7
Ischaemic Heart Disease	I20-I25	65.0	57.3	54.3	49.8	40.7	41.2	38.8	37.7	32.5	30.6
Cerebrovascular Disease	I60-I69	29.8	24.6	23.9	25.7	19.9	21.8	16.5	17.7	18.4	17.8
Respiratory Diseases	J00-J99	49.3	47.7	31.1	33.9	33.7	31.4	26.7	26.9	27.3	28.8
Diseases of the genitourinary system	N00-N99	3.8	2.7	4.1	5.3	4.1	4.6	3.7	3.2	4.7	3.4
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	3.3	3.8	4.2	4.1	3.3	5.9	5.3	5.0	4.8	5.0
Suicide/self inflicted injuries	X60-X84, Y87.0	4.0	5.1	3.5	4.4	4.5	4.9	5.4	7.4	8.4	7.9

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: *ICD = International Classification of Diseases (10th Revision).
 In 2001, ICD10 classification of diseases was introduced to replace ICD09. There was a change in the selection rules between ICD09 and ICD10 and this had a significant effect on the way pneumonia and bronchopneumonia were coded and therefore there has been a fall in the number of deaths from these causes since the implementation of ICD10 in 2001.
 Rates are per 100,000 population
 All rates are standardised to the revised 2001 home mid year estimate

Table 9b**Age standardised death rates 1999-2008 (Standardised to European Populations) for selected major causes of death, age 15-74 years, Northern Ireland****(i) Male**

Condition	ICD10 CODE	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
All Causes		645.0	601.1	576.3	581.5	543.4	543.8	530.6	529.1	521.3	508.5
Cancer of Stomach	C16	12.4	11.7	10.6	8.8	9.4	10.2	7.4	7.1	6.6	4.7
Cancer of Colon	C18	14.3	15.1	14.0	14.9	17.5	14.5	13.6	12.4	14.2	12.9
Cancer of Rectum	C19-C21	6.1	5.8	6.6	4.5	9.8	9.2	8.1	8.3	9.8	7.4
Cancer of Lung	C33-C34	56.3	52.9	56.1	54.9	49.1	47.7	48.2	53.1	46.2	51.7
Ischaemic Heart Disease	I20-I25	181.5	155.5	141.9	135.3	121.2	121.4	108.9	103.9	101.4	86.6
Cerebrovascular Disease	I60-I69	38.7	29.3	27.3	33.1	29.9	26.2	24.3	24.0	18.9	20.0
Respiratory Diseases	J00-J99	66.8	63.6	46.0	41.0	51.5	47.1	43.0	35.5	39.5	41.7
Diseases of the genitourinary system	N00-N99	4.8	5.1	5.6	5.9	4.6	3.1	5.3	5.4	5.0	4.1
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	14.2	15.8	15.6	15.3	13.4	14.9	18.4	16.4	16.9	14.3
Suicide/self inflicted injuries	X60-X84, Y87.0	16.2	20.9	18.9	21.0	16.3	15.1	23.2	30.8	23.3	29.3

(ii) Female

Condition	ICD10 CODE	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
All causes		376.5	372.3	347.1	345.5	330.1	330.3	308.1	315.1	305.4	308.6
Cancer of Stomach	C16	4.5	5.4	5.1	4.4	3.8	4.0	3.6	4.4	3.5	3.1
Cancer of Colon	C18	10.0	11.5	7.3	7.2	9.5	9.5	9.5	8.3	9.3	7.6
Cancer of Rectum	C19-C21	2.5	3.7	3.7	4.2	6.4	4.9	3.8	2.4	2.8	4.6
Cancer of Lung	C33-C34	26.9	32.5	27.4	28.5	26.9	28.3	26.5	27.6	27.6	27.5
Cancer of Breast	C50	31.2	32.5	32.3	27.3	26.0	31.4	26.2	28.0	25.5	27.4
Cancer of Cervix	C53	4.2	4.2	3.1	2.7	3.3	3.7	1.7	3.2	1.7	2.7
Ischaemic Heart Disease	I20-I25	64.5	56.6	53.3	49.2	40.3	41.2	38.4	37.6	32.3	30.2
Cerebrovascular Disease	I60-I69	29.7	24.7	23.8	25.6	19.8	21.7	16.2	17.6	18.1	17.9
Respiratory Diseases	J00-J99	48.9	47.7	30.7	33.9	33.2	31.3	26.6	26.7	27.4	28.5
Diseases of the genitourinary system	N00-N99	3.8	2.5	4.1	5.2	4.1	4.4	3.6	3.1	4.6	3.4
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	3.2	3.8	4.0	4.0	3.2	5.8	5.2	4.9	4.7	5.0
Suicide/self inflicted injuries	X60-X84, Y87.0	2.7	5.1	3.5	4.4	3.5	4.9	5.5	7.5	8.5	7.9

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: *ICD = International Classification of Diseases (10th Revision). In 2001, ICD10 classification of diseases was introduced to replace ICD09. There was a change in the selection rules between ICD09 and ICD10 and this had a significant effect on the way pneumonia and bronchopneumonia were coded and therefore there has been a fall in the number of deaths from these causes since the implementation of ICD10 in 2001.

Rates are per 100,000 population. All rates are standardised to the Standard EU population (Source: Health Statistics - Atlas on mortality in the European Union, Annexe 1)

http://epp.eurostat.ec.europa.eu/cache/ITY_SDDS/Annexes/hlth_cdeath_esms_an1.pdf

Table 9c
Directly standardised death rates 1999-2008 for selected major causes of death, age 15-74 years, Local Commissioning Group

BELFAST LCG

Condition	ICD10 CODE	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
(i) Male											
All Causes		778.3	706.0	670.0	733.4	641.4	640.4	652.7	621.8	663.9	707.0
Cancer of Stomach	C16	17.3	12.7	9.4	13.5	9.5	13.0	12.1	6.1	8.8	6.1
Cancer of Colon	C18	19.2	11.6	13.7	11.9	25.7	15.5	19.0	18.3	19.1	17.2
Cancer of Rectum	C19-C21	10.4	10.2	5.0	6.0	10.4	10.4	9.5	7.8	13.9	9.4
Cancer of Lung	C33-C34	75.6	66.0	80.2	79.7	73.5	73.1	59.8	87.1	77.2	84.6
Ischaemic Heart Disease	I20-I25	197.9	166.3	151.4	154.5	124.3	130.5	131.9	116.6	106.4	106.0
Cerebrovascular Disease	I60-I69	46.6	25.2	29.6	44.8	42.6	36.9	23.5	33.1	30.4	30.5
Respiratory Diseases	J00-J99	98.0	96.1	57.2	60.2	66.7	54.9	57.1	47.9	60.7	63.0
Diseases of the genitourinary system	N00-N99	4.1	1.6	6.7	10.3	6.1	4.3	8.7	7.9	3.5	4.3
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	10.7	13.7	11.6	11.3	11.0	10.7	13.2	9.3	9.9	12.5
Suicide/self inflicted injuries	X60-X84, Y87.0	28.1	26.9	23.8	23.7	20.0	17.8	30.7	34.7	28.9	40.1
(ii) Female											
All Causes		429.2	451.3	397.1	392.9	379.4	382.5	342.1	377.2	367.3	356.2
Cancer of Stomach	C16	4.7	6.5	8.6	3.7	5.8	2.7	2.8	5.8	5.7	4.3
Cancer of Colon	C18	9.0	16.3	8.3	6.4	4.5	12.4	8.1	10.4	11.2	6.6
Cancer of Rectum	C19-C21	2.2	3.9	2.6	2.0	6.1	6.4	4.5	2.2	2.4	6.0
Cancer of Lung	C33-C34	34.9	52.4	35.5	42.6	36.2	40.1	35.9	39.2	38.9	38.9
Cancer of Breast	C50	30.9	25.9	33.7	34.3	23.9	28.7	21.8	25.7	26.8	29.0
Cancer of Cervix	C53	7.8	6.6	2.2	3.5	3.2	3.6	3.8	3.1	0.7	3.1
Ischaemic Heart Disease	I20-I25	59.1	63.2	56.5	48.2	38.4	53.6	41.0	45.7	40.8	38.8
Cerebrovascular Disease	I60-I69	31.2	36.1	25.2	26.5	25.1	21.2	21.4	21.4	16.6	26.9
Respiratory Diseases	J00-J99	67.6	68.1	39.5	40.7	45.1	40.4	33.3	29.3	38.6	29.1
Diseases of the genitourinary system	N00-N99	2.0	3.0	6.6	4.1	5.9	3.2	2.8	6.3	4.1	3.1
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	2.3	1.3	3.7	0.6	1.4	4.0	0.7	1.6	4.6	2.3
Suicide/self inflicted injuries	X60-X84, Y87.0	3.7	11.0	4.7	4.8	5.5	8.5	5.6	10.8	12.2	6.6

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: *ICD = International Classification of Diseases (10th Revision)
 In 2001, ICD10 classification of diseases was introduced to replace ICD09. There was a change in the selection rules between ICD09 and ICD10 and this had a significant effect on the way pneumonia and bronchopneumonia were coded and therefore there has been a fall in the number of deaths from these causes since the implementation of ICD10 in 2001.
 Rates are per 100,000 population. All rates are standardised to the revised 2001 home mid year estimate

NORTHERN LCG

Condition	ICD10 CODE	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
(i) Male											
All Causes		619.8	550.6	543.2	532.0	504.1	510.6	482.7	495.2	466.6	463.7
Cancer of Stomach	C16	6.1	9.4	10.5	6.6	7.0	9.8	7.4	10.7	4.7	3.4
Cancer of Colon	C18	14.6	13.6	15.3	16.4	10.2	15.7	13.0	12.6	9.9	10.4
Cancer of Rectum	C19-C21	7.5	5.4	6.0	7.1	11.6	8.6	6.7	7.9	8.2	6.9
Cancer of Lung	C33-C34	48.6	48.4	49.4	54.8	40.5	45.1	44.1	44.8	42.1	44.3
Ischaemic Heart Disease	I20-I25	186.2	143.3	142.3	122.1	106.1	120.4	97.6	99.8	91.5	85.2
Cerebrovascular Disease	I60-I69	42.1	34.1	23.7	34.4	30.0	20.1	29.6	19.3	15.0	16.2
Respiratory Diseases	J00-J99	57.9	54.1	40.1	32.8	53.6	42.4	34.3	35.3	32.9	32.0
Diseases of the genitourinary system	N00-N99	6.3	6.2	7.4	3.3	1.9	2.4	4.2	5.4	6.0	5.2
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	17.4	17.1	12.4	17.5	13.6	19.4	19.5	15.4	16.5	14.5
Suicide/self inflicted injuries	X60-X84, Y87.0	11.8	16.5	15.7	20.2	16.0	10.9	20.5	28.1	18.7	23.9
(ii) Female											
All Causes		350.5	322.4	337.8	312.5	310.7	299.5	293.5	293.8	267.2	289.9
Cancer of Stomach	C16	4.3	4.8	4.8	3.6	2.3	4.5	3.5	5.0	0.5	3.1
Cancer of Colon	C18	7.3	9.8	7.8	6.4	9.9	11.5	10.1	7.7	10.2	5.3
Cancer of Rectum	C19-C21	3.2	6.6	3.6	1.2	6.3	4.0	3.3	3.3	2.8	7.0
Cancer of Lung	C33-C34	20.5	28.4	23.8	24.0	17.9	24.6	28.8	20.8	18.9	29.2
Cancer of Breast	C50	30.8	31.7	26.6	20.9	28.7	32.7	24.7	29.7	22.5	25.4
Cancer of Cervix	C53	3.2	4.4	4.4	1.2	4.6	1.1	0.0	1.1	1.1	2.3
Ischaemic Heart Disease	I20-I25	59.4	62.0	57.2	40.9	38.7	34.4	29.8	35.8	29.3	27.5
Cerebrovascular Disease	I60-I69	34.8	17.4	24.8	25.4	20.4	23.4	13.8	20.2	17.7	13.9
Respiratory Diseases	J00-J99	41.1	31.4	31.7	28.6	33.0	29.7	25.2	24.8	25.4	28.5
Diseases of the genitourinary system	N00-N99	1.2	2.4	2.4	5.2	2.9	5.2	3.9	2.8	6.5	2.1
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	3.2	4.3	4.4	5.0	3.3	6.4	5.4	7.6	7.9	6.7
Suicide/self inflicted injuries	X60-X84, Y87.0	2.0	4.6	1.9	5.2	3.3	2.3	5.4	6.0	4.3	4.1

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: *ICD = International Classification of Diseases (10th Revision)
 In 2001, ICD10 classification of diseases was introduced to replace ICD09. There was a change in the selection rules between ICD09 and ICD10 and this had a significant effect on the way pneumonia and bronchopneumonia were coded and therefore there has been a fall in the number of deaths from these causes since the implementation of ICD10 in 2001.
 Rates are per 100,000 population. All rates are standardised to the revised 2001 home mid year estimate

SOUTH EASTERN LCG

Condition	ICD10 CODE	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
(i) Male											
All Causes		572.6	534.3	519.7	500.9	478.1	492.0	475.4	445.4	464.0	405.2
Cancer of Stomach	C16	12.0	7.3	10.0	2.5	9.2	12.2	7.0	7.1	9.5	3.0
Cancer of Colon	C18	11.7	18.1	9.9	21.2	13.8	14.8	10.1	6.4	17.0	6.7
Cancer of Rectum	C19-C21	1.0	3.6	7.9	3.5	8.1	10.0	6.5	5.6	8.5	9.2
Cancer of Lung	C33-C34	49.4	48.4	51.8	38.1	38.4	37.8	38.5	38.2	38.2	38.1
Ischaemic Heart Disease	I20-I25	156.3	143.5	119.1	122.8	114.1	97.8	90.5	96.1	84.6	66.6
Cerebrovascular Disease	I60-I69	39.3	26.1	28.4	33.2	19.9	22.0	20.7	20.4	18.1	21.5
Respiratory Diseases	J00-J99	64.3	47.8	42.0	36.7	39.1	46.1	42.5	22.9	34.4	39.6
Diseases of the genitourinary system	N00-N99	5.0	4.7	5.4	1.6	3.6	3.4	4.2	4.8	6.7	5.3
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	9.0	13.3	13.2	12.9	17.2	13.8	15.5	8.2	10.6	14.4
Suicide/self inflicted injuries	X60-X84, Y87.0	17.5	25.5	20.4	21.0	15.0	12.9	23.4	24.3	18.6	19.2
(ii) Female											
All Causes		373.1	348.0	286.2	322.9	320.4	286.1	280.9	263.1	292.2	286.8
Cancer of Stomach	C16	4.9	4.0	2.4	3.8	3.1	4.5	5.1	1.5	3.5	2.3
Cancer of Colon	C18	10.3	6.4	2.4	5.4	13.7	8.8	9.4	5.9	11.5	10.0
Cancer of Rectum	C19-C21	3.3	1.6	3.9	7.7	6.7	5.4	1.4	2.1	2.8	4.1
Cancer of Lung	C33-C34	27.3	27.0	21.3	23.9	30.4	20.5	17.7	18.8	27.9	17.6
Cancer of Breast	C50	26.8	40.8	33.1	22.5	22.7	30.0	26.8	23.6	25.3	26.5
Cancer of Cervix	C53	3.2	1.6	2.5	2.5	1.7	4.4	2.1	3.8	3.9	3.1
Ischaemic Heart Disease	I20-I25	68.0	53.1	44.1	52.6	41.2	28.3	40.5	27.3	33.9	31.3
Cerebrovascular Disease	I60-I69	31.2	23.0	22.1	22.5	20.6	17.1	16.2	15.8	16.1	16.0
Respiratory Diseases	J00-J99	51.3	50.9	29.1	38.3	26.8	27.1	21.2	26.2	24.4	33.0
Diseases of the genitourinary system	N00-N99	6.4	3.1	4.7	3.1	2.3	5.2	3.0	1.5	4.1	3.5
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	3.4	3.6	4.4	3.5	0.9	5.2	2.6	3.2	3.5	2.1
Suicide/self inflicted injuries	X60-X84, Y87.0	0.0	5.8	4.1	6.7	5	5.0	7.4	6.0	5.0	7.9

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: *ICD = International Classification of Diseases (10th Revision)

In 2001, ICD10 classification of diseases was introduced to replace ICD09. There was a change in the selection rules between ICD09 and ICD10 and this had a significant effect on the way pneumonia and bronchopneumonia were coded and therefore there has been a fall in the number of deaths from these causes since the implementation of ICD10 in 2001.

Rates are per 100,000 population. All rates are standardised to the revised 2001 home mid year estimate

SOUTHERN LCG

Condition	ICD10 CODE	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
(i) Male											
All Causes		630.7	617.1	577.6	543.8	539.7	527.2	506.9	532.5	443.1	473.4
Cancer of Stomach	C16	18.9	15.4	12.7	7.7	12.0	6.6	4.6	1.6	4.3	5.2
Cancer of Colon	C18	16.6	12.9	10.6	12.2	19.6	8.2	10.6	12.1	12.6	17.1
Cancer of Rectum	C19-C21	5.2	7.1	6.0	1.9	12.0	8.2	7.0	10.4	6.8	7.5
Cancer of Lung	C33-C34	42.4	46.4	46.4	44.2	45.2	39.3	51.4	44.7	25.1	45.9
Ischaemic Heart Disease	I20-I25	181.6	165.0	143.2	131.5	134.6	128.8	107.8	113.6	107.8	86.2
Cerebrovascular Disease	I60-I69	29.1	32.7	36.2	26.3	24.6	27.6	25.3	25.4	11.2	15.7
Respiratory Diseases	J00-J99	60.7	66.7	48.2	34.0	49.0	42.9	36.6	37.6	36.6	35.5
Diseases of the genitourinary system	N00-N99	5.2	7.3	4.0	8.0	6.5	1.0	2.8	3.7	1.7	2.5
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	25.2	24.3	26.1	14.3	13.9	14.8	26.7	24.1	20.4	15.4
Suicide/self inflicted injuries	X60-X84, Y87.0	12.8	18.7	20.5	22.2	18.2	20.6	20.4	28.6	24.0	37.6
(ii) Female											
All Causes		345.2	366.7	328.5	330.5	313.5	327.3	298.6	303.4	275.6	311.9
Cancer of Stomach	C16	2.8	5.4	4.3	4.2	4.2	3.3	3.3	5.7	5.5	2.3
Cancer of Colon	C18	13.5	14.3	8.7	5.1	11.8	4.1	6.5	7.3	5.5	8.5
Cancer of Rectum	C19-C21	0.9	2.7	2.6	6.1	7.6	6.7	3.3	2.4	3.1	2.3
Cancer of Lung	C33-C34	29.1	29.4	20.0	17.1	19.4	25.7	16.3	27.3	20.5	26.2
Cancer of Breast	C50	32.0	30.7	35.6	26.8	25.5	33.4	26.2	34.3	28.4	27.0
Cancer of Cervix	C53	3.6	2.8	0.0	1.7	3.4	4.2	0.8	3.3	0.8	1.5
Ischaemic Heart Disease	I20-I25	67.4	54.1	58.1	61.4	43.7	47.2	40.8	37.1	28.3	30.9
Cerebrovascular Disease	I60-I69	24.1	25.7	19.2	29.9	11.8	25.7	18.0	10.5	21.4	17.0
Respiratory Diseases	J00-J99	41.8	45.1	21.7	27.4	28.6	24.9	26.3	22.6	17.4	25.5
Diseases of the genitourinary system	N00-N99	5.4	3.5	1.7	4.3	2.6	3.3	5.7	4.1	1.6	6.1
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	4.7	4.5	5.4	7.7	4.4	8.6	12.7	6.6	4.0	4.7
Suicide/self inflicted injuries	X60-X84, Y87.0	1.9	0.9	3.6	1.8	3.5	0.8	5.0	4.9	12.1	10.3

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: *ICD = International Classification of Diseases (10th Revision)

In 2001, ICD10 classification of diseases was introduced to replace ICD09. There was a change in the selection rules between ICD09 and ICD10 and this had a significant effect on the way pneumonia and bronchopneumonia were coded and therefore there has been a fall in the number of deaths from these causes since the implementation of ICD10 in 2001.

Rates are per 100,000 population. All rates are standardised to the revised 2001 home mid year estimate

WESTERN LCG

Condition	ICD10 CODE	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
(i) Male											
All Causes		613.4	606.1	572.0	593.4	577.4	543.5	540.6	551.0	578.9	521.7
Cancer of Stomach	C16	8.3	15.4	10.0	15.9	9.8	8.1	5.1	8.5	7.1	7.7
Cancer of Colon	C18	8.2	19.8	21.0	11.0	19.8	17.9	15.7	12.8	11.6	13.9
Cancer of Rectum	C19-C21	4.4	1.2	8.1	2.0	4.5	8.2	11.3	9.7	13.3	3.8
Cancer of Lung	C33-C34	67.5	55.7	51.2	52.1	50.2	40.6	46.3	56.5	48.6	50.3
Ischaemic Heart Disease	I20-I25	171.4	160.9	151.9	146.4	133.1	125.4	119.1	85.0	116.5	101.1
Cerebrovascular Disease	I60-I69	36.7	29.9	20.4	28.6	34.7	29.2	20.9	24.1	22.7	19.0
Respiratory Diseases	J00-J99	60.6	59.7	45.8	46.0	55.1	53.6	53.3	35.7	39.9	45.7
Diseases of the genitourinary system	N00-N99	3.7	7.3	3.5	8.0	6.2	5.3	7.3	6.5	6.9	2.9
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	9.8	11.2	18.7	21.9	12.5	15.8	18.1	26.8	30.0	16.3
Suicide/self inflicted injuries	X60-X84, Y87.0	13.8	20.6	17.6	20.3	13.1	14.8	23.5	40.9	27.4	29.1
(ii) Female											
All Causes		370.7	364.3	387.2	369.7	320.9	359.1	324.9	338.0	327.0	287.3
Cancer of Stomach	C16	6.5	7.4	5.3	8.3	4.0	4.9	2.9	3.7	2.8	3.7
Cancer of Colon	C18	11.8	9.7	10.5	14.5	7.1	9.0	12.6	11.7	6.3	9.1
Cancer of Rectum	C19-C21	2.2	2.1	6.4	4.2	4.1	2.1	6.9	0.9	2.9	1.8
Cancer of Lung	C33-C34	18.8	18.4	39.4	33.3	31.7	26.9	32.2	32.3	34.2	22.1
Cancer of Breast	C50	29.2	25.6	27.2	30.6	21.8	27.3	26.7	19.7	22.2	25.4
Cancer of Cervix	C53	2.0	4.3	6.0	5.1	3.0	5.8	2.0	4.6	1.8	3.6
Ischaemic Heart Disease	I20-I25	80.5	50.6	55.3	50.1	43.1	45.2	48.3	45.6	30.2	24.3
Cerebrovascular Disease	I60-I69	24.9	20.1	27.3	23.8	20.7	22.0	12.9	19.1	20.8	16.4
Respiratory Diseases	J00-J99	42.4	43.8	30.6	36.5	35.2	36.1	28.5	33.8	32.2	27.6
Diseases of the genitourinary system	N00-N99	6.5	1.1	5.3	11.3	8.2	5.9	3.0	0.9	6.8	2.8
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	2.8	6.3	3.0	3.9	6.8	5.8	5.8	5.7	2.8	9.2
Suicide/self inflicted injuries	X60-X84, Y87.0	6.9	1.9	3.9	2.9	5.8	8.6	3.8	10.2	10.2	12.8

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: *ICD = International Classification of Diseases (10th Revision)

In 2001, ICD10 classification of diseases was introduced to replace ICD09. There was a change in the selection rules between ICD09 and ICD10 and this had a significant effect on the way pneumonia and bronchopneumonia were coded and therefore there has been a fall in the number of deaths from these causes since the implementation of ICD10 in 2001.

Rates are per 100,000 population. All rates are standardised to the revised 2001 home mid year estimate

Table 10a
Mortality by cause in Northern Ireland, 2008

Condition	ICD Number	Total Deaths		Number of Deaths by Age Group						
		Males	Females	Male			Female			
				0-14	15-74	75+	0-14	15-74	75+	
ALL CAUSES		7,227	7,680	100	3,286	3,841	82	2,147	5,451	
Infectious Diseases	A00-B99	77	106	2	27	48	0	17	89	
Cancer of Stomach	C16	67	65	0	31	36	0	22	43	
Cancer of Colon	C18	150	140	0	83	67	0	54	86	
Cancer of Rectum and Anus	C19-C21	92	59	0	48	44	0	32	27	
Cancer of Pancreas	C25	119	109	0	70	49	0	52	57	
Cancer of Trachea, Bronchus and Lung	C33-C34	565	362	0	335	230	0	193	169	
Cancer of Breast	C50	0	312	0	0	0	0	186	126	
Cancer of Cervix	C53	0	28	0	0	0	0	18	10	
Cancer of Ovary	C56	0	124	0	0	0	0	78	46	
Cancer of Prostate	C61	226	0	0	59	167	0	0	0	
Cancer of lymphoid, haematopoietic & related tissue	C81-C96	149	141	4	85	60	1	64	76	
Other Cancers	Rem C00-C97	713	550	6	422	285		255	293	
Benign Neoplasms	D10-D36	2	10	0	1	1	0	4	6	
Diabetes Mellitus	E10-E14	86	95	0	36	50	0	21	74	
Other Metabolic Diseases	Rem E00-E90	30	43	0	13	17	4	7	32	
Diseases of the blood and immune system	D50-D89	15	21	1	4	10	1	4	16	
Mental Disorders	F00-F99	182	393	0	50	132	0	24	369	
Multiple Sclerosis	G35	9	21	0	7	2	0	12	9	
Other Nervous System Diseases	Rem G00-G99	229	340	5	79	145	2	64	274	
Chronic Rheumatic Heart Disease	I05-I09	8	25	0	6	2	0	4	21	
Hypertensive Disease	I10-I15	37	66	0	18	19	0	19	47	
Ischaemic Heart Disease	I20-I25	1,351	1,059	0	571	780	0	217	842	
Other forms of heart disease	I30-I52	225	308	6	66	153	0	42	266	
Cerebrovascular Disease	I60-I69	501	828	1	130	370	1	126	701	
Diseases of arteries, arterioles and capillaries	I70-I79	118	102	0	41	77	0	22	80	
Influenza and pneumonia	J10-J18	332	570	3	58	271	2	50	518	
Other Respiratory Diseases	Rem J00-J99	612	582	6	213	393	2	15	4	426
Ulcer of the stomach, duodenum and jejunum	K25-K28	29	24	0	16	13	0	10	14	
Chronic Liver Disease	K70, K73-K74	131	73	0	125	6	0	68	5	
Other Digestive Diseases	Rem K00-K93	178	247	0	80	98	0	69	178	
Diseases of the genitourinary system	N00-N99	163	237	0	27	136	0	24	213	
Skin and Musculoskeletal Disease	L00-L99, M00-M99	34	75	0	12	22	0	18	57	
Congenital Anomalies	Q00-Q99	35	39	23	10	2	25	12	2	
Perinatal Conditions	P00-P96	35	32	35	0	0	32	0	0	
III-Defined Causes	R00-R99	37	102	1	14	22	4	7	91	
Road Traffic Accidents	V01-V80, V87, V89, Y85	106	42	2	95	9	4	33	5	
Accidental Falls	W00-W19	67	60	0	38	29	0	19	41	
Other Accidents	Rem V00-X59	143	103	2	104	37	0	32	71	
Suicide and Self Inflicted Injury	X60-X84, Y87.0	196	56	1	189	6	2	52	2	
Other Causes of Death	Rem A00-Y98	178	131	2	123	53	0	62	69	

SOURCE: Northern Ireland Statistics and Research Agency

Table 10b
Mortality by cause by Local Commissioning Group, 2008

Condition	ICD Number	Number of Deaths														
		Belfast LCG			Northern LCG			South Eastern LCG			Southern LCG			Western LCG		
		Male	Female	Person	Male	Female	Person	Male	Female	Person	Male	Female	Person	Male	Female	Person
ALL CAUSES		1,667	1,850	3,517	1,799	1,885	3,684	1,316	1,583	2,899	1,324	1,306	2,630	1,121	1,056	2,177
Infectious Diseases	A00-B99	21	23	44	21	38	59	14	18	32	12	15	27	9	12	21
Cancer of Stomach	C16	16	22	38	9	19	28	11	8	19	20	9	29	11	7	18
Cancer of Colon	C18	34	31	65	34	28	62	21	34	55	35	24	59	26	23	49
Cancer of Rectum and Anus	C19-C21	21	14	35	23	17	40	19	13	32	22	7	29	7	8	15
Cancer of Pancreas	C25	27	28	55	41	29	70	16	13	29	26	18	44	9	21	30
Cancer of Trachea, Bronchus, Lung	C33-C34	170	109	279	129	89	218	85	61	146	103	48	151	78	55	133
Cancer of Breast	C50	0	68	68	0	76	76	0	65	65	0	56	56	0	47	47
Cancer of Cervix	C53	..	7	7	..	9	9	..	5	5	..	3	3	..	4	4
Cancer of Ovary	C56	..	20	20	..	34	34	..	26	26	..	26	26	..	18	18
Cancer of Prostate	C61	45	..	45	53	..	53	44	..	44	46	..	46	38	..	38
Cancer of lymphoid, haematopoietic & related tissue	C81-96	35	31	66	43	40	83	30	31	61	19	21	40	22	18	40
Other Cancers	Rem C00-C97	173	123	296	172	139	311	136	106	242	129	107	236	103	75	178
Benign Neoplasms	D10-D36	1	1	2	0	1	1	0	4	4	1	2	3	0	2	2
Diabetes Mellitus	E10-E14	13	21	34	22	18	40	17	13	30	16	29	45	18	14	32
Other Metabolic Diseases	Rem E00-E90	6	7	13	11	12	23	4	8	12	4	6	10	5	10	15
Diseases of the blood and immune system	D50-D89	3	7	10	3	7	10	2	4	6	5	1	6	2	2	4
Mental Disorders	F00-F99	53	103	156	44	79	123	33	102	135	34	70	104	18	39	57
Multiple Sclerosis	G35	1	5	6	2	6	8	4	6	10	0	1	1	2	3	5
Other Nervous System Diseases	Rem G00-G99	43	84	127	63	77	140	63	91	154	41	45	86	19	43	62
Chronic Rheumatic Heart Disease	I05-I09	4	7	11	1	3	4	0	5	5	1	5	6	2	5	7
Hypertensive Disease	I10-I15	5	12	17	6	30	36	9	7	16	9	8	17	8	9	17
Ischaemic Heart Disease	I20-I25	266	239	505	360	271	631	250	217	467	258	206	464	217	126	343
Other forms of heart disease	I30-I52	40	77	117	58	70	128	40	52	92	42	52	94	45	57	102
Cerebrovascular Disease	I60-I69	122	190	312	119	190	309	106	188	294	82	145	227	72	115	187
Diseases of arteries, arterioles and capillaries	I70-I79	34	24	58	29	16	45	23	19	42	15	27	42	17	16	33

Table 10b (continued)
Mortality by cause by Local Commissioning Group, 2008

	Number of Deaths																	
	Belfast LCG			Northern LCG			South Eastern LCG			Southern LCG			Western LCG					
	Male	Female	Person	Male	Female	Person	Male	Female	Person	Male	Female	Person	Male	Female	Person			
Influenza and pneumonia			J10-J18	72	133	205	78	162	240	59	115	174	62	98	160	61	62	123
Other Respiratory Diseases			Rem J00-J99	140	155	295	155	136	291	114	114	228	97	85	182	106	92	198
Ulcer of the stomach, duodenum and jejunum			K25-K28	7	9	16	5	5	10	9	7	16	4	1	5	4	2	6
Chronic Liver Disease			K70, K73-K74	46	15	61	26	18	44	23	16	39	20	12	32	16	12	28
Other Digestive Diseases			Rem K00-K93	49	68	117	43	64	107	26	48	74	31	31	62	29	36	65
Diseases of the genitourinary system			N00-N99	29	57	86	50	64	114	36	41	77	20	43	63	28	32	60
Skin and Musculoskeletal Disease			L00-L99, M00-M99	4	18	22	8	12	20	8	19	27	8	11	19	6	15	21
Congenital Anomalies			Q00-Q99	7	8	15	11	6	17	5	8	13	7	11	18	5	6	11
Perinatal Conditions			P00-P96	6	6	12	8	9	17	2	5	7	8	9	17	11	3	14
Ill-Defined Causes			R00-R99	6	34	40	7	22	29	13	36	49	5	4	9	6	6	12
Road Traffic Accidents			V01-V80, V87, V89, Y85	18	4	22	26	15	41	19	5	24	23	6	29	20	12	32
Accidental Falls			W00-W19	17	17	34	10	12	22	14	18	32	15	6	21	11	7	18
Other Accidents			Rem V00-X59	30	34	64	40	23	63	23	23	46	22	17	39	28	6	34
Suicide and Self Inflicted Injury			X60-X84, Y87.0	49	9	58	43	8	51	23	11	34	49	14	63	32	14	46
Other Causes of Death			Rem A00-Y98	54	30	84	46	31	77	15	21	36	33	27	60	30	22	52

SOURCE: Northern Ireland Statistics and Research Agency

Table 10c
Potential years of life lost (PYLL), selected causes of death age 1-74 years, Northern Ireland 2008

Condition	ICD Number	Males	Females	Persons
ALL CAUSES		54,740	32,085	86,825
Cancer of Colon	C18	1,007	656	1,663
Cancer of Rectum and Anus	C19-C21	561	414	975
Cancer of Trachea, Bronchus and Lung	C33-C34	3,423	2,177	5,600
Cancer of Breast	C50	0	3,104	3,104
Cancer of Ovary	C56	..	1,002	1,002
Mental Disorders	F00-F99	879	328	1,207
Ischaemic Heart Disease	I20-I25	6,930	2,149	9,079
Cerebrovascular Disease	I60-I69	1,567	1,453	3,020
Influenza and pneumonia	J09-J18	904	746	1,650
Other Respiratory Diseases	Rem J00-J99	2,336	1,434	3,770
Chronic Liver Disease	K70, K73-K74	2,438	1,297	3,735
Congenital Anomalies	Q00-Q99	653	590	1,243
Road Traffic Accidents	V01-V80, V87, V89, Y85	4,175	1,552	5,727
Accidental Falls	W00-W19	744	352	1,096
Other Accidents	Rem V00-X59	3,472	726	4,198
Suicide and Self Inflicted Injury	X60-X84, Y87.0	7,074	1,876	8,950
Other Causes of Death	Rem A00-Y98	18,577	12,229	30,806

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: ICD = International Classification of Diseases (10th Revision)

Potential Years of Life Lost (PYLL) is a measure of premature death, measured as the number of years of life 'lost' from a death when a person dies before the age of 75. A death at age 25, for example, has lost 50 potential years of life.

**Table 10d
Potential years of life lost (PYLL) in those aged 1-74 years for selected causes of death, Local Commissioning Groups, 2008**

Condition	ICD Number	Number of Years														
		Belfast LCG			Northern LCG			South Eastern LCG			Southern LCG			Western LCG		
		Male	Female	Person	Male	Female	Person	Male	Female	Person	Male	Female	Person	Male	Female	Person
ALL CAUSES		13,866	6,725	20,591	13,256	7,764	21,020	8,567	6,315	14,882	9,850	6,043	15,893	9,201	5,238	14,439
Cancer of Colon	C18	264	119	383	114	126	240	103	164	267	293	143	436	233	104	337
Cancer of Rectum and Anus	C19-C21	130	105	235	123	205	328	165	65	230	91	21	112	52	18	70
Cancer of Trachea, Bronchus and Lung	C33-C34	983	561	1,544	754	721	1,475	574	286	860	631	377	1,008	481	232	713
Cancer of Breast	C50	0	718	718	0	723	723	0	651	651	0	535	535	0	477	477
Cancer of Ovary	C56	..	157	157	..	209	209	..	168	168	..	248	248	..	220	220
Mental Disorders	F00-F99	348	101	449	205	75	280	147	32	179	41	108	149	138	12	150
Ischaemic Heart Disease	I20-I25	1,553	506	2,059	1,825	499	2,324	1,050	515	1,565	1,245	444	1,689	1,257	185	1,442
Cerebrovascular Disease	I60-I69	393	436	829	481	270	751	328	258	586	176	290	466	189	199	388
Influenza and pneumonia	J09-J18	242	53	295	176	207	383	168	241	409	213	137	350	105	108	213
Other Respiratory Diseases	Rem J00-J99	591	346	937	584	301	885	435	292	727	374	175	549	352	320	672
Chronic Liver Disease	K70, K73-K74	879	250	1,129	539	352	891	381	252	633	340	157	497	299	286	585
Congenital Anomalies	Q00-Q99	126	146	272	359	0	359	106	98	204	12	224	236	50	122	172
Road Traffic Accidents	V01-V80, V87, V89, Y85	790	148	938	959	495	1,454	789	141	930	916	247	1,163	721	521	1,242
Accidental Falls	W00-W19	217	54	271	111	128	239	150	61	211	130	78	208	136	31	167
Other Accidents	Rem V00-X59	814	236	1,050	1,007	242	1,249	590	140	730	510	84	594	551	24	575
Suicide and Self Inflicted Injury	X60-X84, Y87.0	1,936	303	2,239	1,395	225	1,620	876	403	1,279	1,740	446	2,186	1,127	499	1,626
Other Causes of Death	Rem A00-Y98	4,600	2,486	7,086	4,624	2,986	7,610	2,705	2,548	5,253	3,138	2,329	5,467	3,510	1,880	5,390

SOURCE: Northern Ireland Statistics and Research Agency

Table 11a
Life Expectancy in Northern Ireland at birth, age 1 and age 65 years old, 1900 – 2008

PERIOD	AT BIRTH		AT AGE 1 YEAR		AT AGE 65 YEARS	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
1900-02	47.1	46.7	#	#	10.5	10.4
1925-27	55.4	56.1	59.9	59.5	11.9	12.7
1950-52	65.5	68.8	67.5	70.3	12.1	13.5
1975-77	67.5	73.8	67.9	74.1	11.8	15.3
1985-87	70.9	77.1	70.6	76.8	13.2	16.9
1995-97	73.8	79.2	73.3	78.6	14.6	18.1
2000-02	75.2	80.1	74.6	79.5	15.7	18.7
2001-03	75.6	80.4	75.0	79.8	15.9	18.9
2002-04	75.8	80.6	75.3	79.9	16.1	19.1
2003-05	76.0	80.8	75.5	80.2	16.4	19.3
2004-06	76.1	81.0	75.6	80.4	16.6	19.5
2005-07	76.2	81.2	75.6	80.6	16.8	19.7
2006-08	76.3	81.2	75.8	80.6	17.0	19.8

- figures not available

SOURCE: General Register Office Northern Ireland Statistics and Research Agency (via Office for National Statistics)
 Data revised in line with the 2001 revisions to mid year estimates

Table 11b
Life Expectancy at birth by Local Government District, 1992-1994 to 2006-2008
Males

LGD	1992-94	1993-95	1994-96	1995-97	1996-98	1997-99	1998-2000	1999-2001	2000-02	2001-03	2002-04	2003-05	2004-06	2005-07	2006-08
Antrim	72.9	73.5	72.6	73.2	73.6	74.1	74.1	74.1	74.2	75.0	75.4	76.1	76.6	76.8	76.9
Ard	73.9	73.9	74.3	74.2	75.0	75.2	75.1	75.0	75.9	76.9	77.2	77.1	77.2	77.0	77.3
Armagh	72.8	73.4	74.0	73.9	74.1	74.4	74.1	74.2	74.2	75.7	76.6	77.3	76.4	76.3	76.2
Ballymena	74.0	74.2	74.5	75.0	74.9	74.8	75.0	75.3	76.3	76.3	76.9	77.2	77.5	77.8	78.1
Ballymoney	74.0	73.8	73.8	74.8	75.1	75.0	74.6	75.0	76.0	77.7	78.0	78.6	78.0	77.2	77.6
Banbridge	74.1	75.0	74.9	75.2	75.2	75.6	75.6	76.0	76.5	76.8	77.4	77.7	78.0	78.5	78.1
Belfast	71.5	71.5	71.9	72.4	72.7	72.4	72.3	72.8	73.2	73.5	73.5	73.6	73.7	73.6	73.4
Carrickfergus	74.0	73.8	74.3	74.9	74.6	74.3	74.1	75.2	76.3	77.2	77.9	77.6	77.2	76.4	76.5
Castlereagh	74.8	74.4	75.0	75.4	76.0	76.1	76.2	76.1	76.3	76.6	77.0	77.0	78.0	78.1	78.5
Coleraine	74.0	73.8	74.0	74.7	75.3	75.4	75.7	75.5	76.1	76.6	76.6	77.3	77.3	78.4	78.1
Cookstown	73.4	73.7	73.5	74.4	74.8	74.9	75.2	74.9	75.9	77.3	77.7	76.7	74.7	75.0	74.9
Craigavon	72.8	73.1	74.1	73.9	74.7	74.5	75.2	75.1	75.7	75.3	75.7	76.1	76.8	77.3	77.1
Derry	72.4	72.1	71.8	71.6	72.4	73.6	74.0	74.8	74.4	74.4	74.2	74.6	74.9	74.5	74.6
Down	73.5	73.0	72.4	73.1	73.5	74.0	74.6	75.4	76.1	76.0	77.0	77.3	77.8	77.6	78.1
Dungannon	71.8	71.7	72.5	73.3	74.0	73.9	74.8	74.5	75.2	76.5	77.0	75.7	74.6	74.5	75.9
Fermanagh	72.0	72.6	73.3	73.4	73.3	73.6	74.3	75.1	75.4	75.2	75.2	74.9	75.1	75.0	76.1
Larne	72.5	72.6	74.0	75.0	74.2	74.8	74.3	75.4	75.0	74.9	74.3	74.8	75.7	77.0	76.8
Limavady	73.5	73.8	74.8	75.3	75.5	75.0	75.1	75.4	75.6	76.0	76.7	77.2	76.9	76.8	76.4
Lisburn	73.9	74.1	74.3	74.6	75.2	75.3	75.6	75.8	76.1	75.8	75.6	75.9	76.3	77.0	77.2
Magherafelt	73.4	73.9	74.6	73.9	73.7	73.8	75.9	76.8	76.8	76.8	76.7	76.9	77.3	77.1	77.8
Moyle	71.1	71.1	72.2	74.2	75.7	75.3	75.4	74.7	76.6	76.8	77.6	76.8	76.8	77.6	78.5
Newry and Mourne	72.5	72.9	73.5	73.9	73.6	73.4	73.7	74.3	75.1	75.4	75.6	75.8	75.5	76.0	75.9
Newtownabbey	74.8	74.4	75.0	75.2	75.7	75.5	75.3	75.4	75.5	75.9	76.5	77.6	78.0	77.9	77.5
North Down	75.5	75.6	75.8	75.4	75.6	75.7	75.9	76.4	77.2	77.6	77.9	77.4	77.8	78.1	79.0
Omagh	71.5	72.5	73.8	74.3	74.1	74.0	73.8	73.9	74.3	75.8	76.7	76.7	76.5	75.4	76.1
Strabane	72.0	71.7	72.9	73.6	74.2	75.5	75.4	75.1	74.2	74.2	75.0	76.2	76.5	76.3	75.4

Females

LGD	1992-94	1993-95	1994-96	1995-97	1996-98	1997-99	1998-2000	1999-2001	2000-02	2001-03	2002-04	2003-05	2004-06	2005-07	2006-08
Antrim	78.1	78.7	79.4	79.5	79.2	78.7	78.7	79.2	79.7	80.0	80.0	80.6	80.8	80.5	80.7
Ards	79.2	79.6	79.7	79.8	80.4	79.8	79.9	80.1	80.8	81.2	80.6	80.9	81.1	81.7	82.0
Armagh	78.1	78.1	78.5	78.8	78.9	79.2	79.4	79.4	79.8	80.7	80.8	81.7	81.3	81.8	81.2
Ballymena	80.1	79.7	79.3	79.2	79.4	79.5	80.3	80.6	81.0	80.9	81.2	81.9	82.3	82.6	82.2
Ballymoney	79.0	78.7	79.2	79.3	78.9	79.5	80.3	81.5	81.5	81.7	82.6	82.4	82.4	82.5	82.5
Banbridge	80.2	80.0	80.2	80.5	80.1	80.0	79.3	80.2	80.1	80.5	80.6	81.6	82.5	83.2	82.6
Belfast	78.1	77.9	78.1	78.5	79.0	78.8	78.3	78.3	78.8	79.3	79.4	79.6	79.6	79.6	79.6
Carrickfergus	78.7	78.7	78.6	78.7	79.1	79.5	80.0	79.8	79.6	79.4	79.8	80.6	81.2	80.4	80.3
Castlereagh	79.0	79.2	79.5	79.9	79.9	80.0	80.1	80.5	81.2	81.3	81.3	81.8	82.0	82.3	82.2
Coleraine	79.1	79.3	79.7	80.1	80.5	80.7	80.9	81.3	81.9	82.2	81.7	81.4	81.5	82.3	82.5
Cookstown	79.0	79.1	79.5	80.1	80.5	80.5	81.0	81.4	81.8	82.4	82.3	82.0	81.6	81.7	81.9
Craigavon	78.3	78.6	79.4	79.6	80.1	79.8	80.0	80.1	80.4	80.7	80.9	81.5	81.8	82.4	82.3
Derry	76.9	76.6	77.4	77.5	78.0	78.0	78.3	78.5	78.8	79.1	79.3	79.5	79.4	79.7	80.0
Down	79.0	79.1	78.8	78.7	79.2	79.3	79.8	80.1	80.9	81.0	81.3	81.1	81.0	80.9	80.7
Dungannon	78.3	79.1	78.6	79.7	79.6	80.0	79.8	80.0	80.2	80.2	80.2	80.3	80.6	81.4	81.1
Fermanagh	78.5	78.5	79.3	79.5	79.7	80.0	80.3	80.2	80.3	80.3	80.0	80.4	80.3	81.5	81.7
Larne	79.9	80.0	80.7	80.7	80.0	80.4	79.6	80.6	80.2	80.5	80.9	81.0	81.1	81.2	81.7
Limavady	77.8	77.7	78.2	78.5	80.2	79.8	79.2	79.2	79.7	80.5	80.5	79.9	80.3	81.1	82.4
Lisburn	79.7	79.4	79.5	79.7	80.0	79.5	79.7	80.0	80.3	80.6	80.7	80.9	81.5	81.7	82.0
Magherafelt	80.9	81.2	81.5	80.5	80.4	80.3	80.8	80.9	81.5	81.4	81.9	81.7	81.9	81.8	82.2
Moyle	79.2	79.5	81.1	81.3	80.8	79.4	79.6	79.3	79.6	79.5	80.6	82.2	81.7	82.1	81.1
Newry and Mourne	78.9	78.0	78.5	78.4	78.6	79.0	79.3	79.6	79.6	79.9	79.8	80.0	79.8	80.3	80.6
Newtownabbey	79.6	79.5	79.3	79.7	79.7	79.5	79.5	79.9	80.6	80.8	81.0	81.2	81.5	81.7	81.9
North Down	80.8	80.0	79.8	80.2	80.9	80.7	81.2	81.1	81.7	81.6	81.7	82.4	82.8	82.8	82.1
Omagh	79.0	79.1	79.3	79.2	80.1	80.4	80.3	79.7	80.3	80.8	81.6	82.1	81.9	81.5	81.9
Strabane	77.0	77.8	78.4	79.3	79.1	79.4	79.4	79.4	79.7	79.3	80.1	80.9	81.6	81.1	80.6

SOURCE:

Office for National Statistics

<http://www.statistics.gov.uk/StatBase/Product.asp?vlink=8841>

Table 12
Infectious Disease Notifications for Northern Ireland, 1999 – 2008

Disease	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Acute Encephalitis/Meningitis: Bacterial**	82	99	68	75	69	59	48	46	33	39
Acute Encephalitis/Meningitis: Viral**	17	31	29	23	9	5	18	12	3	2
Chickenpox **	4,584	4,531	3,927	4,931	4,459	3,768	3,227	3,034	2,823	1,941
Cholera	0	0	0	1	0	0	1	1	0	0
Diphtheria	0	0	0	0	0	0	0	0	0	1
Dysentery	10	24	22	7	14	8	7	7	10	16
Food Poisoning	2,033	2,285	1,644	1,220	1,268	1,666	1,409	1,469	1,321	1,267
Gastro-enteritis (persons under 2)	1,121	1,205	1,106	882	867	697	736	718	762	758
Hepatitis A**	62	26	6	1	4	12	4	4	1	15
Hepatitis B**	4	11	7	8	21	45	41	42	50	60
Hepatitis Unspecified: Viral**	12	9	10	2	15	2	29	2	1	0
Legionnaires Disease**	2	1	1	3	4	4	6	5	10	5
Leptospirosis**	1	0	0	1	0	0	1	1	1	0
Malaria**	13	11	13	2	1	5	2	6	4	2
Measles	79	92	96	89	57	90	56	52	31	24
Meningococcal Septicaemia**	145	123	90	98	76	82	66	75	42	33
Mumps***	93	1,006	537	77	180	780	4,556	205	164	135
Paratyphoid Fever	0	0	0	1	0	0	0	0	0	1
Rabies	0	0	0	0	0	0	0	0	0	1
Rubella***	73	62	65	50	34	39	31	33	26	28
Scarlet Fever	432	310	283	214	304	228	186	213	214	173
Tetanus	0	0	1	0	0	0	0	0	0	0
Tuberculosis (Pulmonary)	44	36	31	58	26	59	37	34	44	28
Tuberculosis (Non Pulmonary)	17	22	17	10	12	14	31	14	19	29
Typhoid	0	0	1	3	0	0	1	1	3	0
Whooping Cough	108	61	65	69	40	28	28	28	16	30
Yellow Fever	0	0	1	0	0	0	0	0	0	0
Total	8,932	9,945	8,020	7,825	7,460	7,591	10,521	6,002	5,578	4,588

SOURCE: Public Health Agency

FOOTNOTES: ** Only notifiable from 16 April 1990

*** Only notifiable from October 1988

Food poisoning notifications include those formally notified by clinicians and reports of Salmonella, Campylobacter, Cryptosporidium, Giardia, Listeria and E Coli O 157 informally ascertained from laboratories.

Table 13a
Immunisation Rates for Northern Ireland, percentage uptake rates, 1999 - 2008

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Diphtheria	95.4	95.1	94.9	96.2	95.5	95.2	96.1	96.7	96.9	97.4
Polio	95.4	95.0	94.7	95.5	95.4	95.1	95.9	96.6	96.8	97.3
Tetanus	95.4	95.1	94.9	95.7	95.5	95.2	96.1	96.7	96.9	97.4
Whooping Cough	94.5	94.2	94.2	95.2	95.1	94.9	96.1	96.7	96.9	97.3
MMR	91.0	92.5	89.9	89.3	88.3	88.0	90.7	91.6	92.7	90.6
Hib	95.3	95.8	94.9	95.6	95.5	95.2	96.2	96.6	96.7	97.2
Meningitis C	-	-	-	95.8	95.6	95.3	96.1	96.8	97.0	96.9
PCVb	-	-	-	-	-	-	-	-	81.1	84.5

SOURCE: Child Health Systems

FOOTNOTES: Uptake Rates for Diphtheria, Polio, Tetanus, Whooping Cough and Hib refer to children who have achieved their first birthday in that particular year.
MMR (Measles, Mumps and Rubella) rates refer to children who have achieved their second birthday in that particular year.
Meningitis C vaccine was introduced in December 1999 and refers to children who have achieved their first birthdays in that particular year
PCV - Pneumococcal Conjugate Vaccine was introduced in September 2006 and refers to children who have achieved their first birthdays in that particular year.

Table 13b
Immunisation Rates by Local Commissioning Group & Northern Ireland, percentage uptake rates, 2008

	LCG					
	Belfast	South Eastern	Northern	Southern	Western	Northern Ireland
DTaP/IPV/Hib3	95.8	97.6	97.6	97.7	98.1	97.4
MenC	95.4	97.3	97.2	97.3	97.7	97.0
PCV	94.3	96.5	97.1	97.0	95.5	96.2
MMR1 by age 2	86.0	89.2	91.8	92.6	92.8	90.6
MMR1 by age 5	94.9	95.6	96.1	96.1	96.1	95.8
MMR2	84.7	88.3	90.5	89.2	91.6	89.0
Pre School Booster	86.9	90.8	92.9	91.5	93.7	91.3
HPV	85.8	83.7	79.6	83.7	87.3	83.9

SOURCE: Child Health Systems

FOOTNOTES: Uptake Rates for:
 DTaP/IPV/Hib3 - immunisation against Diptheria, Tetanus, Polio, Pertrussis (Whooping Cough) and Hib (Haemophilis influenza type b) and refers to children who have achieved their first birthday.
 MenC and PCV refer to children who have achieved their first birthday.
 MMR1 by age 2 refer to children who received their vaccine by age 2
 MMR1 by age 5 refer to children who received their vaccine by age 5
 MMR2 refer to children who received their vaccine by age 5
 Pre school booster refer to children who received their vaccine by age 5
 HPV refer to girls in form 9 aged 12-13yrs who have received their 3rd dose. (School year)

Table 14a
Number and birth prevalence per 1,000 total registered births for selected Congenital Abnormalities in Northern Ireland, 1999 – 2008

YEAR	Anencephaly		Hydrocephalus		Spina Bifida		Down's Syndrome	
	No	Rate	No	Rate	No	Rate	No	Rate
1999	5	0.2	13	0.6	8	0.4	27	1.2
2000	0	0.0	13	0.6	9	0.4	32	1.5
2001	5	0.2	11	0.5	13	0.6	36	1.6
2002	6	0.3	8	0.4	8	0.4	34	1.6
2003	4	0.2	6	0.3	12	0.6	38	1.8
2004	2	0.1	7	0.3	11	0.5	36	1.6
2005	1	0.0	6	0.3	14	0.6	28	1.3
2006	2	0.0	5	0.2	10	0.4	44	1.9
2007	0	0.0	8	0.3	7	0.3	42	1.7
2008	4	0.2	9	0.4	18	0.7	24	0.9

SOURCE: Child Health System, GRO (NISRA)

FOOTNOTE: Rates have been calculated using registered births as a denominator.
 The definition of a stillbirth changed on 1/10/92 and now includes loss of foetus after 24 weeks of pregnancy
 The data does not include cases where the foetus was born dead before 24 weeks of pregnancy

Table 14b
Number and rate of Down's Syndrome births by maternal age and Local Commissioning Group, 2004-2008

Maternal Age	BELFAST LCG	
	No of Cases	Rate Per 1000 Total Births
<19	0	0.0
20-24	3	1.2
25-29	1	0.3
30-34	6	1.9
35-39	6	3.1
40-44	7	19.5
45-49	0	0.0

Maternal Age	NORTHERN LCG	
	No of Cases	Rate Per 1000 Total Births
<19	0	0.0
20-24	3	1.1
25-29	8	1.7
30-34	11	2.0
35-39	17	6.1
40-44	15	30.9
45-49	1	55.6

Maternal Age	SOUTH EASTERN LCG	
	No of Cases	Rate Per 1000 Total Births
<19	0	0.0
20-24	2	1.0
25-29	6	1.9
30-34	10	2.6
35-39	5	2.4
40-44	5	13.7
45-49	0	0.0

Maternal Age	SOUTHERN LCG	
	No of Cases	Rate Per 1000 Total Births
<19	0	0.0
20-24	3	1.4
25-29	3	0.7
30-34	6	1.2
35-39	18	7.5
40-44	9	21.0
45-49	0	0.0

Maternal Age	WESTERN LCG	
	No of Cases	Rate Per 1000 Total Births
<19	1	0.9
20-24	2	0.6
25-29	6	1.1
30-34	3	0.5
35-39	11	3.3
40-44	6	9.4
45-49	0	0.0

Maternal Age	NORTHERN IRELAND	
	No of Cases	Rate Per 1000 Total Births
<19	1	0.2
20-24	13	1.1
25-29	24	1.3
30-34	36	1.7
35-39	57	5.1
40-44	42	21.2
45-49	1	12.5

SOURCE: Child Health System, NISRA

Table 15a
Cervical screening coverage by Health and Social Care Trust, 2008/09

HSC Trust	Eligible pop.	Women with at least one test in the last 5 years (coverage)	% Coverage
Belfast HSC & South East HSC	183,829	133,513	72.6%
Northern HSC	107,457	85,549	79.6%
Southern HSC	91,378	69,341	75.9%
Western HSC	79,032	59,689	75.5%
Total	461,696	348,092	75.4%

SOURCE: Quality Assurance Reference Centre (QARC)

Table 15b
Breast screening uptakes by Local Commissioning Group of residence
3 year screening cycle (2006-2009). Women aged 50-64 who were invited for screening and attended the appointment

LCG	Number	%
Belfast	17,985	67.2
South Eastern	23,894	76.8
Northern	30,289	80.4
Southern	21,462	78.9
Western	18,753	79.0
N/A	766	70.4
Northern Ireland	113,149	76.7

SOURCE: Quality Assurance Reference Centre (QARC)

FOOTNOTES: Uptake data are normally calculated by screening unit and are not routinely available at LCG level. Therefore the data shown have been calculated using slightly different methodology to that normally used by the QARC. The standard is $\geq 70\%$ with a target of 80%.
 N/A refers to where either the postcode was missing, incomplete or inaccurate therefore no LCG could be assigned.



Public Health
Agency



DHSSPS

Department of Health, Social Services
and Public Safety
www.dhsspsni.gov.uk

Published by the Public Health Agency, Ormeau Avenue Unit, 18 Ormeau Avenue, Belfast BT2 8HS.
Tel: 028 9031 1611. Textphone/Text Relay: 18001 028 9031 1611.

www.publichealth.hscni.net